

Name of Journal: *World Journal of Hepatology*

ESPS Manuscript NO: 22855

Manuscript Type: ORIGINAL ARTICLE

Basic Study

HCV inhibitor synergism suggests multistep interactions between HSP90 and HCV replication

Naoko Kubota¹, Masataka Nomoto¹, Gi-Wook Hwang¹, Toshihiko Watanabe², Michinori Kohara³, Takaji Wakita⁴, Akira Naganuma¹ and Shusuke Kuge^{1,2*}

Match Overview

1	Internet 27 words crawled on 05-Oct-2010 biovirus.org	1%
2	Internet 23 words crawled on 11-Apr-2013 hepatitisnewdrugs.blogspot.com	1%
3	CrossCheck 13 words Ross-Thriepland, D., Y. Amako, and M. Harris. "The C-terminus of NS5A domain II is a key determinant of hepati	<1%
4	Internet 12 words crawled on 26-Nov-2014 www.ncbi.nlm.nih.gov	<1%
5	Internet 11 words crawled on 24-Jun-2015 www.treatmentactiongroup.org	<1%
6	CrossCheck 10 words Saeed, Mohsan, Ursula Andreo, Hyo-Young Chung, Christine Espiritu, Andrea D. Branch, Jose M. Silva, and Ch...	<1%
7	Internet 10 words crawled on 12-Oct-2010	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 14,700 条结果 (用时 0.73 秒)

Google 学术: HCV inhibitor synergism suggests multistep interactions between HSP90 and HCV replication

... as a host chaperone required for viral replication - Geller - 被引用次数: 30

... 2061, a potent HCV protease inhibitor, by a convergent ... - Yee - 被引用次数: 111

Antiviral strategies for hepatitis E virus - Debing - 被引用次数: 16

Broad action of Hsp90 as a host chaperone required for viral ...

www.sciencedirect.com/science/article/.../S0167488911003090 ▾ 翻译此页

作者: R Geller - 2012 - 被引用次数: 30 - 相关文章

2011年12月1日 - The hypersensitivity of viral replication to Hsp90 inhibition may stem from In the case of hepatitis C virus (HCV), Hsp90 is required for the activity and ... which in turn blocks the Hsp90- σ 1 interaction, suggesting a possible novel

Pharmacologic shifting of a balance between protein refolding and ...

Related Articles - PubMed Central Canada

pubmedcentralcanada.ca/pmcc/solr/mltjsessionid... ▾ 翻译此页

Results 1 - 25 - 1. A Novel Small Molecule Inhibitor of Hepatitis C Virus Entry ...

Resistance to these inhibitors emerges rapidly in the clinic, suggesting that successful therapy will involve ... elucidate pathway interactions and regulation relevant to Hepatitis C replication HCV entry into cells is a multi-step and slow process.

学术搜索

找到约 103 条结果 (用时0.05秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序


搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

 创建快讯

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

[HTML] Broad action of Hsp90 as a host chaperone required for viral replication
R Geller, S Taguwa, J Frydman - ... et Biophysica Acta (BBA)-Molecular Cell ..., 2012 - Elsevier
... Hsp90; Antiviral; Chaperone; Drug resistance; Hsp90 inhibitor; Virus; protein folding. ... 17-AAG)
and 17-desmethoxy-17-N,N-dimethylaminoethylaminogeldanamycin (17-DMAG), inhibit Hsp90
activity by ... Flaviviridae, HCV, NS3 protease, Cleavage at NS2/3 junction, NS3 function, ...
被引用次数: 30 相关文章 所有 7 个版本 引用 保存

[sciencedirect.com](#) 中的 [HTML]

Efficient large-scale synthesis of BILN 2061, a potent HCV protease inhibitor, by a convergent
approach based on ring-closing metathesis
NK Yee, V Farina, IN Houpis, N Haddad... - The Journal of ..., 2006 - ACS Publications
... In the search for small molecules that could block replication of the hepatitis C virus (HCV), our
discovery group has ... which recently has been tested in humans, is BILN 2061 (1, Figure 1). 2.
The new inhibitor has demonstrated antiviral response in HCV patients. ...
被引用次数: 109 相关文章 所有 4 个版本 引用 保存

Antiviral strategies for hepatitis E virus
Y Debing, J Neyts - Antiviral research, 2014 - Elsevier

[kuleuven.be](#) 中的 [PDF]

The hepatitis E virus is a common cause of acute hepatitis. Contrary to hepatitis B and
C, hepatitis E is mostly a mild infection, although it has a high mortal.
被引用次数: 16 相关文章 所有 8 个版本 引用 保存

Cellular stress responses in hepatitis C virus infection: Mastering a two-edged sword
C Vasallo, P Gastaminza - Virus research, 2015 - Elsevier
Hepatitis C virus (HCV) infection affects chronically more than 150 million humans worldwide.
Chronic HCV infection causes severe liver disease and hepatocellul.
被引用次数: 2 相关文章 所有 3 个版本 引用 保存

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 18,300 条结果 (用时 0.79 秒)

Google 学术: Hepatitis C virus inhibitor synergism suggests multistep interactions between HSP90 and hepatitis C virus replication

Inhibiting NF- κ B activation by small molecules as a ... - Gupta - 被引用次数: 279

Proteomic analysis of hepatitis B virus-associated ... - Li - 被引用次数: 140

... as a host chaperone required for viral replication - Geller - 被引用次数: 31

Broad action of Hsp90 as a host chaperone required for viral ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: R Geller - 2012 - 被引用次数: 30 - 相关文章

2011年12月2日 - The hypersensitivity of viral replication to Hsp90 inhibition may stem from several In the case of hepatitis C virus (HCV), Hsp90 is required for the activity ... Interestingly, the analysis of the NS5A-Hsp90 interactions revealed a novel not effect dengue virus propagation in liver cells, suggesting a cell type

Related Articles - PubMed Central Canada

pubmedcentralcanada.ca/pmcc/solr/mtj;sessionid... ▾ 翻译此页

Results 1 - 25 - 1. A Novel Small Molecule Inhibitor of Hepatitis C Virus Entry ...

Resistance to these inhibitors emerges rapidly in the clinic, suggesting that successful therapy will involve ... elucidate pathway interactions and regulation relevant to Hepatitis C replication HCV entry into cells is a multi-step and slow process.

PLOS Pathogens: Conserved Motifs within Hepatitis C Virus ...

journals.plos.org/plospathogens/article?id=10.1371/journal... ▾ 翻译此页

2015年9月30日 - Here, we demonstrate that HCV particles inhibit T cell activation by