

Name of Journal: *World Journal of Hepatology*

ESPS Manuscript NO: 28671

Manuscript Type: Original Article

Retrospective Study

Clinical usefulness of ursodeoxycholic acid for Japanese patients with autoimmune hepatitis

Yuichi Torisu, Masanori Nakano, Keiko Takano, Ryo Nakagawa, Chisato

Saeki, Atsushi Hokari, Tomohisa Ishikawa, Masayuki Saruta, Mikio Zeniya

Match Overview

1	Internet 129 words crawled on 29-Sep-2015 www.easl.eu	4%
2	Crossref 99 words Zachou, K., P. Muratori, G. K. Koukoulis, A. Granito, N. Gatselis, A. Fabbri, G. N. Dalekos, and L. Muratori. "Review	3%
3	Crossref 94 words Yasuhiro Miyake. "Efficacy of ursodeoxycholic acid for Japanese patients with autoimmune hepatitis", <i>Hepatolog</i>	3%
4	Internet 33 words crawled on 02-Feb-2012 www.hsg.gr	1%
5	Publications 24 words "Reports from University of Bologna Highlight Recent Findings in Autoimmune Diseases and Genetics (Fe", <i>Obe</i>	1%
6	Crossref 24 words KIMIHIDE NAKAMURA. "Efficacy of ursodeoxycholic acid in Japanese patients with type 1 autoimmune hepatitis",	1%

学术搜索

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

Efficacy of ursodeoxycholic acid for Japanese patients with autoimmune hepatitis

Y Miyake, Y Iwasaki, H Kobashi, T Yasunaka... - Hepatology ..., 2009 - Springer

Abstract Purpose This study aimed to investigate the efficacy of ursodeoxycholic acid (UDCA) for Japanese patients with autoimmune hepatitis (AIH). Methods One hundred forty-seven patients were investigated. Results As initial treatment, 25 patients received UDCA ...

被引用次数: 28 相关文章 所有 14 个版本 引用 保存

以上显示的是最相近的搜索结果。 [查看全部搜索结果](#)

[关于 Google 学术搜索](#)

[隐私权](#)

[条款](#)

[提供反馈](#)

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用

学术搜索

找到约 2,210 条结果 (用时0.11秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Age and platelet count: a simple index for predicting the presence of histological lesions in patients with antibodies to hepatitis C virus

T Poynard, P Bedossa - Journal of viral hepatitis, 1997 - Wiley Online Library

... PATI-NTS AND MET ~ ~ ~ S ... WCV positive [5 1. An initial meeting between co-ordinators and data managers identified nine clinical factors (age ... transmission by intravenous drug use, body weight and ethnic origin) and 10 bio- logical factors (transaminases aspartate aminotrans ...

被引用次数: 221 相关文章 所有 5 个版本 引用 保存

Performance of an enzyme-linked immunosorbent assay system for antibodies to hepatitis C virus with two new antigens (c11/c7).

M Saito, A Hasegawa, T Kashiwakuma... - Clinical ..., 1992 - Am Assoc Clin Chem

... Use of the Du Pont "Automatic Clinical Analyzer" in direct ... The spec- ificity of Imucheck HCV Ab to samples from patients with non-A, non-B (NANB)-type chronic hepatitis, liver cirrho- sis, and hepatocellular carcinoma was 93.7%, 93.5%, and 81 .4%, respectively. ...

被引用次数: 40 相关文章 所有 5 个版本 引用 保存

Antinuclear antibodies and patterns of nuclear immunofluorescence in type 1 autoimmune hepatitis

AJ Czaja, F Cassani, M Cataleta, P Valentini... - Digestive diseases and ..., 1997 - Springer

... ANA reactivity by the pattern of indirect immuno- uores- cence is not clinically useful in ... Future studies must use high-resolution HLA-typing techniques to assess the associations be- tween ... Gastro- enterology 85:713±717, 1983 2. Czaja AJ: Natural history, clinical features, and ...

被引用次数: 103 相关文章 所有 8 个版本 引用 保存

[PDF] A one year followup of chronic arthritis following rubella and hepatitis B



全部 新闻 图片 视频 更多 ▾ 搜索工具

找到约 174,000 条结果 (用时 0.79 秒)

Google 学术: Clinical usefulness of ursodeoxycholic acid for Japanese patients with autoimmune hepatitis

... in Japanese patients with type 1 autoimmune hepatitis - NAKAMURA - 被引用次数: 143

... therapy for problematic type 1 autoimmune hepatitis: A ... - Czaja - 被引用次数: 147

Use of ursodeoxycholic acid in patients with liver ... - Angulo - 被引用次数: 77

Efficacy of ursodeoxycholic acid for Japanese patients with ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: Y Miyake - 2009 - 被引用次数: 30 - 相关文章

2009年10月22日 - UDCA monotherapy is effective for some Japanese AIH patients; ... additional use of UDCA during the taper of corticosteroids may be effective for the prevention of early relapse. Keywords: Autoimmune hepatitis, Ursodeoxycholic acid, Clinical features of patients treated with a combination of PSL and ...

Efficacy of ursodeoxycholic acid in Japanese patients with type 1 ...

www.ncbi.nlm.nih.gov/pubmed/9641646 ▾ 翻译此页

作者: K Nakamura - 1998 - 被引用次数: 143 - 相关文章

We investigated the effect of UDCA in patients with autoimmune hepatitis (AIH) which is characterized by ... Eight patients with type 1 AIH were treated with 600 mg of UDCA per day for 2 years. Based on ... Clinical Trial; Research Support, Non-U.S. Gov't ... use; Treatment Outcome; Ursodeoxycholic Acid/therapeutic use* ...

Efficacy of ursodeoxycholic acid for Japanese patients with ... - Springer

link.springer.com/article/10.1007/s12072-009-9155-9?view=classic - 翻译此页

2009年10月22日 - UDCA monotherapy is effective for some Japanese AIH patients; however, ...