

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 33799

Manuscript Type: Minireviews

Imaging guided percutaneous interventions in hepatic dome lesions: Tips and Tricks

Avinash Kambadakone, Vinit Baliyan, Hamed Kordbacheh, Raul N Uppot, Ashraf Thabet, Debra A Gervais, Ronald S Arellano

Abstract

Percutaneous hepatic interventions are generally safe given the fact that liver closely abuts the abdominal wall and hence it is easily accessible. However, the superior portion of liver, adjacent to the diaphragm, commonly referred as the 'hepatic dome,' presents unique challenges for interventionists. Percutaneous access to the hepatic dome may be restricted by anatomical factors and special considerations may be required to avoid injury to the surrounding organs. The purpose of this review article

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|--|----------|------------|
| 1 | Internet | 21 words | 1% |
| | crawled on 20-Dec-2013
bjr.birjournals.org | | |
| 2 | Crossref | 12 words | <1% |
| | Hyunchul Rhim. "Radiofrequency ablation for hepatocellular carcinoma abutting the diaphragm: the value of artificial a | | |

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 161,000 条结果 (用时 0.76 秒)

Google 学术: Imaging guided percutaneous interventions in hepatic dome lesions: Tips and Tricks

... -guided interventional procedures: techniques and ... - Paulson - 被引用次数: 182

... of radiofrequency ablation in hepatocellular carcinoma - Rhim - 被引用次数: 121

"How we do it"—a practical approach to hepatic ... - Sofocleous - 被引用次数: 18

Practice guidelines for ultrasound-guided percutaneous microwave ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: P Liang - 2013 - 被引用次数: 35 - 相关文章

2013年9月7日 - Core tip: Thermal ablation has undergone rapid development as a minimally ... As an alternative therapy, imaging-guided percutaneous ablation has been ... thought RFA had a tumor control advantage in small liver lesions[33,34]. ... artificial hydrothorax for patients with liver tumors in the hepatic dome.

Image-guided Percutaneous Splenic Interventions | RadioGraphics

<pubs.rsna.org/doi/full/10.1148/rg.322115135> - 翻译此页

作者: AK Singh - 2012 - 被引用次数: 32 - 相关文章

2011年9月12日 - Historically, percutaneous image-guided procedures have not been widely ... (b) Nonenhanced CT image shows the needle tip (arrow) in the lesion. ... for biopsy of hepatic or splenic lesions near the dome of the diaphragm, ...

找到约 245,000 条结果 (用时 0.91 秒)

Google 学术 : Imaging guided percutaneous interventions in hepatic dome lesions: Tips and Tricks

... -guided interventional procedures; techniques and ... - Paulson - 被引用次数 : 182

... of radiofrequency ablation in hepatocellular carcinoma - Rhim - 被引用次数 : 123

"How we do it"—a practical approach to hepatic ... - Sofocleous - 被引用次数 : 18

Practice guidelines for ultrasound-guided percutaneous microwave ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : P Liang - 2013 - 被引用次数 : 35 - 相关文章

2013年9月7日 - Core tip: Thermal ablation has undergone rapid development as a minimally ... As an alternative therapy, **imaging-guided percutaneous** ablation has been ... thought RFA had a tumor control advantage in small **liver lesions**[33,34]. artificial hydrothorax for patients with **liver** tumors in the **hepatic dome**.

Image-guided Percutaneous Splenic Interventions | RadioGraphics

<pubs.rsna.org/doi/full/10.1148/rg.322115135> ▼ 翻译此页

作者 : AK Singh - 2012 - 被引用次数 : 32 - 相关文章

2011年9月12日 - Historically, **percutaneous image-guided** procedures have not been widely ... (b) Nonenhanced CT image shows the needle **tip** (arrow) in the **lesion**. ... for biopsy of **hepatic** or splenic **lesions** near the **dome** of the diaphragm, ...

Image-guided Percutaneous Splenic Interventions

<pubs.rsna.org/doi/pdf/10.1148/rg.322115135> ▼ 翻译此页

作者 : AK Singh - 2012 - 被引用次数 : 32 - 相关文章

safe performance of **image-guided percutaneous** splenic interventions. ... In practice, **liver** and pancreatic **percutaneous** procedures are more common causes ... For biopsy of solid visceral **lesions** located near

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 285,000 条结果 (用时 0.67 秒)

Google 学术: Imaging guided percutaneous interventions in hepatic dome lesions: Tips and tricks

... -guided interventional procedures: techniques and ... - Paulson - 被引用次数: 182

... of radiofrequency ablation in hepatocellular carcinoma - Rhim - 被引用次数: 123

"How we do it"—a practical approach to hepatic ... - Sofocleous - 被引用次数: 18

Image-guided Percutaneous Splenic Interventions | RadioGraphics

pubs.rsna.org/doi/full/10.1148/rg.322115135 ▼ [翻译此页](#)

作者: AK Singh - 2012 - 被引用次数: 32 - [相关文章](#)

2011年9月12日 - Historically, **percutaneous image-guided** procedures have not been widely ... (b)

Nonenhanced CT image shows the needle **tip** (arrow) in the **lesion**. for biopsy of **hepatic** or splenic **lesions** near the **dome** of the diaphragm, ...

Image-guided Percutaneous Splenic Interventions

pubs.rsna.org/doi/pdf/10.1148/rg.322115135 ▼ [翻译此页](#)

作者: AK Singh - 2012 - 被引用次数: 32 - [相关文章](#)

safe performance of **image-guided percutaneous** splenic **interventions**. In practice, **liver** and pancreatic **percutaneous** procedures are more common causes For biopsy of solid visceral **lesions** located near the **dome** of the diaphragm, either US or the caudo- the hook-shaped curve of the catheter **tip** before pulling it ...

Practice guidelines for ultrasound-guided percutaneous microwave ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: P Liang - 2013 - 被引用次数: 40 - [相关文章](#)

2013年9月7日 - Core **tip**: Thermal ablation has undergone rapid development as a minimally ... As an alternative therapy, **imaging-guided percutaneous** ablation has been thought RFA had a tumor control