



Name of Journal: *World Journal of Hepatology*

EPS Manuscript No: 26783

Manuscript Type: Original Article

*Retrospective Cohort Study*

**Advanced non-alcoholic steatohepatitis cirrhosis: A high-risk population for pre-liver transplant portal vein thrombosis**

Stine JG *et al.* Portal vein thrombosis in high-risk NASH


Jonathan G Stine, <sup>8</sup> Curtis K Argo, Shawn J Pelletier, Daniel G Maluf, Stephen H Caldwell, Patrick G Northup

**Abstract**  
**AIM**

To examine if recipients with high-risk non-alcoholic steatohepatitis (NASH) are at increased risk for pre-transplant portal venous thrombosis.

**Match Overview**

1	<b>Crossref</b> 52 words Stine, Jonathan G., Neeral L. Shah, Curtis K. Argo, Shawn J. Pelletier, Stephen H. Caldwell, and Patrick G. Northup	1%
2	<b>Crossref</b> 39 words "Poster Session 2: Immunosuppression, Outcomes, and Complications in Transplant", <i>Hepatology</i> , 2015.	1%
3	<b>Internet</b> 33 words crawled on 15-Jul-2016 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
4	<b>Internet</b> 14 words crawled on 19-Aug-2010 <a href="http://ajpgi.physiology.org">ajpgi.physiology.org</a>	<1%
5	<b>Internet</b> 12 words crawled on 15-Apr-2015 <a href="http://www.researchgate.net">www.researchgate.net</a>	<1%
6	<b>Crossref</b> 12 words Cui, Shao-bo, Rong-hua Shu, Shi-ping Yan, Hao Wu, Yong Chen, Le Wang, and Qiang Zhu. "Efficacy and safety	<1%
7	<b>Crossref</b> 12 words Kennedy, Christopher, David Redden, Stephen Gray, De	<1%



全部 图片 新闻 地图 更多 ▾ 搜索工具

找到约 84,100 条结果 (用时 0.90 秒)

### [PDF] PORTAL VEIN THROMBOSIS IN CIRRHOTICS: NOVEL INSIGHTS

[www.wjpmr.com/download/article/16092016/1472696553.pdf](http://www.wjpmr.com/download/article/16092016/1472696553.pdf) ▾ 翻译此页

2016年8月5日 · pre, intra or postop management of liver transplant in ... Further what is the risk of PVT in non cirrhotic NAFLD patients is yet ... option for advanced PVT in cirrhotic patients while considering them ... prevalence might be higher as small thrombotic events ..... a population study based on 23,796 consecutive.

### Increased Risk of Portal Vein Thrombosis in Patients With Cirrhosis ...

[onlinelibrary.wiley.com/doi/10.1002/lt.24134/pdf](http://onlinelibrary.wiley.com/doi/10.1002/lt.24134/pdf) - 翻译此页

作者: JG Stine - 2015 - 被引用次数: 14 - 相关文章

Portal vein thrombosis (PVT) is a common complication of cirrhosis ... lead to more research in treatment and prevention in this population. Liver ... transplantation; MELD, Model for End-Stage Liver Disease; NAFLD, ... thrombotic risk factors is associated with higher ..... low-molecular-weight heparin for 12 months pre-

### Liver Transplantation for NASH-Related Cirrhosis | SpringerLink

[link.springer.com/article/10.1007/s40137-015-0101-6](http://link.springer.com/article/10.1007/s40137-015-0101-6) - 翻译此页

作者: CD Anderson - 2015 - 相关文章

2015年7月3日 - Nonalcoholic steatohepatitis (NASH)Nonalcoholic fatty liver disease ... This progression ultimately can lead to fibrosis and cirrhosis resulting in advanced liver disease [1]. .... cirrhosis is an independent risk factor for portal vein thrombosis, the ... In addition, pre-transplant DM was a risk factor for increased ...

### Liver Cirrhosis - NCBI - National Institutes of Health

[PubMed Central \(PMC\)](#) - 翻译此页



全部 图片 新闻 地图 更多 搜索工具

找到约 84,100 条结果 (用时 0.39 秒)

### [PDF] PORTAL VEIN THROMBOSIS IN CIRRHOTICS: NOVEL INSIGHTS

[www.wjpmr.com/download/article/16092016/1472696553.pdf](http://www.wjpmr.com/download/article/16092016/1472696553.pdf) - 翻译此页

2016年8月5日 - pre, intra or postop management of liver transplant in ... Further what is the risk of PVT in non cirrhotic NAFLD patients is yet ... option for advanced PVT in cirrhotic patients while considering them ... prevalence might be higher as small thrombotic events ..... a population study based on 23,796 consecutive.

### Increased Risk of Portal Vein Thrombosis in Patients With Cirrhosis ...

[onlinelibrary.wiley.com/doi/10.1002/lt.24134/pdf](http://onlinelibrary.wiley.com/doi/10.1002/lt.24134/pdf) - 翻译此页

作者: JG Stine - 2015 - 被引用次数: 14 - 相关文章

Portal vein thrombosis (PVT) is a common complication of cirrhosis ... lead to more research in treatment and prevention in this population. Liver ... transplantation; MELD, Model for End-Stage Liver Disease; NAFLD, ... thrombotic risk factors is associated with higher ..... low-molecular-weight heparin for 12 months pre-

### Liver Transplantation for NASH-Related Cirrhosis | SpringerLink

[link.springer.com/article/10.1007/s40137-015-0101-6](http://link.springer.com/article/10.1007/s40137-015-0101-6) - 翻译此页

作者: CD Anderson - 2015 - 相关文章

2015年7月3日 - Nonalcoholic steatohepatitis (NASH)Nonalcoholic fatty liver disease ... This progression ultimately can lead to fibrosis and cirrhosis resulting in advanced liver disease [1]. ... cirrhosis is an independent risk factor for portal vein thrombosis, the ... In addition, pre-transplant DM was a risk factor for increased ...

### Liver Cirrhosis - NCBI - National Institutes of Health

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4191919/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4191919/) - 翻译此页

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 86,500 条结果 (用时 0.70 秒)

### Increased Risk of Portal Vein Thrombosis in Patients With Cirrhosis ...

[onlinelibrary.wiley.com/doi/10.1002/lt.24134/pdf](https://onlinelibrary.wiley.com/doi/10.1002/lt.24134/pdf) - 翻译此页

作者: JG Stine - 2015 - 被引用次数: 15 - 相关文章

Portal vein thrombosis (PVT) is a common complication of cirrhosis ... lead to more research in treatment and prevention in this population. Liver ... transplantation; MELD, Model for End-Stage Liver Disease; NAFLD, ... thrombotic risk factors is associated with higher ..... low-molecular-weight heparin for 12 months pre-

### Liver Cirrhosis - NCBI - National Institutes of Health

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: D Schuppan - 2008 - 被引用次数: 1064 - 相关文章

Alcoholic liver disease and hepatitis C are the most common causes in the Western ... in these high risk groups prior to development of clinical signs of cirrhosis. ... However, other etiologies such as portal vein thrombosis, parasitic diseases or .... was successfully used in patients with lamivudine resistance pre-transplant, ...

### Deep vein thrombosis and pulmonary embolism in cirrhotic patients ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4024784/> - 翻译此页

作者: A Aggarwal - 2014 - 被引用次数: 19 - 相关文章

2014年5月21日 - Portal vein thrombosis is common in patients with liver cirrhosis, ... and therapeutic anticoagulation in this "high risk" patient population. .... alcoholic liver disease and chronic non-alcoholic liver disease who ..... Impact of untreated portal vein thrombosis on pre and post liver transplant outcomes in cirrhosis.

### Liver Transplantation for NASH-Related Cirrhosis | SpringerLink

[link.springer.com/article/10.1007/s40137-015-0101-6](https://link.springer.com/article/10.1007/s40137-015-0101-6) - 翻译此页