

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 34826

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Liver decompensation predicts ribavirin overexposure in hepatitis C virus patients treated with direct-acting antivirals

Guardigni V *et al.* Ribavirin overexposure in cirrhotic HCV patients

Viola Guardigni, Lorenzo Badia, Matteo Conti, Matteo Rinaldi, Rita Mancini, Pierluigi Viale, Gabriella Verucchi

Abstract

AIM

To determine whether ribavirin (RBV) concentrations differ according to cirrhosis stage among cirrhotic patients treated with interferon-free regimens.

Match Overview

1	Internet 15 words crawled on 20-Feb-2017 www.wjgnet.com	<1%
2	Crossref 14 words Paul Glue. "The single dose pharmacokinetics of ribavirin ... n subjects with chronic liver disease", <i>British Journal of Clin</i>	<1%
3	Internet 14 words crawled on 06-Jun-2017 www.accessdata.fda.gov	<1%
4	Crossref 13 words Bhagani, Sanjay. "Current treatment for chronic hepatitis C virus/HIV-infected individuals : the role of pegylated interf ...	<1%



LIVER DECOMPENSATION PREDICTS RIBAVIRIN OVEREXPOSURE



All

News

Images

Videos

Shopping

More

Settings

Tools

About 2,840 results (0.76 seconds)

[Liver decompensation predicts ribavirin overexposure in HCV cirrhotic ...](#)

[www.journal-of-hepatology.eu/article/S0168-8278\(17\)31984-0/abstract](http://www.journal-of-hepatology.eu/article/S0168-8278(17)31984-0/abstract)

by V Guardigni - 2017

Liver decompensation predicts ribavirin overexposure in HCV cirrhotic patients treated with direct-acting antiviral agents. V. Guardigni. x. V. Guardigni.

[SAT-290 - Liver decompensation predicts ribavirin overexposure in ...](#)

www.sciencedirect.com/science/article/pii/S0168827817319840

by V Guardigni - 2017

11 May 2017 - SAT-290 – Liver decompensation predicts ribavirin overexposure in HCV cirrhotic patients treated with direct-acting antiviral agents.

[Liver decompensation predicts ribavirin overexposure in HCV cirrhotic ...](#)

https://www.researchgate.net/.../316866993_Liver_decompensation_predicts_ribavirin_...

Liver decompensation predicts ribavirin overexposure in HCV cirrhotic patients treated with direct-acting antiviral agents on ResearchGate, the professional ...

[Child-Pugh score predicts ribavirin overexposure in cirrhotic patients ...](#)

[www.dldjournalonline.com/article/S1590-8658\(17\)30100-7/abstract](http://www.dldjournalonline.com/article/S1590-8658(17)30100-7/abstract)

by V Guardigni - 2017

16 Feb 2017 - New **direct-acting antivirals** (DAAs) regimens have led to high rate of ... **liver disease treated** with interferon (IFN)-free DAA-regimens and RBV.

[Child-Pugh score predicts ribavirin overexposure in cirrhotic patients ...](#)

[www.dldjournalonline.com/article/S1590-8658\(17\)30100-7/fulltext](http://www.dldjournalonline.com/article/S1590-8658(17)30100-7/fulltext)

by V Guardigni - 2017

16 Feb 2017 - New **direct-acting antivirals** (DAAs) regimens have led to high rate of HCV ... **liver disease treated** with interferon (IFN)-free DAA-regimens and RBV. We included **patients** with HCV and cirrhosis. Child-Pugh (CP) A or B. GER

Management and treatment of chronic hepatitis C in HIV patients

P Barreiro, E Vispo, P Labarga... - ... in liver disease, 2012 - thieme-connect.com
... Mitochondrial toxicity associated with didanosine leading to hepatic decompensation or pancreatitis[42] [43] or exacerbation ... implications for the pathogenesis of HIV/hepatitis C virus-induced liver fibrosis. ... virus and hepatitis C virus demonstrate higher levels of hepatic HCV ...
被引用次数: 31 相关文章 所有 5 个版本 引用 保存

Drug interactions with new hepatitis C oral drugs

..., JV Fernandez-Montero, C de Mendoza... - Expert opinion on ..., 2015 - Taylor & Francis
... Complications of cirrhosis include liver cancer and hepatic decompensation events, such as ascites ... The effects of hepatic impairment on asunaprevir have con- cluded that the drug ... for special patient populations, such as HIV-co-infected individuals and liver transplant recipients ...
被引用次数: 37 相关文章 所有 3 个版本 引用 保存

Management of anemia induced by triple therapy in patients with chronic hepatitis C: challenges, opportunities and recommendations

M Romero-Gómez, M Berenguer, E Molina... - Journal of ..., 2013 - Elsevier
... PegIFN/RBV, the decrease in the levels of hemoglobin can help predict further development ... is especially relevant for patients with comorbidities, older age or ischemic heart disease. ... incidence, natural course and management of anemia differ in the liver transplantation setting? ...
被引用次数: 46 相关文章 所有 14 个版本 引用 保存

Comparison of high ribavirin induction versus standard ribavirin dosing, plus peginterferon-α for the treatment of chronic hepatitis C in HIV-infected patients:

P Labarga, P Barreiro, A da Silva... - The Journal of ..., 2012 - academic.oup.com
... Article Navigation. Comparison of High Ribavirin Induction Versus Standard Ribavirin Dosing, Plus Peginterferon-α for the Treatment of Chronic Hepatitis C in HIV-Infected Patients: The PERICO Trial. Pablo Labarga Pablo Labarga. ...
被引用次数: 20 相关文章 所有 11 个版本 引用 保存

HIV-HCV co-infection: epidemiology, pathogenesis and therapeutic implications

M Andreoni, A Giacometti, I Maida... - Eur Rev Med ..., 2012 - europeanreview.org
... higher rates of cirrhosis and more-advanced fibrosis stages in the livers of HIV ... Cirrhotic patients should be carefully assessed for signs of liver decompensation according to the Child-Turcotte ... patient history in or- der to construct HAART regimens with optimal liver safety profile. ...
被引用次数: 49 相关文章 所有 7 个版本 引用 保存 更多

Sensitivity of mitochondrial transcription and resistance of RNA polymerase II dependent nuclear transcription to antiviral ribonucleosides

JJ Arnold, SD Sharma, JY Feng, AS Ray... - PLoS ..., 2012 - journals.plos.org
... C virus (HCV) infection is the leading cause of end-stage liver disease and liver ... placed on clinical hold following the observation of laboratory abnormalities associated with liver functional tests ... The efficiency of incorporation by POLRMT in vitro predicted outcomes in cells when ...
被引用次数: 49 相关文章 所有 14 个版本 引用 保存 更多

Treatment of hepatitis C in patients infected with human immunodeficiency virus in the direct-acting antiviral era

V Soriano, P Labarga, E Vispo... - ... disease clinics of North ..., 2012 - Elsevier
... most patients infected with HIV in developed countries who regular attend HIV outpatient clinics, hepatic complications result ... HIV itself or comorbidities (ie, metabolic abnormalities) explain why progression of HCV-related liver disease still remains ... Liver fibrosis, HCV-1 subtypes. ...
被引用次数: 7 相关文章 所有 5 个版本 引用 保存

New hepatitis C therapies for special patient populations

V Soriano, P Labarga, C de Mendoza... - Expert opinion on ..., 2016 - Taylor & Francis
... super- infection of chronic hepatitis C patients is rare, although it could lead to hepatic decompensation in cirrhotics. ... Patients replicating both HBV and HCV exhibit an increased risk of developing end- stage liver disease, decompensated cirrhosis and liver cancer, and ...
被引用次数: 10 相关文章 所有 4 个版本 引用 保存

Approaches for understanding and predicting drug interactions in human immunodeficiency virus-infected patients

J Jiménez-Nácher, E Alvarez, J Morello... - Expert opinion on ..., 2011 - Taylor & Francis
... However, most occur at the hepatic metabolism step, involving inhibition or induction of the CYP450 ... Approaches for understanding and predicting drug interactions in HIV-infected patients ... therapy and may be further pronounced if hepatitis C therapy based on ribavirin is added ...
被引用次数: 32 相关文章 所有 4 个版本 引用 保存

Dual antiviral therapy for HIV and hepatitis C—drug interactions and side effects

..., JV Fernandez-Montero, C de Mendoza... - Expert opinion on ..., 2015 - Taylor & Francis
... dasabuvir; DCV; Daclatasvir; HCV; Hepatitis C virus; LDV; Ledipasvir; RBV; Ribavirin; SMV; Simeprevir ... SMV is mainly eliminated in the feces following liver metabolism, and their ... Reports of precipitated hepatic decompensation in this subset of patients following SMV initiation ...
被引用次数: 9 相关文章 所有 3 个版本 引用 保存

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 2,400 条结果 (用时 0.62 秒)

Liver decompensation predicts ribavirin overexposure in HCV cirrhotic ...

[www.journal-of-hepatology.eu/article/S0168-8278\(17\)31984-0/abstract](http://www.journal-of-hepatology.eu/article/S0168-8278(17)31984-0/abstract) - 翻译此页

作者: V Guardigni - 2017

Liver decompensation predicts ribavirin overexposure in HCV cirrhotic patients treated with direct-acting antiviral agents. V. Guardigni. x. V. Guardigni.

Liver decompensation predicts ribavirin overexposure in HCV cirrhotic ...

https://www.researchgate.net/.../316866993_Liver_decompensation_predicts... - 翻译此页

2017年5月15日 - ... Liver decompensation predicts ribavirin overexposure in HCV cirrhotic patients treated with direct-acting antiviral agents. ... Opportunities for treatment of the hepatitis C virus-infected patient with chronic kidney disease.

SAT-290 - Liver decompensation predicts ribavirin overexposure in ...

www.sciencedirect.com/science/article/pii/S0168827817319840 - 翻译此页

2017年5月11日 - ... Posters Saturday, 22 April 2017: Viral hepatitis: Hepatitis C – Clinical (therapy). SAT-290 – Liver decompensation predicts ribavirin overexposure in HCV cirrhotic patients treated with direct-acting antiviral agents.

Liver decompensation predicts ribavirin overexposure in HCV ...

<https://livertree.easl.eu/...liver.../viola.guardigni.liver.decompensation.predict...> - 翻译此页

Topic: Viral hepatitis: Hepatitis C - Clinical (therapy). Background and aims. New direct-acting antivirals (DAAs) regimens have led to an achievement of high ... So far, data on RBV TDM among patients with advanced liver disease treated with ...

Liver decompensation predicts ribavirin overexposure in HCV ...

<https://www.infona.pl/.../bwmeta1.element.elsevier-c703f1bd-10cb-39c2-97...> - 翻译此页