

Name of Journal: World Journal of Gastrointestinal Pathophysiology

ESPS Manuscript NO: 21068

Manuscript type: Review

Small bowel neuroendocrine tumors: from pathophysiology to clinical approach

Sofia Xavier, Bruno Rosa, José Cotter

#### Abstract

Neuroendocrine tumors (NETs), defined as epithelial tumors with predominant

#### Match Overview

1	Internet 78 words crawled on 16-Jan-2012 <a href="http://nanets.net">nanets.net</a>	2%
2	CrossCheck 58 words Banck, Michaela S., and Andreas S. Beutler. "Advance ... n small bowel neuroendocrine neoplasia :". Current Opin	1%
3	CrossCheck 56 words J. Philip Boudreaux. "The NANETS Consensus Guidelin e for the Diagnosis and Management of Neuroendocrine	1%
4	Internet 51 words crawled on 28-Mar-2014 <a href="http://www.mdpi.com">www.mdpi.com</a>	1%
5	Internet 49 words crawled on 24-Jan-2014 <a href="http://www.jci.org">www.jci.org</a>	1%
6	CrossCheck 40 words David S. Klimstra. "The Pathologic Classification of Nei ... oendocrine Tumors : A Review of Nomenclature, Gradin	1%
7	Internet 25 words crawled on 28-Mar-2014	1%

### Small bowel neuroendocrine tumors - Surgical Treatment - NCBI ...

[www.ncbi.nlm.nih.gov/books/NBK6976/](http://www.ncbi.nlm.nih.gov/books/NBK6976/)

The **small intestinal neuroendocrine tumor** or midgut carcinoid is rare, but still ... but often prevail in **clinical** series as they represent the most common (90%) .... be to identify patients where more aggressive **medical** and surgical **approach** is...

### Intestinal Carcinoid Tumor: Background, Pathophysiology ...

[emedicine.medscape.com/article/276837-overview](http://emedicine.medscape.com/article/276837-overview)

19 Feb 2015 ... **neuroendocrine tumor**, is the most common distal **small bowel** malignancy, ... News . **Perspective** ... Carcinoid, a term first applied to hormonally active tumors by Oberndorfer in 1907, follows a more benign **clinical** course....

### [PDF] Carcinoid Tumors of the Small Bowel

[www.ajronline.org/doi/pdf/10.2214/ajr.182.3.1820559](http://www.ajronline.org/doi/pdf/10.2214/ajr.182.3.1820559)

patients in whom there is a high **clinical** sus- picion of carcinoid ... This article reviews the **pathophysiology** of **small-bowel** carcinoid **tumors** and dis- cusses a....

### Neuroendocrine tumor - Wikipedia, the free encyclopedia

[en.wikipedia.org/wiki/Neuroendocrine\\_tumor](http://en.wikipedia.org/wiki/Neuroendocrine_tumor)

**Small intestinal neuroendocrine tumors** were first distinguished from other ... Although estimates vary, the annual incidence of **clinically** significant **neuroendocrine tumors** is .... Many tumors do not cause **symptoms** even when they have metastasized. .... (active therapy) rather than observation (wait-and-see approach).

学术搜索

找到约 17,500 条结果 (用时0.08秒)

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☐ 包括专利☐ 包含引用

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

### Motor dysfunction of the small bowel and colon in patients with the carcinoid syndrome and diarrhea

MR Ohe, M Camilleri, LK Kvols... - New England Journal ..., 1993 - Mass Medical Soc

... of the proximal colon is associated with a smaller volume in ... Do Elevated Plasma Vasoactive Intestinal Polypeptide (VIP) Levels Cause Small Intestinal Motor Disturbances ... Serotonin-transporter polymorphism pharmacogenetics in diarrhea-predominant irritable bowel syndrome ...

被引用次数: 144 相关文章 所有 4 个版本 引用

### Gastrointestinal neuroendocrine tumors: pancreatic endocrine tumors

DC Metz, RT Jensen - Gastroenterology, 2008 - Elsevier

Pancreatic endocrine tumors (PETs) have long fascinated clinicians and investigators despite their relative rarity. Their clinical presentation varies depending.

被引用次数: 407 相关文章 所有 10 个版本 引用

### [HTML] NANETS treatment guidelines: well-differentiated neuroendocrine tumors of the stomach and pancreas

MH Kulke, LB Anthony, DL Bushnell, WW de Herder... - Pancreas, 2010 - ncbi.nlm.nih.gov

... 2,4 Type 2 carcinoids are almost always multiple and generally small (&lt;1 cm) and are usually limited to the mucosa ... Pathological Classification. Neuroendocrine tumors of the stomach can be classified histologically in the same fashion as carcinoid tumors arising at ...

被引用次数: 257 相关文章 所有 13 个版本 引用

### Carcinoid tumors of the small bowel: a multitechnique imaging approach

KM Horton, I Kamel, L Hofmann... - American Journal of ..., 2004 - Am Roentgen Ray Soc

... However, even conventional barium studies (small-bowel follow-through) rarely detect primary tumors smaller than 2 cm ... 7. Strodel WF, Talpos G, Eckhauser F, Thompson N. Surgical therapy for small-bowel carcinoid tumors. ... Life history of carcinoid tumors of the small intestine. ...

被引用次数: 118 相关文章 所有 4 个版本 引用

### The pathologic classification of neuroendocrine tumors: a review of nomenclature, grading, and staging systems

DS Klimstra, IR Modlin, D Coppola, RV Lloyd, S Suster - Pancreas, 2010 - journals.lww.com



[全部](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 217,000 条结果 (用时 0.96 秒)

## Google 学术: Small bowel neuroendocrine tumors: From pathophysiology to clinical approach

Motor dysfunction of the small bowel and colon in ... - Ohe - 被引用次数: 144

... neuroendocrine tumors: pancreatic endocrine tumors - Metz - 被引用次数: 406

... guidelines: well-differentiated neuroendocrine tumors ... - Kulke - 被引用次数: 256

### Small bowel neuroendocrine tumors - Surgical Treatment ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > Bookshelf ▾ [翻译此页](#)

作者: RG Holzheimer - 2001 - 相关文章

The small intestinal neuroendocrine tumor or midgut carcinoid is rare, but ... remove intestinal and mesenteric tumors to prevent abdominal complications ... Appendix carcinoids occur often in autopsy series, but are rarely of clinical ... to identify patients where more aggressive medical and surgical approach is required (4).

### Intestinal Carcinoid Tumor: Background, Pathophysiology ...

[emedicine.medscape.com/article/276837-overview](http://emedicine.medscape.com/article/276837-overview) ▾ [翻译此页](#)

2015年2月19日 - Carcinoid of the small intestine, a well-differentiated neuroendocrine tumor, is the most common distal small bowel malignancy, ... News & Perspective ... However, serotonin is not the only mediator of the clinical syndrome.

### Gastrointestinal Carcinoid Tumors Treatment - National ...

[www.cancer.gov/types/gi/tumors/gi-carcinoid-treatment-pd](http://www.cancer.gov/types/gi/tumors/gi-carcinoid-treatment-pd) ... ▾ [翻译此页](#)

2015年7月8日 - Diagnostics: Biochemical Markers, Imaging, and Approach ...

Definitions of TNM; Neuroendocrine Tumors: Stomach ... GI carcinoid tumors, especially tumors of the small intestine, are often associated with other cancers. ... Most