



Name of Journal: *World Journal of Gastrointestinal Pathophysiology*

ESPS Manuscript NO: 29838

Manuscript Type: ORIGINAL ARTICLE

### *Basic Study*

**Combination curcumin and vitamin E treatment attenuates diet-induced steatosis in *Hfe<sup>-/-</sup>* mice**

Heritage ML *et al.* Curcumin and vitamin E attenuate steatosis

Mandy L Heritage, Lesley A Jaskowski, Kim R Bridle, Catherine M Campbell, David Briskey, Laurence J Britton, Linda M Fletcher, Luis Vitetta, V Nathan Subramaniam, Darrell H G Crawford

### **Abstract**

### **AIM**

To investigate the synergistic hepato-protective properties of curcumin and vitamin

### Match Overview

1	Crossref	53 words	1%
	Ying Jiang.	"Increased hepatic apoptosis in high-fat diet-induced NASH in rats may be associated with downregulation of...	
2	Internet	38 words	1%
	crawled on 22-Jan-2016	<a href="http://www.wjgnet.com">www.wjgnet.com</a>	
3	Internet	14 words	<1%
	crawled on 28-Nov-2016	<a href="http://pdfs.semanticscholar.org">pdfs.semanticscholar.org</a>	
4	Crossref	12 words	<1%
	Klein, S.	"Gastric Bypass Surgery Improves Metabolic and Hepatic Abnormalities Associated With Nonalcoholic Fatty...	
5	Internet	11 words	<1%
	crawled on 10-Nov-2016	<a href="http://www.mdpi.com">www.mdpi.com</a>	
6	Crossref	11 words	<1%
	Audrey S. Dickey, Albert R. La Spada.	"Chapter 12 Transcription Modulation of Mitochondrial Function and Related P...	



全部 购物 图片 新闻 视频 更多 ▾ 搜索工具

找到约 1,330 条结果 (用时 0.62 秒)

## Google 学术: Combination curcumin and vitamin E treatment attenuates diet-induced steatosis in Hfe<sup>-/-</sup> mice

Pioglitazone, vitamin E, or placebo for nonalcoholic ... - Sanyal - 被引用次数: 1283

Nonalcoholic fatty liver disease - Angulo - 被引用次数: 4651

... of NASH: perspectives for a targeted treatment - Marra - 被引用次数: 46

### Publications by Lesley-Anne Jaskowski - UQ eSpace

[espace.library.uq.edu.au/uqljasko?author\\_id=74476&tpl=6](https://espace.library.uq.edu.au/uqljasko?author_id=74476&tpl=6) ▾ 翻译此页

22 results - Altered lipid metabolism in HFE-knockout mice promotes severe NAFLD and early fibrosis

... An iron-deficient diet attenuates diet-induced hepatic steatosis in ... Curcumin and vitamin E combination treatment reduces the severity of ...

### [DOC] Publications by Lesley-Anne Jaskowski - UQ eSpace

[espace.library.uq.edu.au/uqljasko?author\\_id=74476&tpl=9](https://espace.library.uq.edu.au/uqljasko?author_id=74476&tpl=9) ▾ 翻译此页

Altered lipid metabolism in HFE-knockout mice promotes severe NAFLD and early fibrosis. ... An iron-deficient diet attenuates diet-induced hepatic steatosis in ... Curcumin and vitamin E combination treatment reduces the severity of disease in ...

### [PDF] The Effect of Multi-Strain Probiotics on Liver Disease - UQ eSpace

[https://espace.library.uq.edu.au/view/UQ:349336/s41136283\\_phd\\_resubmission.pdf](https://espace.library.uq.edu.au/view/UQ:349336/s41136283_phd_resubmission.pdf) ▾

作者: D Briskey - 2015 - 相关文章

curcumin, vitamin E or a combination of the two in both wild type and mice prone to iron ... and liver weight and reduced the severity of steatosis and liver injury ... Chapter 4 Probiotics reduce the

[全部](#) [购物](#) [图片](#) [新闻](#) [视频](#) [更多](#)[设置](#) [工具](#)

找到约 1,740 条结果 (用时 0.74 秒)

### The Effect of Multi-Strain Probiotics on Liver Disease - UQ eSpace

[https://espace.library.uq.edu.au/view/UQ.../s41136283\\_phd\\_resubmission.p...](https://espace.library.uq.edu.au/view/UQ.../s41136283_phd_resubmission.p...) ▾ 翻译此页

作者: DR Briskey - 相关文章

curcumin, vitamin E or a combination of the two in both wild type and mice prone to ... and liver weight and reduced the severity of steatosis and liver injury, ..... vitamin E treatment attenuates diet-induced steatohepatitis in wild type and Hfe<sup>-/-</sup>.

### Publications by Lesley-Anne Jaskowski - UQ eSpace

[https://espace.library.uq.edu.au/uqljasko?author\\_id=74476&tpl=6...25...](https://espace.library.uq.edu.au/uqljasko?author_id=74476&tpl=6...25...) ▾ 翻译此页

24 results - An iron-deficient diet attenuates diet-induced hepatic steatosis in HFE-associated ...

Curcumin and vitamin E combination treatment reduces the severity of disease in a ... in a mouse

model of alcohol and high-fat diet-induced liver injury ... Heterozygous Deletion of the Hfe Gene

Contributes to Hepatic Iron Loading ...

### Vitamin E Attenuates the Progression of Non-Alcoholic Fatty Liver ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4658046/> ▾ 翻译此页

作者: G Karimian - 2015 - 被引用次数: 1 - 相关文章

2015年11月24日 - Vitamin E therapy significantly reduced TBARS level at day 7 after partial ..., The CD-AA diet induces mild steatosis in mice by 3 weeks.

### Astaxanthin prevents and reverses diet-induced insulin resistance and ...

<https://www.ncbi.nlm.nih.gov/pubmed/26603489> ▾ 翻译此页

作者: Y Ni - 2015 - 被引用次数: 12 - 相关文章

2015年11月24日 - Astaxanthin prevents and reverses diet-induced insulin resistance and steatohepatitis

[全部](#)[图片](#)[购物](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 2,260 条结果 (用时 0.69 秒)

### The Effect of Multi-Strain Probiotics on Liver Disease - UQ eSpace

[https://espace.library.uq.edu.au/view/UQ.../s41136283\\_phd\\_resubmission.p...](https://espace.library.uq.edu.au/view/UQ.../s41136283_phd_resubmission.p...) ▾ 翻译此页

作者: DR Briskey - [相关文章](#)

curcumin, vitamin E or a combination of the two in both wild type and mice prone to ... and liver weight and reduced the severity of steatosis and liver injury. .... vitamin E treatment attenuates diet-induced steatohepatitis in wild type and Hfe. -/-.

### The Effects of Capsaicin and Vitamine E on High Fat Diet Induced ...

[pubs.sciepub.com/jfnr/3/6/1](https://pubs.sciepub.com/jfnr/3/6/1) ▾ 翻译此页

作者: B Aydin - 2015 - [相关文章](#)

Fifty swiss albino mice were segregated into two groups; one fed standard diet ... fat diet only; the HFC group given CAP (5 mg/kg, intragastrically); HFE group given Vit ... On the other hand, combined supplementation of CAP and Vit E showed not ... The Effects of Capsaicin and Vitamine E on High Fat Diet Induced Obesity, ...

### Astaxanthin prevents and reverses diet-induced insulin resistance and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2660348/> ▾ 翻译此页

作者: Y Ni - 2015 - 被引用次数: 13 - [相关文章](#)

2015年11月25日 - Astaxanthin prevents and reverses diet-induced insulin resistance and steatohepatitis in mice: A comparison with vitamin E. Ni Y(1),(2), ... Vitamin E has become a standard treatment for NASH. ... that astaxanthin ameliorated hepatic steatosis in both genetically (ob/ob) and high-fat-diet-induced obese mice.

缺少字词: combination curcumin attenuates hfe

### Vitamin E Attenuates the Progression of Non-Alcoholic Fatty Liver ...

[journals.plos.org/plosone/article?id=10.1371/journal.pone.0143121](https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0143121) ▾ 翻译此页