

Name of Journal: *World Journal of Gastrointestinal Pathophysiology*

Manuscript NO: 31955

Manuscript Type: Original Article

Prospective Study

Assessment of serum angiogenic factors as a diagnostic aid for small bowel angiodysplasia in patients with obscure gastrointestinal bleeding and anaemia

Holleran G *et al.* Angiopoietin-2, a diagnostic marker for angiodysplasia

Grainne Holleran, Mary Hussey, Sinead Smith, Deirdre McNamara

Abstract

AIM

To assess the use of serum levels of Ang1, Ang2 and tumor necrosis factor- α (TNF α) as predictive factors for small bowel angiodysplasia (SBA).

Match Overview

1	Internet 27 words crawled on 03-Nov-2016 ueg.sagepub.com	1%
2	Crossref 14 words S. Masson. "Is anaemia relevant in the referral and diagnosis of colorectal cancer?", <i>Colorectal Disease</i> , 1/19/2007	<1%
3	Internet 12 words crawled on 30-Mar-2017 www.jove.com	<1%

找到约 440 条结果 (用时 1.14 秒)

Diagnosis of gastrointestinal bleeding: A practical guide for clinicians

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4231512/> - 翻译此页

作者: BSM Kim - 2014 - 被引用次数: 19 - 相关文章

2014年11月15日 - **Obscure gastrointestinal bleeding** is recurrent bleeding when the ... Acute lower GI bleeding may originate in the **small bowel**, colon or ... Rapid **assessment** and resuscitation should precede **diagnostic** ... In **patients** with acute upper GI bleeding, upper endoscopy is ... **Support Center** **Support Center**.

缺少字词: **angiogenic**

Pharmacological therapy of vascular malformations of the ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Szilagyi - 2006 - 被引用次数: 44 - 相关文章

Vascular malformation (AVM) in the **gastrointestinal** tract is an uncommon, but ... (7) find **angiodysplasia** (AD) to be the most common AVM in the **small bowel** ... in studies of nonselected **patients** with **occult** or **obscure** causes of GI **bleeding**, ... Increased expression of **angiogenic factors** in human colonic **angiodysplasia**.

Diagnosis and management of iron deficiency anemia in the 21st - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: TD Johnson-Wimbley - 2011 - 被引用次数: 132 - 相关文章

Patients in whom the **gastrointestinal blood loss** exceeds the **intestinal** ability to ... **intestinal angiodysplasia**) may develop iron deficiency **anemia** refractory to oral ... transports ferrous iron from the proximal **small intestinal** lumen into the apical ... **Wish J.B. (2006) Assessing iron status: Beyond serum ferritin and transferrin** ...

缺少字词: **angiogenic**

找到约 1,700 条结果 (用时 0.87 秒)

Diagnosis of gastrointestinal bleeding: A practical guide for clinicians

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4231512/> - 翻译此页

作者: BSM Kim · 2014 · 被引用次数: 25 - 相关文章

2014年11月15日 - **Obscure gastrointestinal bleeding** is recurrent bleeding when the ... Acute lower GI bleeding may originate in the **small bowel**, colon or ... Rapid **assessment** and resuscitation should precede **diagnostic** ... In **patients** with acute upper GI bleeding, upper endoscopy is **Support Center**

缺少字词: **angiogenic**

Pharmacological therapy of vascular malformations of the ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Szilagyi · 2006 · 被引用次数: 45 - 相关文章

Vascular malformation (AVM) in the **gastrointestinal** tract is an uncommon, but not rare, cause of **bleeding** and iron deficiency **anemia**, ... (7) find **angiodysplasia** (AD) to be the most common AVM in the **small bowel** (45% and 29%, ... Indeed, in studies of nonselected **patients** with **occult** or **obscure** causes of **GI bleeding**, ...

Small bowel bleeding: a comprehensive review - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4219139/> - 翻译此页

作者: D Gunjan · 2014 · 被引用次数: 17 - 相关文章

2014年5月29日 - **Angiodysplasia** is the commonest cause of **obscure GI bleeding**, particularly in ...

Keywords: **small intestine** bleed, aetiology, **diagnostic** approach, management found to be risk factors associated with **small bowel angiodysplasia** [21]. The initial **assessment** of the **patient** with **small bowel** bleeding must ...

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 1,710 条结果 (用时 0.91 秒)

Diagnosis of gastrointestinal bleeding: A practical guide for clinicians

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4231512/> - 翻译此页

作者: BSM Kim - 2014 - 被引用次数: 25 - 相关文章

2014年11月15日 - Other factors that may affect the sensitivity of angiography include ... Causes of chronic occult GI bleeding can be broadly categorized into mass ... A small bowel source accounts for a high percentage of patients ... Jejunal angiodysplasia as seen on capsule endoscopy. Support Center Support Center.

缺少字词: angiogenic

Diagnosis and management of iron deficiency anemia in the 21st ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: TD Johnson-Wimbley - 2011 - 被引用次数: 148 - 相关文章

Patients in whom the gastrointestinal blood loss exceeds the intestinal ability to ... intestinal angiodysplasia) may develop iron deficiency anemia refractory to oral ... transports ferrous iron from the proximal small intestinal lumen into the apical Wish J.B. (2006) Assessing iron status: Beyond serum ferritin and transferrin ...

缺少字词: angiogenic

Pharmacological therapy of vascular malformations of the ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Szilagyi - 2006 - 被引用次数: 45 - 相关文章

Vascular malformation (AVM) in the gastrointestinal tract is an uncommon, but not rare, cause of bleeding and iron deficiency anemia, ... (7) find angiodysplasia (AD) to be the most common AVM in the small bowel (45% and 29%, Indeed, in studies of nonselected patients with occult or obscure causes of GI bleeding, ...