

Match Overview

1	Internet 33 words crawled on 20-Feb-2017 www.cochrane.org	2%
2	Internet 13 words crawled on 26-Dec-2016 pancreas.imedpub.com	1%

² Name of Journal: *World Journal of Gastrointestinal Pharmacology and Therapeutics*

ESPS Manuscript NO: 32821

Manuscript Type: FRONTIER

5-ASA to maintain remission in Crohn's disease: Interpreting conflicting systematic review evidence

Morris Gordon

Abstract

5-aminosalicylates are a class of anti-inflammatory agents that have been used for decades in inflammatory bowel disease. Whilst they are first line for induction and an option for maintenance of remission in Ulcerative Colitis, the picture in Crohn's disease is variable. For maintenance of remission, key Cochrane systematic reviews have found conflicting results between the medical and surgical induced contexts. In

5-ASA to maintain remission in Crohn's disease: Interpreting conflicting systemat

[全部](#) [图片](#) [视频](#) [新闻](#) [地图](#) [图书](#)

找到约 9,070 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[PDF] [Systematic review: the use of mesalazine in inflammatory bowel ...](#)

onlinelibrary.wiley.com/doi/10.1111/j.1365-2036.2006.02846.x/pdf ▼

15 Jan 2006 ... To provide a **systematic** assessment of the **evidence** for the use of me- ...
mesalazine in the management of acute **Crohn's disease** and the ... the higher dose was
better at **maintaining remission**. However, this finding must be **interpreted** with cau- ... oral 5-
ASA to induce **remission**, at present there is no.

[\(5-aminosalicylic acid\) in inflammatory bowel disease - NCBI - NIH](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3131170/>

Crohn's disease (CD) and ulcerative colitis (UC) are the two major forms of ... of these drugs
as induction and maintenance therapy in CD are **conflicting**, however. ... The role of 5-ASA in
maintaining remission in CD has also been investigated. ... Ford and colleagues recently
performed a definitive **systematic review** and ...

[Management of Crohn's disease—are guidelines transferred to ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4528212/>

In terms of an **evidence**-based approach, clinical guidelines help to deal with ... About 10–36%
use 5-ASA as mono-therapy in CD, depending on the clinical scenario. ... To **maintain** a
surgically achieved **remission**, therapeutic decisions broadly ... Therefore, the results must be
interpreted as a survey of IBD- experienced ...

[THERAPIES FOR CROHN'S DISEASE: a clinical update - SciELO](#)

www.scielo.br/scielo.php?script=sci_arttext&pid=S0004... ▼

This **review** analyses the main drugs currently used in clinical treatment of **Crohn's** ...
Therefore, 5-ASA is not recommended for **maintaining remission** of CD ... There is no **evidence**
for the use of antibiotics as maintenance therapy. ... for **maintaining remission** that has been
achieved through use of **systemic** corticosteroids.

[Efficacy of 5-Aminosalicylates in Crohn's Disease: Systematic ...](#)

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 9,030 条结果 (用时 0.78 秒)

(5-aminosalicylic acid) in inflammatory bowel disease - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: C Williams - 2011 - 被引用次数: 40 - 相关文章

Crohn's disease (CD) and ulcerative colitis (UC) are the two major forms of idiopathic drugs as induction and maintenance therapy in CD are **conflicting**, however. they may be placed on a 5-ASA agent in an attempt to **maintain** the **remission**. ... Ford and colleagues recently performed a definitive **systematic review** and ...

Management of Crohn's disease—are guidelines transferred to clinical ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: T Klag - 2015 - 被引用次数: 2 - 相关文章

In terms of an **evidence**-based approach, clinical guidelines help to deal with ... About 10–36% use 5-ASA as mono-therapy in CD, depending on the clinical scenario. ... To **maintain** a surgically achieved **remission**, therapeutic decisions broadly ... Therefore, the results must be **interpreted** as a survey of IBD-experienced ...

Systematic review: the use of mesalazine in inflammatory bowel disease

onlinelibrary.wiley.com/doi/10.1111/j.1365-2036.2006.02846.x/pdf ▼ 翻译此页

作者: R BERGMAN - 2006 - 被引用次数: 90 - 相关文章

2006年1月15日 - To provide a **systematic** assessment of the **evidence** for the use of me- ... mesalazine in the management of acute Crohn's disease and the the higher dose was better at **maintaining** **remission**. However, this finding must be **interpreted** with cau- ... oral 5-ASA to induce **remission**, at present there is no.

Mesalazine for the treatment of inflammatory bowel disease: Expert ...

www.tandfonline.com/doi/full/10.1517/14656566.2013.808622?src... - 翻译此页

2013年6月17日 - Keywords: Crohn's disease, mesalazine, therapy, ulcerative colitis In the Cochrane