### Imaging Profile of the COVID-19 Infection: Radiologic ...

https://pubs.rsna.org/doi/full/10.1148/ryct.2020200034

Methods On 30th January 2020, COVID-19, formerly known as 2019 novel coronavirus (2019-nCoV), was declared

to be a global health emergency by the World Health Organization[1]. Dramatic measures have been put in place to halt the progression of the virus, and as of 6th February, COVID-19 has infected over 28,000 patients with 564 confirmed deaths [2]. Knowledge of COVID-19 is still evolving, but anecdotal evidence is available suggesting that patients can be asymptomatic and infective for up to 14 days [3]. It is clear tha...

#### See more on pubs.rsna.org

Cited by: 363 Author: Ming-Yen Ng, Elaine Yp Lee, Jin Yang, Fang...
Publish Year: 2020

### COVID-19 Imaging: What We Know Now and What Remains ...

https://pubs.rsna.org/doi/10.1148/radiol.2021204522

Feb 09, 2021 - A comprehensive review of the various scoring and assessment systems developed for CT lung findings is discussed in detail in a later section. ... While the presence of characteristic COVID-19 imaging findings is helpful in ... it remains difficult or impossible to draw meaningful conclusions about the role of neuroimaging in this pandemic ..

Author: Jeffrey P. Kanne, Harrison Bai, Adam Be... Publish Year: 2021

## $\ensuremath{^{[\text{PDF}]}}$ The Role of Imaging in the Management of Suspected or ...

https://www.atsjournals.org/doi/pdf/10.1513/AnnalsATS.202006-600CME In this review, we present the current approach to imaging of COVID-19 pneumonia. We focus on the appropriate utilization of thoracic imaging modalities to guide clinical management. We also describe radiologic findings that are considered typical, atypical and generally not compatible with COVID-19.

Search Tools

Turn off Hover Translation (关闭

#### A comprehensive review of imaging findings in COVID-19 ...

#### https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8087891

Jan 20, 2021 · Imaging findings on chest CT . The most common CT pattern is either isolated ground-glass opacities, which are observed in one half of COVID-19 patients, or a combination of ground-glass opacities and consolidations, which is observed in around 44% of patients (Fig. 3) []. These typical findings most likely reflect pulmonary edema with hyaline membrane formation, as was reported in an ... Author: Ali Afshar-Oromieh, Helmut Prosch, Cor... Publish Year: 2021

#### COVID-19 in the radiology department: What radiographers ...

#### https://www.ncbi.nlm.nih.gov/pmc/articles/pmid/32532596

Jun 04, 2020 · Key findings. Medical Imaging plays an important auxiliary role in the diagnosis of Covid-19 patients, mainly those most seriously affected. Practice differs widely among different countries, mainly due to the variability of access to resources (viral testing and imaging equipment, specialised staff, protective equipment).


Cited by: 21 Author: N. Stogiannos, D. Fotopoulos, N. Woznitza, ...
Publish Year: 2020

## Imaging Profile of the COVID-19 Infection: Radiologic ...

https://pubs.rsna.org/doi/full/10.1148/ryct.2020200034

Introduction
Materials and Methods
Results
Discussion

On January 30, 2020, the **coronavirus disease** 2019 (COVID-19), formerly known as 2019 novel coronavirus (2019-nCoV), was declared to be a global health emergency by the World Health Organization



# A comprehensive review of imaging findings in COVID-19 ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8087891

Jan 20, 2021 · Imaging findings on chest CT . The most common CT pattern is either isolated groundglass opacities, which are observed in one half of COVID-19 patients, or a combination of ground-glass opacities and consolidations, which is observed in around 44% of patients (Fig. 3) []. These typical findings most likely reflect pulmonary edema with hyaline membrane formation, as was reported in an ...

Cited by: 1 Author: Ali Afshar-Oromieh, Helmut Prosch, Corn...

Publish Year: 2021

## COVID-19 in the radiology department: What radiographers ...

https://www.ncbi.nlm.nih.gov/pmc/articles/pmid/32532596

Jun 04, 2020 · Key findings. Medical Imaging plays an important auxiliary role in the diagnosis of Covid-19 patients, mainly those most seriously affected. Practice differs widely among different countries, mainly due to the variability of access to resources (viral testing and imaging equipment, specialised staff, protective equipment).

Cited by: 22 Author: N. Stogiannos, D. Fotopoulos, N. Woznit...

Publish Year: 2020

## Imaging Profile of the COVID-19 Infection: Radiologic ...

https://pubs.rsna.org/doi/full/10.1148/ryct.2020200034

Introduction Materials and Methods Results Discussion At >

On January 30, 2020, the **coronavirus disease** 2019 (COVID-19), formerly known as 2019 novel coronavirus (2019-nCoV), was declared to be a global health emergency by the World Health Organization (1). Dramatic measures have been put in place to halt the progression of the virus, and as of February 6, 2020, COVID-19 has infected over 28,000 patients with 564 confirmed deaths (2). Knowledge of COVID-19 is still evolving, but anecdotal evidence is available suggesting that patients can be asymp...

See more on pubs.rsna.org

Cited by: 671 Author: Ming-Yen Ng, Elaine Y P Lee, Jin Yang, ...

Publish Year: 2020

COVID 10: A Multimodality Pavious of Padiologic Tachniques