

Name of Journal: *World Journal of radiology*

ESPS Manuscript NO: 18211

Manuscript Type: REVIEW

Evaluation of primary adrenal insufficiency secondary to tuberculous
adrenalitis with computed tomography and magnetic resonance imaging:
current status

Match Overview

1	CrossCheck 113 words Wolfgang Oelkers. "Adrenal Insufficiency", <i>New England Journal of Medicine</i> , 10/17/1996	5%
2	CrossCheck 88 words Xiao-Chun Zhang. "Addison's disease due to adrenal tuberculosis: MRI features", <i>Abdominal Imaging</i> , 11/2008	4%
3	CrossCheck 78 words Ma, E.S.. "Tuberculous Addison's disease: Morphological and quantitative evaluation with multidetector-row CT",	4%
4	CrossCheck 68 words Guo, Y.K.. "Addison's disease due to adrenal tuberculosis: Contrast-enhanced CT features and clinical duration c	3%
5	CrossCheck 43 words S. R. Bornstein. "Predisposing Factors for Adrenal Insufficiency", <i>New England Journal of Medicine</i> , 05/28/2009	2%
6	Internet 38 words crawled on 05-Jun-2013 bmctoday.net	2%



EVALUATION OF PRIMARY ADRENAL INSUFFICIENCY SECONDARY TO 1 ▾



学术搜索

找到约 222 条结果 (用时0.07秒)

我的著作引用情况



文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

创建快讯

小提示: 只搜索**中文(简体)**结果, 可在 [学术搜索设置](#) 指定搜索语言

Uncommon **adrenal** masses: CT and MRI features with histopathologic correlation

YK Guo, ZG Yang, Y Li, YP Deng, ES Ma... - European journal of ..., 2007 - Elsevier

... well established, the uncommon **adrenal** masses still need to be further **evaluated** on CT ... arise in the retroperitoneum and account for approximately 5% of the **primary** neoplasms in ... have reported neurilemmomas in the juxtadrenal area, which may mimic the **adrenal** lesions [36 ...

被引用次数: 97 相关文章 所有 7 个版本 引用 保存

Spectrum of CT findings in nonmalignant **disease** of the **adrenal** gland.

A Kawashima, CM Sandler, [EK Fishman](#)... - Radiographics, 1998 - [pubs.rsna.org](#)

... 5% of all abdominal CT examinations (3,4). In addition, CT is the **primary** modality for ... Unenhanced studies are sufficient for the **evaluation** of conditions associated with adre- nal hyperfunction. ... U CONDITIONS ASSOCIATED WITH HYPERFUNCTIONING **ADRENAL** GLANDS ...

被引用次数: 97 相关文章 所有 5 个版本 引用 保存

[rsna.org](#) 中的 [\[PDF\]](#)

Adrenal insufficiency

W Oelkers - New England Journal of Medicine, 1996 - Mass Medical Soc

... Three tests are used to **evaluate** patients with suspected **secondary adrenal insufficiency** (Table 3).4.23 Hypoglycemia (plasma glucose ... Radiologic **Evaluation** ... **Primary adrenal insufficiency** in patients with the acquired immunodeficiency syndrome: a report of five cases. ...

被引用次数: 851 相关文章 所有 7 个版本 引用 保存

[200.89.138.227](#) 中的 [\[PDF\]](#)

The approach to the adult with newly diagnosed **adrenal insufficiency**

[W Arlt](#) - The Journal of Clinical Endocrinology & Metabolism, 2009 - [press.endocrine.org](#)

... Diagnostic **Evaluation**. Section: ... is usually only seen during septic shock or in very rare instances in **primary** antiphospholipid syndrome ... However, the adrenomyeloneuropathy variant accounting for 35% of cases can manifest with **adrenal insufficiency** before the development of ...

[endocrine.org](#) 中的 [\[HTML\]](#)



Evaluation of primary adrenal insufficiency secondary to tuberculous adrenalitis ▾



学术搜索

找到约 222 条结果 (用时0.08秒)

我的著作引用情况



文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

Uncommon adrenal masses: CT and MRI features with histopathologic correlation

YK Guo, ZG Yang, Y Li, YP Deng, ES Ma... - European journal of ..., 2007 - Elsevier

... well established, the uncommon adrenal masses still need to be further evaluated on CT ... arise in the retroperitoneum and account for approximately 5% of the primary neoplasms in ... have reported neurilemmomas in the juxtadrenal area, which may mimic the adrenal lesions [36 ...

被引用次数: 97 相关文章 所有 7 个版本 引用 保存

Spectrum of CT findings in nonmalignant disease of the adrenal gland.

A Kawashima, CM Sandler, EK Fishman... - Radiographics, 1998 - pubs.rsna.org

... 5% of all abdominal CT examinations (3,4). In addition, CT is the primary modality for ... Unenhanced studies are sufficient for the evaluation of conditions associated with adrenal hyperfunction. ... U CONDITIONS ASSOCIATED WITH HYPERFUNCTIONING ADRENAL GLANDS ...

被引用次数: 97 相关文章 所有 5 个版本 引用 保存

Adrenal insufficiency

W Oelkers - New England Journal of Medicine, 1996 - Mass Medical Soc

... Three tests are used to evaluate patients with suspected secondary adrenal insufficiency (Table 3).4.23 Hypoglycemia (plasma glucose ... Radiologic Evaluation. ... Primary adrenal insufficiency in patients with the acquired immunodeficiency syndrome: a report of five cases. ...

被引用次数: 851 相关文章 所有 7 个版本 引用 保存

The approach to the adult with newly diagnosed adrenal insufficiency

W Arlt - The Journal of Clinical Endocrinology & Metabolism, 2009 - press.endocrine.org

... Diagnostic Evaluation. Section: ... is usually only seen during septic shock or in very rare instances in primary antiphospholipid syndrome ... However, the adrenomyeloneuropathy variant accounting for 35% of cases can manifest with adrenal insufficiency before the development of ...

被引用次数: 112 相关文章 所有 10 个版本 引用 保存

rsna.org 中的 [PDF]

200.89.138.227 中的 [PDF]

endocrine.org 中的 [HTML]

[网页](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 8,430 条结果 (用时 0.50 秒)

Adrenal Insufficiency - Endotext - NCBI Bookshelf

www.ncbi.nlm.nih.gov > NCBI > Literature > Bookshelf - 翻译此页

2013年11月18日 - How should this patient be further evaluated? ... Secondary adrenal insufficiency occurs more frequently than ... Primary adrenal insufficiency may also present as part of In cases of tuberculous adrenalitis, the CT scan shows initially ... adrenal insufficiency is suspected, a magnetic resonance imaging ...

Diagnostic and therapeutic approach in a rare case of ...

jmm.sgmjournals.org/content/journal/.../jmm.0.020461-0? - 翻译此页

作者: C Del Borgo - 2010 - 相关文章

of primary bilateral adrenal tuberculosis. Cosmo Del Borgo,1 ... Primary isolated tubercular adrenalitis is a very rare ... high accuracy and specificity, even without histological examination. Introduction. The evaluation of a patient with fever and adrenal lesions when non-diagnostic findings are depicted on CT and MRI.

Imaging procedures in adrenal pathology - SciELO

www.scielo.br/scielo.php?pid=S0004...script=sci_arttext ▾ 翻译此页

作者: SM Goldman - 2004 - 被引用次数: 11 - 相关文章

Imaging plays a vital role in the evaluation of adrenal pathology. ... Computed Tomography (CT) is the primary diagnostic imaging method for evaluation of ... screening is negative in a patient strongly suspected of having adrenal disease (figure 1). Although both CT and MRI provide accurate depiction of the adrenal ...

^[PDF] Optimizing imaging in adrenal pathology - International ...

isradiology.org/gorad/docs/2014/9_3_rar_en.pdf ▾ 翻译此页

tures are present: for example, myelolipomas can be identified by ... Adrenal gland; Computed tomography; Magnetic resonance; ... benignity and malignancy in adrenal disease, and for pre- and ... than 5 cm were evaluated as probable primary tumors of the ... might be adrenalitis secondary to tuberculous (TBC) histo