

Name of Journal: *World Journal of Radiology*

ESPS Manuscript NO: 19671

Manuscript Type: DIAGNOSTIC ADVANCES

Various diffusion magnetic resonance imaging techniques for pancreatic cancer

Tang MY *et al.* DWI for PA

Meng-Yue Tang, Xiao-Ming Zhang, Tian-Wu Chen, Xiao-Hua Huang

Abstract

Pancreatic cancer is one of the most common malignant tumors and remains a treatment-refractory cancer with a poor prognosis. Currently, the diagnosis of pancreatic neoplasm depends mainly on imaging and which methods are

Match Overview

1	CrossCheck 134 words Nikolaos Kartalis. "Diffusion-weighted magnetic resonance imaging of pancreas tumours", <i>European Radiology</i>	2%
2	CrossCheck 118 words Wozniak, J.R.. "Advances in white matter imaging: A review of in vivo magnetic resonance methodologies and..."	1%
3	CrossCheck 94 words Nissan, Noam, Talia Golan, Edna Furman-Haran, Sara Apter, Yael Inbar, Arie Ariche, Barak Bar-Zakay, Yuri Gold	1%
4	Internet 63 words crawled on 19-Oct-2010 lib.bioinfo.pl	1%
5	CrossCheck 60 words Klau, Miriam, Matthias M. Gaida, Andreas Lemke, Katharina Grünberg, Dirk Simon, Moritz N. Wenthe, Stefan Delor	1%
6	CrossCheck 60 words Ma, Chao, Yan-jun Li, Chun-shu Pan, He Wang, Jian Wang, Shi-yue Chen, and Jian-ping Lu. "High Resolution Di"	1%
7	CrossCheck 42 words Huang, Yanqi, Xin Chen, Zhongping Zhang, Lifan Yan, Dian Pan, Changhong Liang, and Zaiyi Liu. "MRI quantifica"	<1%

学术搜索

找到约 24,700 条结果 (用时0.14秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☒ 创建快讯您是不是要找: Various diffusion **MRI** imaging techniques for pancreatic cancer**Diffusion MR imaging: clinical applications.**

D Le Bihan, R Turner, P Douek... - AJR. American journal ..., 1992 - Am Roentgen Ray Soc
... water exchanges between these compartments in various normal or disease states [2]. Although
diffusion ... Phase shifts acquired by all molecules interfere with each other, resulting in imperfect ...
the direction of the magnetic field gradient is different for each molecule, resulting in a ...

被引用次数: 436 相关文章 所有 7 个版本 引用 保存

Diffusion-weighted MR imaging with single-shot echo-planar imaging in the upper abdomen: preliminary clinical experience in 61 patients

T Ichikawa, H Haradome, J Hachiya, T Nitatori... - ... imaging, 1999 - Springer
... On all DW images, network patterns of signal irregularity, with dominance in the left ... we used could
not obtain a set of DW images with different b factors ... Hyperacute stroke: evaluation with combined
multisection diffusion-weighted and hemodynamically weighted echo-planar ...

被引用次数: 246 相关文章 所有 7 个版本 引用 保存

High-b value diffusion-weighted MRI for detecting pancreatic adenocarcinoma: preliminary results

T Ichikawa, SM Erturk, U Motosugi... - American Journal of ..., 2007 - Am Roentgen Ray Soc
... In fact, several authors have already reported decreased ADC values in various malignant lesions ...
the present study is principally based on DWI, our concept was different from the ... Using
diffusion-weighted MR image corresponding to A, all three reviewers missed lesion (arrows ...

被引用次数: 204 相关文章 所有 5 个版本 引用 保存

High-b-value diffusion-weighted magnetic resonance imaging of pancreatic cancer and mass-forming chronic pancreatitis: preliminary results

M Takeuchi, K Matsuzaki, H Kubo... - Acta ..., 2008 - informahealthcare.com
... verified by surgery or biopsy, eight cases were clinically diagnosed based on various imaging
modalities such ... All 20 pancreatic cancers showed high signal intensity (18 very high, two slightly
high) on ... can be made [8]. However, DWI is influenced by both water diffusion and T2 ...

被引用次数: 61 相关文章 所有 10 个版本 引用 保存

Mucin-producing tumor of the pancreas: diagnostic value of diffusion-weighted echo-planar MR imaging.

Y Yamashita, T Namimoto, K Mitsuzaki, J Urata... - Radiology, 1998 - pubs.rsna.org
... RESULTS: At 30 sec/mm2, all cystic lesions had very high signal intensity. ... coefficient (ADC)



Various diffusion magnetic resonance imaging techniques for pancreatic ca



网页

新闻

图片

视频

购物

更多 ▾

搜索工具

找到约 360,000 条结果 (用时 0.54 秒)

Google 学术: Various diffusion magnetic resonance imaging techniques for pancreatic cancer

... magnetic resonance imaging of pancreatic cancer and ... - Takeuchi - 被引用次数: 62

... -weighted magnetic resonance imaging of pancreas ... - Kartalis - 被引用次数: 103

... using diffusion-weighted magnetic resonance imaging - Mardor - 被引用次数: 203

Can high-b-value diffusion weighted imaging differentiate ...

www.sciencedirect.com/science/article/.../S0378603X1300082... - 翻译此页

作者: MA El-Shinnawy - 2013 - 被引用次数: 1 - 相关文章

2013年7月21日 - The differentiation between pancreatic cancer and mass forming focal ... Diffusion-weighted imaging is a unique MRI method that provides ... ADC values of the pancreatic lesion were measured in all patients using an ...

Differentiation of Pancreatic lesions using Diffusion ...

www.sciencedirect.com/science/article/.../S0378603X15000662 - 翻译此页

作者: MHA Warda - 2015 - 相关文章

DWI has a similar accuracy to MRI-c in diagnosis of pancreas cancer. ... The implementation of ultrafast imaging techniques, such as parallel imaging ... All these twelve malignant lesions were detected and correctly characterized with MRI-c.

Diffusion-Weighted Magnetic Resonance Imaging of the ...

www.researchgate.net/.../26748760_Diffusion-Weighted_Magn... - 翻译此页

2015年10月17日 - The technique is more frequently used in body imaging, and recent ...

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 352,000 条结果 (用时 0.53 秒)

Google 学术: Various diffusion magnetic resonance imaging techniques for pancreatic cancer

... magnetic resonance imaging of pancreatic cancer and ... - Takeuchi - 被引用次数: 62

... -weighted magnetic resonance imaging of pancreas ... - Kartalis - 被引用次数: 103

... using diffusion-weighted magnetic resonance imaging - Mardor - 被引用次数: 203

Pancreatic Adenocarcinoma Imaging: Overview ...

emedicine.medscape.com/article/370909-overview ▾ 翻译此页

2015年4月2日 - Of all the GI malignancies, pancreatic adenocarcinoma, as shown in the images ... these results probably reflect the use of suboptimal CT and MR techniques. ... Kamisawa et al found that diffusion-weighted MRI (DWI) can be used to ... MRI is sensitive in the detection and staging of pancreatic cancer with ...

Can high-b-value diffusion weighted imaging differentiate ...

www.sciencedirect.com/science/article/.../S0378603X1300082... ▾ 翻译此页

作者: MA El-Shinnawy - 2013 - 被引用次数: 1 - 相关文章

2013年7月21日 - The differentiation between pancreatic cancer and mass forming focal ... Diffusion-weighted imaging is a unique MRI method that provides ADC values of the pancreatic lesion were measured in all patients using an ...

Imaging diagnosis of pancreatic cancer: A state-of-the-art ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: ES Lee - 2014 - 被引用次数: 23 - 相关文章

2014年6月28日 - Pancreatic cancer (PC) remains one of the deadliest cancers