

Name of Journal: World Journal of Radiology

ESPS Manuscript NO: 19450

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Recovery¹³ of serum testosterone following neoadjuvant and adjuvant androgen deprivation therapy in men treated with prostate brachytherapy

Hideyasu Tsumura, Takefumi Satoh, Hiromichi Ishiyama, Shuhei Hirano, Ken-ichi Tabata, Shinji Kurosaka, Kazumasa Matsumoto, Tetsuo Fujita, Masashi Kitano, Shiro Baba, Kazushige Hayakawa, Masatsugu Iwamura

Abstract

AIM: We investigated the time course of testosterone (T) recovery after cessation of androgen deprivation therapy (ADT) in patients treated with brachytherapy.

Match Overview

1	Internet 55 words crawled on 25-Nov-2014 www.icr.ac.uk	1%
2	Internet 31 words crawled on 04-Apr-2014 appliedresearch.cancer.gov	1%
3	CrossCheck 20 words YASUMIZU, TAKEHIKO, YUJI NAKAMURA, KAZUHIKO H OSHI, SUMIO IJIMA, and AKIO ASAKA. "Bone Metabolis	<1%
4	Internet 19 words crawled on 07-Feb-2010 intl-content.nejm.org	<1%
5	Internet 18 words crawled on 10-Jul-2009 ajrccm.atsjournals.org	<1%
6	CrossCheck 17 words Okubo, Mitsuru, Hidetugu Nakayama, Tomohiro Itonaga, Y u Tajima, Sachika Shiraishi, Ryuji Mikami, Akira Sakurada,	<1%
7	CrossCheck 16 words Behfar Ehdaie. "Androgen deprivation and thromboembolic	<1%



Recovery of serum testosterone following neoadjuvant and adjuvant andr



网页

新闻

图片

视频

更多

搜索工具

找到约 14,400 条结果 (用时 0.84 秒)

Google 学术: Recovery of serum testosterone following neoadjuvant and adjuvant androgen deprivation therapy in men treated with prostate brachytherapy

... therapy in men with clinically localized prostate cancer ... - Roach - 被引用次数: 1138

Influence of androgen suppression therapy for prostate ... - D'Amico - 被引用次数: 371

... 8 months of neoadjuvant androgen deprivation therapy ... - Crook - 被引用次数: 81

Randomized study evaluating testosterone recovery using ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: HH Pai - 2011 - 被引用次数: 7 - 相关文章

Androgen suppression therapy has also been linked to long-term effects, such as ... All men with intermediate-risk disease undergoing prostate brachytherapy ... A minimum of 35 patients per treatment arm (70 in total) were required to have an 80% Recovery of serum testosterone after neoadjuvant androgen deprivation ...

The Current State of Hormonal Therapy for Prostate Cancer

onlinelibrary.wiley.com/doi/10.3322/canjclin.52.3.154/pdf ▾ 翻译此页

作者: BA Hellerstedt - 2002 - 被引用次数: 304 - 相关文章

remission in 80 to 90 percent of men with advanced prostate cancer, and results in ... been used to induce castrate serum levels of testosterone or interfere with its function ... Combination treatment with testicular androgen suppression and an Watchful Waiting. Primary Therapy. Cured. Adjuvant Androgen Deprivation.

Testosterone recovery following prolonged adjuvant ...

www.pubfacts.com/.../Testosterone-recovery-following-prolon... ▾ 翻译此页





Recovery of serum testosterone following neoadjuvant and adjuvant androgen



网页

图片

地图

视频

新闻

更多

搜索工具

找到约 7,440 条结果 (用时 1.02 秒)

Google 学术: Recovery of serum testosterone following neoadjuvant and adjuvant androgen deprivation therapy in men treated with prostate brachytherapy

... therapy in men with clinically localized prostate cancer ... - Roach - 被引用次数: 1194

Influence of androgen suppression therapy for prostate ... - D'Amico - 被引用次数: 386

... 8 months of neoadjuvant androgen deprivation therapy ... - Crook - 被引用次数: 85

Randomized study evaluating testosterone recovery using ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: HH Pai - 2011 - 被引用次数: 7 - 相关文章

Serum total testosterone levels and PSA were recorded every 2 months for 2 years, ... neoadjuvant fashion in men undergoing brachytherapy who require prostate gland ... Androgen suppression therapy has also been linked to long-term effects. ... Several series have reported rate of testosterone recovery after cessation of ...

The Current State of Hormonal Therapy for Prostate Cancer

onlinelibrary.wiley.com/doi/10.3322/canjclin.52.3.154/pdf ▾ 翻译此页

作者: BA Hellerstedt - 2002 - 被引用次数: 313 - 相关文章

androgen deprivation as therapy for advanced prostate cancer.^{3,4} In the 1950s, ... to induce castrate serum levels of testosterone or interfere with its function ... ABSTRACT Androgen deprivation therapy remains a mainstay of treatment for men with ... After initial diagnosis, patients have several options regarding treatment.

An Update on the Changing Indications for Androgen

[网页](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 7,360 条结果 (用时 0.55 秒)

Google 学术: Recovery of serum testosterone following neoadjuvant and adjuvant androgen deprivation therapy in men treated with prostate brachytherapy

... therapy in men with clinically localized prostate cancer ... - Roach - 被引用次数: 1196

Influence of androgen suppression therapy for prostate ... - D'Amico - 被引用次数: 386

... 8 months of neoadjuvant androgen deprivation therapy ... - Crook - 被引用次数: 85

Randomized study evaluating testosterone recovery using ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: HH Pai - 2011 - 被引用次数: 7 - 相关文章

Serum total testosterone levels and PSA were recorded every 2 months for 2 years. ...

neoadjuvant fashion in men undergoing brachytherapy who require prostate gland ...

Androgen suppression therapy has also been linked to long-term effects, ... Several series have reported rate of testosterone recovery after cessation of ...

The Current State of Hormonal Therapy for Prostate Cancer

onlinelibrary.wiley.com/doi/10.3322/canjclin.52.3.154/pdf ▾ 翻译此页

作者: BA Hellerstedt - 2002 - 被引用次数: 314 - 相关文章

androgen deprivation as therapy for advanced prostate cancer.^{3,4} In the 1950s, ... to

induce castrate serum levels of testosterone or interfere with its function ... ABSTRACT

Androgen deprivation therapy remains a mainstay of treatment for men with ... After initial diagnosis, patients have several options regarding treatment.

An Update on the Changing Indications for Androgen ...

www.hindawi.com/journals/pc/2011/419174/ ▾ 翻译此页

作者: K Myklak - 2011 - 被引用次数: 6 - 相关文章