



19193-Review

BY: GRIGOR N GRIGOROV

Quotes Excluded
Bibliography Excluded2%
SIMILAR

2015/11/19

Name of journal: World Journal of Radiology

ESPS Manuscript NO: 19193

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Leakage-Penumbra effect in intensity modulated radiation therapy step-and-shoot
dose delivery

Grigor N Grigorov, James C L Chow

Abstract**AIM:** To study the leakage-penumbra (LP) effect with a proposed correction method for

Match Overview

- | | | |
|---|---|----|
| 1 | CrossCheck 71 words
Grigor N Grigorov. "Dosimetry limitations and a dose correction methodology for step-and-shoot IMRT", Physics in Medicine and Biology, 2015 | 1% |
| 2 | Internet 33 words
crawled on 08-Mar-2015
www.sharegogo.com | 1% |



Leakage-Penumbra effect in intensity modulated radiation therapy step-and-

[网页](#)[图片](#)[视频](#)[新闻](#)[更多](#)[搜索工具](#)

找到约 14,400 条结果 (用时 0.52 秒)

Transmission, penumbra and leaf positional accuracy in ...

www.researchgate.net/.../6544645_Transmission_penumbra_an... - 翻译此页

2015年9月8日 - Publication » Transmission, penumbra and leaf positional accuracy in commissioning and quality assurance program of a multileaf collimator for step-and-shoot IMRT ... midleaf transmission and interleaf leakage, the in-plane penumbra ... the central axis shows a tongue-and-groove effect of about 33%.

[PDF] Guidance document on delivery, treatment planning, and ...

https://www.aapm.org/pubs/reports/RPT_82.pdf - 翻译此页

作者: GA Ezzell - 2003 - 被引用次数: 537 - 相关文章

implementation of highly conformal nonconvex dose distributions. This complex ... based IMRT delivery systems, goal-based inverse treatment planning, and clinical implementation the effect of interdigitations of leaves and tongue-and-groove ... by moving the pattern in 2 cm intervals and irradiating in a step-and-shoot.

Transmission, penumbra and leaf positional accuracy in ...

www.ncbi.nlm.nih.gov/pubmed/17260492 - 翻译此页

作者: M Pasquino - 2006 - 被引用次数: 9 - 相关文章

Transmission, penumbra and leaf positional accuracy in commissioning and quality assurance program of a multileaf collimator for step-and-shoot IMRT treatments. ... The midleaf transmission and interleaf leakage, the in-plane penumbra and its ... QA film



Leakage-Penumbra effect in intensity modulated radiation therapy step-and-st ▾



学术搜索

获得 1 条结果 (用时0.04秒)

我的著作引用情况



文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

Dosimetric impact of the 160 MLC on head and neck IMRT treatments

P Rassiah-Szegedi, M Szegedi, V Sarkar... - Journal of Applied ..., 2014 - jacmp.org

... Dosimetric properties such as leakage, penumbra, tongue and groove, and leaf resolution directly affect plan quality ... V, Marks L, Chao KS, Nam J, Eisbruch A. Radiotherapy dose-volume effects on salivary ... SA, Mani KR, Das KJ, Agarwal A, Kumar S. Dosimetric effect of multileaf ...

被引用次数: 1 相关文章 所有 4 个版本 引用 保存 更多

创建快讯

jacmp.org 中的 [HTML]

按相关性排序

按日期排序

关于 Google 学术搜索

隐私权

条款

提供反馈

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

[网页](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 14,100 条结果（用时 0.67 秒）

Transmission, penumbra and leaf positional accuracy in ...

www.ncbi.nlm.nih.gov/pubmed/17260492 ▾ [翻译此页](#)

作者: M Pasquino - 2006 - 被引用次数: 10 - 相关文章

Transmission, **penumbra** and leaf positional accuracy in commissioning and quality assurance program of a multileaf collimator for **step-and-shoot IMRT** treatments. ... The midleaf transmission and interleaf **leakage**, the in-plane **penumbra** and its ... OA film dosimetry system and converted to **dose** by means of H&D curves.

Transmission, penumbra and leaf positional accuracy in ...

www.researchgate.net/.../6544645_Transmission_penumbra_an... - [翻译此页](#)

2015年9月8日 - Publication » Transmission, **penumbra** and leaf positional accuracy in commissioning and quality assurance program of a multileaf collimator for **step-and-shoot IMRT** ... midleaf transmission and interleaf **leakage**, the in-plane **penumbra** ... the central axis shows a tongue-and-groove **effect** of about 33%.

[PDF] Guidance document on delivery, treatment planning, and ...

https://www.aapm.org/pubs/reports/RPT_82.pdf ▾ [翻译此页](#)

作者: GA Ezzell - 2003 - 被引用次数: 538 - 相关文章

implementation of highly conformal nonconvex **dose** distributions. This complex ... based **IMRT delivery** systems, goal-based inverse treatment planning, and clinical implementation the **effect** of interdigitations of leaves and tongue-and-groove ... by moving the pattern in 2 cm intervals and irradiating in a **step-and-shoot**.

[PDF] Dosimetric impact of the 160 MLC on head and neck IMR...

www.jacmp.org/index.php/jacmp/article/viewFile/.../pdf_194 ▾ [翻译此页](#)

作者: P Rassiah-Szegedi - 2014 - 被引用次数: 1 - 相关文章

The **dose** to the organs at risk (brainstem, spinal cord, parotids ... Key words: 160 MLC