

Name of Journal: *World Journal of Radiology*

ESPS Manuscript NO: 21747

Manuscript Type: REVIEW

Endovascular ¹⁴ treatment of aortoiliac aneurysms: from intentional occlusion of the internal iliac artery to branch iliac stent graft

Stevo Duvnjak

Abstract:

⁹ Approximately 20%–40% of patients with abdominal aortic aneurysms (AAA) can have unilateral or bilateral iliac artery aneurysms and/or ectasia. This influences and compromises the distal sealing zone during endovascular aneurysm repair. There are a few endovascular techniques that are used to treat these types of aneurysms, including

Match Overview

1	CrossCheck 40 words Oderich, G. S., and R. K. Greenberg. "Endovascular Iliac Branch Devices for Iliac Aneurysms", Perspectives in Va	1%
2	Internet 33 words crawled on 14-Aug-2014 www.biomedsearch.com	1%
3	CrossCheck 25 words Parlani, G.. "Long-term Results of Iliac Aneurysm Repair with Iliac Branched Endograft: A 5-Year Experience on ...	1%
4	CrossCheck 20 words Kocher, M.. "Endovascular treatment of abdominal aortic aneurysms-6 years of experience with Eila stent-graft sy	1%
5	CrossCheck 20 words Matteo, J., and J. Cunningham. "Size matters! A reliable endovascular method to avoid infolding and endoleaks...	1%
6	Internet 13 words crawled on 14-Feb-2014 www.hkjr.org	<1%

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] [Intentional internal iliac artery occlusion to facilitate endovascular repair of aortoiliac aneurysms](#) sciencedirect.com 中的 [HTML]

OJ Yano, N Morrissey, L Eisen, PL Faries... - Journal of vascular ..., 2001 - Elsevier

... 3 These maneuvers were often lifesaving in the management of uncontrollable hemorrhage from pelvic arterial collaterals. ... Initial experience with transluminally placed endovascular grafts for the treatment of complex vascular lesions. Ann.

被引用次数: 136 相关文章 所有 7 个版本 引用 保存

[Clinical outcome of internal iliac artery occlusions during endovascular treatment of aortoiliac aneurysmal diseases](#)

CW Lee, JA Kaufman, CM Fan, SC Geller... - Journal of Vascular and ..., 2000 - Elsevier

... Transluminal placement of endovascular stent-grafts for the treatment of descending thoracic aortic aneurysms. ... Transfemoral endovascular repair of abdominal aortic aneurysm: results of the North American EVT phase 1 trial. ... I. Population and operative management. ...

被引用次数: 103 相关文章 所有 5 个版本 引用 保存

[HTML] [Adverse consequences of internal iliac artery occlusion during endovascular repair of abdominal aortic aneurysms](#) sciencedirect.com 中的 [HTML]

LA Karch, KJ Hodgson, MA Mattos... - Journal of vascular ..., 2000 - Elsevier

... The incidence varies from 1.6% to 33% 6, 10, 21 and 22 and generally subsides without any therapy. ... Aortoiliac aneurysms: management with endovascular stent-graft placement. Radiology, 198 (1996), pp. 473-480. ... Endovascular treatment of internal iliac artery aneurysms. ...

被引用次数: 178 相关文章 所有 6 个版本 引用 保存

[HTML] [Branched iliac bifurcation: 6 years experience with endovascular preservation of internal iliac artery flow](#) sciencedirect.com 中的 [HTML]

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Intentional internal iliac artery occlusion to facilitate endovascular repair of aortoiliac aneurysms

sciencedirect.com 中的 [HTML]

OJ Yano, N Morrissey, L Eisen, PL Faries... - Journal of vascular ... 2001 - Elsevier
... 3 These maneuvers were often lifesaving in the management of uncontrollable hemorrhage from pelvic arterial collaterals. ... Initial experience with transluminally placed endovascular grafts for the treatment of complex vascular lesions. Ann.

被引用次数: 136 相关文章 所有 7 个版本 引用 保存

Clinical outcome of internal iliac artery occlusions during endovascular treatment of aortoiliac aneurysmal diseases

CW Lee, JA Kaufman, CM Fan, SC Geller... - Journal of Vascular and ... 2000 - Elsevier
... Transluminal placement of endovascular stent-grafts for the treatment of descending thoracic aortic aneurysms. ... Transfemoral endovascular repair of abdominal aortic aneurysm: results of the North American EVT phase 1 trial. ... I. Population and operative management. ...

被引用次数: 103 相关文章 所有 5 个版本 引用 保存

[HTML] Adverse consequences of internal iliac artery occlusion during endovascular repair of abdominal aortic aneurysms

sciencedirect.com 中的 [HTML]

LA Karch, KJ Hodgson, MA Mattos... - Journal of vascular ... 2000 - Elsevier
... The incidence varies from 1.6% to 33% 6, 10, 21 and 22 and generally subsides without any therapy. ... Aortoiliac aneurysms: management with endovascular stent-graft placement. Radiology, 198 (1996), pp. 473-480. ... Endovascular treatment of internal iliac artery aneurysms. ...

被引用次数: 178 相关文章 所有 6 个版本 引用 保存

[HTML] Branched iliac bifurcation: 6 years experience with endovascular preservation of internal iliac artery flow

sciencedirect.com 中的 [HTML]

[全部](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 3,090 条结果 (用时 0.89 秒)

[Intentional internal iliac artery occlusion to facilitate ...](#)

www.sciencedirect.com/science/article/.../S0741521401737883 ▾ [翻译此页](#)

作者: OJ Yano - 2001 - 被引用次数: 136 - [相关文章](#)

Purpose: The safety of **intentional occlusion** of patent **internal iliac arteries** (IIAs) to facilitate the **endovascular** repair of **aortoiliac** artery **aneurysms** (abdo. ... stenosis of the patent IIA and disease deep femoral ascending **branches** ipsilateral to the **occluded** IIA. The risk D, **iliac limb stent-graft** deployed over origin of the IIA.

[Complex Common and Internal Iliac or Aortoiliac Aneurysms ...](#)

www.hindawi.com/journals/ijym/2014/178610/ ▾ [翻译此页](#)

作者: T Kotsis - 2014 - 被引用次数: 1 - [相关文章](#)

2014年9月28日 - Bilateral **internal iliac artery aneurysms** constitute the utmost ... Individualized techniques for the **management** of isolated **iliac** or **aortoiliac** aneurysmal disease with common **iliac** artery **occlusion**; an aortouniliac **stent-graft** insertion ... Unilateral IIA open ligation or **endovascular** embolization to facilitate ...

[Endovascular repair of bilateral iliac artery aneurysm with ...](#)

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: JH You - 2013 - 被引用次数: 3 - [相关文章](#)

2013年8月26日 - However, complications from **intentional occlusion** of unilateral or ... Currently, the standard **endovascular treatment** includes coil embolization of the **internal iliac artery** (IIA), ... Use of a branched **iliac stent-graft** is an appealing option, and ... Unilateral **aortoiliac aneurysms** are present in 43%, and bilateral ...

[Current Endovascular Treatment of Abdominal Aortic Aneurys...](#)

<https://books.google.com.hk/books?isbn=0470753137> - [翻译此页](#)

Albert G. Hachimi - 2008 - Medical