

Name of Journal: *World Journal of Radiology*

ESPS Manuscript NO: 23502

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Usefulness of Intra-procedural cone-beam computed tomography in modified
balloon-occluded retrograde transvenous obliteration of gastric varices

Lee EW *et al* Cone-beam CT in modified-BRTO

Edward Wolfgang Lee, Naomi So, Ryan Chapman, Justin P McWilliams, Christopher
T Loh, Ronald W Busuttil, Stephen T Kee

Abstract

AIM: To evaluate whether intra-procedural cone-beam computed tomography (CBCT)
performed during modified balloon-occluded retrograde transvenous obliteration

Match Overview

1	CrossCheck 84 words Lee, Edward W, Sammy Saab, Antoinette S Gomes, Ronald Busuttil, Justin McWilliams, Francisco Durazo, Steve	2%
2	CrossCheck 14 words Sicco J. Braak. "3D cone-beam CT guidance, a novel technique in renal biopsy—results in 41 patients with susp	<1%
3	Internet 13 words crawled on 21-Nov-2014 www.sirweb.org	<1%
4	CrossCheck 13 words Rika Yoshimatsu. "Development of Thrombus in a Systemic Vein after Balloon-Occluded Retrograde Transvenous	<1%
5	CrossCheck 13 words Paul, Jijo, Thomas J Vogl, and Emmanuel C Mbalisike. "Radiation dose and image quality evaluation relative to	<1%
6	Internet 10 words crawled on 01-May-2014 www.ncbi.nlm.nih.gov	<1%
7	Internet 10 words crawled on 13-Feb-2007 defibrillatorlawsuitrecall.flatdefibrillator.info	<1%

Usefulness of Intra-procedural cone-beam computed tomography (CBCT) in mod

网页 图片 视频 新闻 购物 地图 图书

找到约 282 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

显示的是以下查询字词的结果: [Usefulness of Intra-procedural cone-beam computed tomography \(CBCT\) in modified balloon-occluded retrograde transvenous obliteration \(BROTO\) for gastric varices](#)

仍然搜索: Usefulness of Intra-procedural cone-beam computed tomography (CBCT) in modified balloon-occluded retrograde transvenous obliteration ([mBROTO](#)) of gastric varices

[Balloon-occluded Retrograde Transvenous Obliteration \(BROTO\) ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3312158/ ▼

Management of Gastric Varices: Endoscopic, BROTO, and TIPS ... Balloon- occluded Retrograde Transvenous Obliteration (BROTO): Technique and Intraprocedural Imaging Treatment Modification According to Draining Venous Pattern Cone beam computed tomography (CT) utilization in a balloon- occluded retrograde ...

[Balloon-occluded Retrograde Transvenous Obliteration of Gastric ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3444869/ ▼

BROTO has many advantages over TIPS in that it is less invasive and can be ... Keywords: BROTO, transvenous obliteration, gastric, varices, TIPS, portal hypertension ... the balloon-occluded retrograde transvenous obliteration (BROTO) procedure Although not necessary, the cone-beam CT can be used to ensure that the ...

[Balloon-occluded Retrograde Transvenous Obliteration \(BROTO\)](#)

www.jove.com/.../balloon-occluded-retrograde-transvenous-obliteration-brto-technique ▼

27 May 2011 ... Balloon-occluded retrograde transvenous obliteration (BROTO) is an endovascular ... intrahepatic shunts (TIPS) in the management of gastric varices ... for humans³ has been modified for use in mice⁴⁻⁶ and rats⁷ and we previously showed ... The advent of cone-beam computed tomography (CBCT) in the ...

[Nadine Abi-jaoudeh - UC Irvine - Faculty Profile System](#)

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 3,690 条结果 (用时 0.22 秒)

Balloon-occluded Retrograde Transvenous Obliteration ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: SS Sabri - 2011 - [被引用次数: 10](#) - [相关文章](#)

Management of [Gastric Varices](#): Endoscopic, BRTO, and TIPS ... [Balloon-occluded Retrograde Transvenous Obliteration](#) (BRTO): Technique and [Intraprocedural](#) Imaging Treatment [Modification](#) According to Draining Venous Pattern [Cone beam computed tomography](#) (CT) utilization in a balloon-occluded retrograde ...

Balloon-occluded Retrograde Transvenous Obliteration ...

https://www.researchgate.net/.../230784400_Balloon-occluded_... - [翻译此页](#)

[Balloon-occluded Retrograde Transvenous Obliteration](#) (BRTO): Technique and ... shunt to allow stagnation of the sclerosant material within the [gastric varix](#). Tip Soft Coagulation - a Novel Technique for Hemostasis of [Intraprocedural](#) Bleeding [Cone beam computed tomography](#) (CT) utilization in a balloon-occluded ...

CardioVascular and Interventional Radiology - JournalTOCs

www.journaltoocs.ac.uk/index.php?action=tocs...0174... ▾ [翻译此页](#)

Comparison of [Balloon-Occluded Retrograde Transvenous Obliteration](#) (BRTO) ... better than BRTO using EO for treatment of [gastric varices](#) in terms of complication or [procedure](#) time. ... Fusion of CT Angiography or MR Angiography with Unenhanced CBCT and ... Groin- and back-pain after VCD-use/MC was 0 (0-15) vs.

Balloon-occluded Retrograde Transvenous Obliteration ...

www.jove.com/.../balloon-occluded-retrograde-transvenous-obl... - [翻译此页](#)

2011年5月27日 - [Balloon-occluded retrograde transvenous obliteration](#) (BRTO) is an endovascular ... intrahepatic shunts (TIPS) in the management of [gastric varices](#) ... for

全部 图片 视频 新闻 更多 ▾ 搜索工具

找到约 3,510 条结果 (用时 0.83 秒)

Balloon-occluded Retrograde Transvenous Obliteration ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: SS Sabri - 2011 - 被引用次数: 10 - 相关文章

Management of **Gastric Varices**: Endoscopic, BRTO, and TIPS ... **Retrograde Transvenous Obliteration** (BRTO): Technique and **Intraprocedural** Imaging The injection of a sclerosing agent can be performed with or without **use** of a microcatheter **Cone beam computed tomography** (CT) utilization in a **balloon-occluded** ...

Balloon-occluded Retrograde Transvenous Obliteration ...

https://www.researchgate.net/.../230784400_Balloon-occluded_... - 翻译此页

Balloon-occluded Retrograde Transvenous Obliteration (BRTO): Technique and **Intraprocedural** Imaging on ... or gastrocaval shunt to allow stagnation of the sclerosant material within the **gastric varix**. Article: New Transjugular Retrograde Obliteration Without the **Use** of Ethanolamine Oleate for **Gastric Varices**.

Inventory Used for Balloon-Occluded Retrograde (BRTO) ...

[www.techvir.com/article/S1089-2516\(12\)00059-5/abstract](http://www.techvir.com/article/S1089-2516(12)00059-5/abstract) ▾ 翻译此页

作者: WEA Saad - 2012 - 被引用次数: 9 - 相关文章

Inventory Used for **Balloon-Occluded Retrograde** (BRTO) and Antegrade (BATO) **Transvenous Obliteration**: Sclerosants and **Balloon Occlusion** Devices which operators **use** for multiple other anatomical and clinical settings. **Retrograde Transvenous Obliteration** (BRTO) of **Gastric Varices** by Doing Away With the ...

SIR 2016 - Abstract Results

www.sirmeeting.org/index.cfm?do=abs.pubSearchAbstracts ▾ 翻译此页

681 matches - 13, **Gastric** Artery Embolization for Appetite Control and Weight loss, a Single ... 35, **Use** of non-contrast **cone-beam computed tomography** (CBCT) as a on **intra-procedural** cone beam CT using 3D segmentation software. 637, **Balloon-**