


Name of Journal: World Journal of Radiology

ESPS Manuscript NO: 25627

Manuscript Type: Editorial

Peripheral nerve imaging: Not only cross-sectional area

Alberto Stefano Tagliafico



Q



找到约 40,400 条结果 (用时0.13秒)

文章

我的图书馆

时间不限

2016以来 2015以来 2012以来 自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页 简体中文网页

☑ 包括专利

□ 包含引用

≥ 创建快讯

小提示: 只搜索中文(简体)结果,可在 学术搜索设置 指定搜索语言

Cross-sectional area of the stenotic lumbar dural tube measured from the transverse views of magnetic resonance imaging.

C Hamanishi, N Matukura, M Fujita... - Journal of Spinal ..., 1994 - journals.lww.com

Al- though magnetic resonance imaging (MRI) also has been used (2,8,9) to assess ___ meta- static disease, motor neuron disease, soft tissue tu- mor, polyneuritis, or peripheral nerve lesion, were that the patients with radicu- lar pain had smaller durai tube areas not only at the ___ 被引用次数: 121 相关文章 所有 4个版本 引用 保存

Cross - sectional area reference values for nerve ultrasonography

MS Cartwright, LV Passmore, JS Yoon... - ... & nerve, 2008 - Wiley Online Library
to use ultrasound to examine the cross-sectional area of multiple nerves in the __ should be valuable
to clinicians using ultrasound to study individuals with nerve conditions and __ researchers using
this technology to further increase our knowledge of the peripheral nervous system.
被引用次数: 120 相关文章 所有 4个版本 引用 保存

Sonographic evaluation of the peripheral nerve in diabetic patients the relationship between nerve jultrasoundmed.org 中的 [HTM] conduction studies, echo intensity, and cross-sectional area

T Watanabe, H Ito, A Sekine... - ... of Ultrasound in ..., 2010 - Am inst Ultrasound Med and have already been used for the evaluation of disorders of the peripheral nervous system area in peripheral nerves are uncertain because affected median or tibial nerves have rarely because of increased water content, which is also a cause of an enlarged peripheral nerve. 被引用次数: 72 相关文章 所有 7个版本 引用 保存

Diagnosis of carpal tunnel syndrome: ultrasound versus electromyography

D Lee, MT van Holsbeeck, PK Janevski... - Radiologic Clinics of ..., 1999 - Elsevier

The median nerve is a long peripheral nerve that originates from the brachial plexus to... The measurements and the ultrasound appearances of the nerves were compared with the ... In all

theclinics.com 中的 [HTML]



学术搜索

找到约 43.600 条结果 (用时0.06秒)

时间不限

2016以来 2015以来 2012以来 自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页 简体中文网页

✓ 包括专利✓ 包含引用

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Cross-sectional area of the stenotic lumbar dural tube measured from the transverse views of magnetic resonance imaging.

C Hamanishi, N Matukura, M Fujita... - Journal of Spinal ..., 1994 - journals.lww.com

Al- though magnetic resonance imaging (MRI) also has been used (2,8,9) to assess ... meta- static disease, motor neuron disease, soft tissue tu- mor, polyneuritis, or peripheral nerve lesion, were ... that the patients with radicu- lar pain had smaller dural tube areas not only at the ... 被引用次数: 125 相关文章 所有 4 个版本 引用

Cross - sectional area reference values for nerve ultrasonography

MS Cartwright, LV Passmore, JS Yoon... - ... & nerve, 2008 - Wiley Online Library ... to use ultrasound to examine the cross-sectional area of multiple nerves in the ... should be valuable to clinicians using ultrasound to study individuals with nerve conditions and ... researchers using this technology to further increase our knowledge of the peripheral nervous system. ... 被引用次数: 125 相关文章 所有 4 个版本 引用

Sonographic evaluation of the peripheral nerve in diabetic patients the relationship between nerve conduction studies, echo intensity, and cross-sectional area

T Watanabe, H Ito, A Sekine... - ... of Ultrasound in ..., 2010 - Am inst Ulrrasound Med and have already been used for the evaluation of disorders of the peripheral nervous system area in peripheral nerves are uncertain because affected median or tibial nerves have rarely because of increased water content, which is also a cause of an enlarged peripheral nerve.... 被引用次数: 75 相关文章 所有 7个版本 引用

Diagnosis of carpal tunnel syndrome: ultrasound versus electromyography

D Lee, MT van Holsbeeck, PK Janevski... - Radiologic Clinics of ..., 1999 - Elsevier

... The median nerve is a long peripheral nerve that originates from the brachial plexus to ... The measurements and the ultrasound appearances of the nerves were compared with the ... In all preoperative patients, the median nerve demonstrated consistent and statistically significant ... 被引用次数。260 相关文章 所有了个版本 引用





全部 图片 新闻 视频 更多▼ 搜索工具

找到约 544,000 条结果 (用时 0.83 秒)

clinical practice ...

Cross sectional area reference values for sonography of peripheral ...
https://www.researchgate.net/.../236199362_Cross_sectional_area_reference...- 翻译此页
Cross sectional reference values for peripheral nerves and brachial plexus are reported. imaging has become more detailed and allows visualisation not only.

Ultrasound of Peripheral Nerves - NCBI - National Institutes of Health www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▼ 翻译此页作者: J Im Suk - 2013 - 被引用次数: 21 - 相关文章 Since then, ultrasound has transformed into an advanced imaging tool used ... The cross-sectional area of the nerve is 9 mm² and there is normal nerve echogenicity. ... but only focal color flow signals synchronized with the arterial pulsation are Traumatic peripheral nerve injuries are not uncommon in

IPDF] High-Resolution Ultrasonography in Peripheral Nerve Entrapment pdf.posterng.netkey.at/download/index.php?module=get_pdf_by... ▼ 翻译此页 these pages and does not make any representations regarding the content or accuracy ... 1: Normal peripheral nerve at ultrasonographic imaging a);b) Longitudinal scan ... the median nerve cross-sectional area differs considerably among various ... ultrasonogaphy not only allows to exactly evaluate location of the nerve ...

Imaging of the Peripheral Nervous System: Evaluation of Peripheral ...
www.ajnr.org/content/19/6/1011.full.pdf ▼ 翻译此页
作者: KR Maravilla - 1998 - 被引用次数: 184 - 相关文章
has not been an effective method for directly imaging ... High-resolution imaging of peripheral nerves ...
centage of cross-sectional area of the nerve occupied Note their position forming a trianglelike configuration just above the subclavian ...