

Match Overview

1	Crossref 14 words Calcagno, Claudia, Sarayu Ramachandran, David Izquierdo-Garcia, Venkatesh Mani, Antoine Millon, David Rosenbau	1%
2	Crossref 14 words Georgeta Mihai, "T1-weighted-SPACE dark blood whole body magnetic resonance angiography (DB-WBMRA): Initial ...	1%
3	Crossref 14 words "B - Scientific Sessions", Insights into Imaging, 03/09/2010	1%
4	Crossref 13 words Dusza, Jacek J., Zbigniew M. Wawrzyniak, and David del Prado Martinez. "Simplification of the kinematic model of hum	1%

Name of journal: *World Journal of Radiology*

ESPS Manuscript NO: 30564

Manuscript Type: Original Article

Observational Study

Feasibility of imaging superficial palmar arch using micro-ultrasound, 7T and 3T MRI

Alison N Pruzan, Audrey E Kaufman, Claudia Calcagno, Yu Zhou, Zahi A Fayad, Venkatesh Mani

Abstract

AIM

To demonstrate feasibility of vessel wall imaging of the superficial palmar arch using high frequency micro-ultrasound, 7T and 3T MRI.

[全部](#) [图片](#) [视频](#) [新闻](#) [购物](#) [地图](#) [图书](#)

找到约 14,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Feasibility of Vessel Wall Imaging of the Superficial Palmar Arch ...](http://dev.ismrm.org/2016/2671.html)
dev.ismrm.org/2016/2671.html

Feasibility of Vessel Wall Imaging of the Superficial Palmar Arch using 7T and 3T MRI ...
archwallultrasoundvesselsuperficialmodearteriesqualityhandssubjects
diseasesubjectivespaceclinicalmicrofunctionatherosclerosisfeasibilitysmaller
samplescannerdiabetesbodyindividualswindowfeasiblepositionprogression frequency ...

[Four-Dimensional, Multiphase, Steady-State Imaging with ... - ismrm](http://www.ismrm.org/16/program_files/EP01.htm)
www.ismrm.org/16/program_files/EP01.htm

38, Feasibility of Vessel Wall Imaging of the Superficial Palmar Arch using 7T and 3T ... 7T and 3T MRI in comparison with very high frequency micro ultrasound.

[Alison Pruzan | LinkedIn](https://www.linkedin.com/in/alison-pruzan-a3648986)

https://www.linkedin.com/in/alison-pruzan-a3648986

New York, New York - Research Associate at Icahn School of Medicine at Mount Sinai - Icahn School of Medicine at Mount Sinai

In addition, I work directly with the Director of TMI Zahi Fayad to assist him with his respective projects. My first abstract, titled "Feasibility of Vessel Wall Imaging of the Superficial Palmar Arch using 7T and 3T MRI" along with Ultrasound ... (both 3T and 7T); reading and utilizing micro ultrasound and ultrasound machines ; ...

[The Median-Radial Type of Superficial Palmar Arch: A Case Report ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2664227/)
https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2664227/

The superficial palmar arch (SPA) of the hand is generally formed by the ulnar artery ... The recent use of the RA as a coronary artery bypass graft in myocardial ...

[A Rare Finding of the Superficial Palmar Arch-Developmental and ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3644450/)
https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3644450/

1 Apr 2013 ... A rare pattern of the superficial palmar arch was observed in a formalin fixed, ...

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 14,900 条结果（用时 0.72 秒）

Feasibility of Vessel Wall Imaging of the Superficial Palmar Arch using ...

dev.ismrm.org/2016/2671.html ▾ [翻译此页](#)

Feasibility of Vessel Wall Imaging of the Superficial Palmar Arch using 7T and 3T MRI ...
archwallultrasoundvesselsuperficialmodearteriesqualityhandssubjects
diseasesubjectivespaceclinicalmicrofunctionatherosclerosisfeasibilitysmaller
samplescannerdiabetesbodyindividualswindowfeasiblepositionprogressionfrequency ...

Four-Dimensional, Multiphase, Steady-State Imaging with ... - ismrm

www.ismrm.org/16/program_files/EP01.htm ▾ [翻译此页](#)

38, Feasibility of Vessel Wall Imaging of the Superficial Palmar Arch using 7T and 3T ... 7T and 3T MRI
in comparison with very high frequency micro ultrasound...

Alison Pruzan | LinkedIn

<https://www.linkedin.com/in/alison-pruzan-a3648986> ▾ [翻译此页](#)

New York, New York - Research Associate at Icahn School of Medicine at Mount Sinai - Icahn School of
Medicine at Mount Sinai

In addition, I work directly with the Director of TMII Zahi Fayad to assist him with his respective projects.
My first abstract, titled "Feasibility of Vessel Wall Imaging of the Superficial Palmar Arch using 7T and 3T
MRI" along with Ultrasound.... (both 3T and 7T); reading and utilizing micro ultrasound and ultrasound
machines; ...

The Median-Radial Type of Superficial Palmar Arch: A Case Report ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: SR Nayak - 2008 - 被引用次数: 3 - 相关文章

The superficial palmar arch (SPA) of the hand is generally formed by the ulnar artery ... The recent use of
the RA as a coronary artery bypass graft in myocardial ...