

Name of Journal: *World Journal of Cardiology*

Manuscript NO: 56156

Manuscript Type: LETTER TO THE EDITOR

Management of hypertension in COVID-19

Daniel Antwi-Amoabeng, Bryce D Beutler, Alastair E Moody, Zahara Kanji,
Nageshwara Gullapalli, Christopher J Rowan

Abstract

The ACE2 receptor plays a central role in SARS-CoV-2 host cell entry and propagation.
It has therefore been postulated that angiotensin converting enzyme inhibitors (ACEIs)

Match Overview

1

Internet 17 words
crawled on 25-Dec-2019
bmchealthservres.biomedcentral.com

2%

2

Internet 11 words
crawled on 18-Jan-2020
www.dovepress.com

1%



国内版

国际版

Management of hypertension in COVID-19



YJ



ALL

IMAGES

VIDEOS

15,900,000 Results

Any time ▼

Covid-19 and hypertension: risks and management - The BMJ

<https://blogs.bmj.com/bmj/2020/04/15/covid-19-and...> ▼

Apr 15, 2020 · **Covid-19** and **hypertension**: risks and **management** April 15, 2020 **Hypertension** is the single largest global contributor to disability-adjusted life years lost. [1] The majority of the population aged over 60 have **hypertension**, and appear to be at increased risk from **covid-19 infection**.

Management of Patients with Confirmed 2019-nCoV | CDC

<https://www.cdc.gov/coronavirus/2019-ncov/hcp/...> ▼

Inpatient management revolves around the supportive management of the most common complications of severe COVID-19: pneumonia, **hypoxemic respiratory failure/ARDS**, sepsis and **septic shock**, **cardiomyopathy and arrhythmia**, **acute kidney injury**, and complications from prolonged hospitalization including secondary bacterial infections, thromboembolism, **gastrointestinal bleeding**, and **critical illness polyneuropathy/myopathy**...

Hypertension and COVID-19 | American Journal of ...

<https://academic.oup.com/ajh/article/33/5/373/5816609> ▼

The most common comorbidities in one report were **hypertension** (30%), diabetes (19%), and coronary heart disease (8%). 3 Another report showed that the most frequent comorbidities in patients with **COVID-19** were **hypertension** (37%), diabetes (19%),

Related searches

covid 19 **and** hypertension

hypertension covid 19 **risk**

hypertension **drug and** covid 19

controlled hypertension **and** covid 19

cdc covid 19 hypertension

covid hypertension **link**

covid 19 hypertension **diabetes**

controlled hypertension covid



Management of hypertension in COVID-19



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

15,900,000 Results

Any time ▾

Covid-19 and hypertension: risks and management - The BMJ

<https://blogs.bmj.com/bmj/2020/04/15/covid-19-and...>

Apr 15, 2020 · **Covid-19** and **hypertension**: risks and **management** April 15, 2020 **Hypertension** is the single largest global contributor to disability-adjusted life years lost. [1] The majority of the population aged over 60 have **hypertension**, and appear to be at increased risk from **covid-19 infection**.

Management of Patients with Confirmed 2019-nCoV | CDC

<https://www.cdc.gov/coronavirus/2019-ncov/hcp/...>

Inpatient management revolves around the supportive management of the most common complications of severe COVID-19: pneumonia, **hypoxemic respiratory failure/ARDS**, sepsis and **septic shock**, **cardiomyopathy and arrhythmia**, **acute kidney injury**, and complications from prolonged hospitalization including secondary bacterial infections, thromboembolism, **gastrointestinal bleeding**, and **critical illness polyneuropathy/myopathy**...

Hypertension and COVID-19 | American Journal of ...

<https://academic.oup.com/ajh/article/33/5/373/5816609>

The most common comorbidities in one report were **hypertension** (30%), diabetes (19%), and coronary heart disease (8%). 3 Another report showed that the most frequent comorbidities in patients with **COVID-19** who developed the acute respiratory distress syndrome were **hypertension** (27%), diabetes (19%), and cardiovascular disease (6%). 4 The ...

COVID-19 and Hypertension: Staying Active While Sheltering ...

<https://www.lark.com/blog/covid-19-and-hypertension>

Lark can help with **blood pressure management**, including working towards physical activity goals, during the **COVID-19** outbreak and beyond. **COVID-19** Risk with **Hypertension** The **CDC** warns that certain groups of people are at high risk for **COVID-19** infections and for more serious infections that can lead to hospitalizations and the need for ventilation.

Related searches

covid 19 **and** hypertension

hypertension covid 19 **risk**

hypertension **drug and** covid 19

controlled hypertension **and** covid 19

cdc covid 19 hypertension

covid hypertension **link**

covid 19 hypertension **diabetes**

controlled hypertension covid