



17019-Review

Quotes Excluded
Bibliography Excluded1%
SIMILAR

Name of journal: World Journal of Cardiology

ESPS Manuscript NO: 17019

Columns: Original Article

Observational Study

Electrocardiographic changes during induced therapeutic hypothermia in comatose survivors after cardiac arrest

Pablo Salinas, ¹Esteban Lopez-de-Sa, Laura Pena-Conde, Ana Viana-Tejedor,
¹Juan Ramon Rey-Blas, Eduardo Armada, Jose Luis Lopez-Sendon

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|---|----------|------------|
| 1 | CrossCheck Raymond J. Gibbons. "Immediate Angioplasty Compared with the Administration of a Thrombolytic Agent Followed by Cor... | 16 words | 1% |
| 2 | CrossCheck "Monday, 3 September 2007", European Heart Journal, 09/02/2007 | 14 words | <1% |
| 3 | CrossCheck "Sunday, 30 August 2009", European Heart Journal, 09/02/2009 | 8 words | <1% |



[网页](#)[图片](#)[新闻](#)[视频](#)[更多](#)[搜索工具](#)

找到约 36,900 条结果 (用时 0.64 秒)

[Google 学术: Electrocardiographic changes during induced therapeutic hypothermia in comatose survivors after cardiac arrest](#)

... out-of-hospital cardiac arrest with induced hypothermia - Bernard - 被引用次数: 3872

... in comatose survivors of out-of-hospital cardiac arrest: ... - Bernard - 被引用次数: 545

Part 9: Post-Cardiac Arrest Care 2010 American Heart ... - Peberdy - 被引用次数: 675

Part 9: Post-Cardiac Arrest Care - Circulation

circ.ahajournals.org/content/122/18_suppl_3/S768.full

作者: MA Peberdy - 2010 - 被引用次数: 674 - 相关文章

Most deaths occur during the first 24 hours after cardiac arrest. ... Therefore, a 12-lead ECG should be obtained as soon as possible to detect ST elevation or ... after therapeutic hypothermia for comatose survivors of VF cardiac arrest. ... The optimal duration of induced hypothermia is at least 12 hours and may be >24 hours.

Therapeutic Hypothermia After Cardiac Arrest - Circulation

circ.ahajournals.org/content/127/2/244.full ▾ [翻译此页](#)

作者: BM Scirica - 2013 - 被引用次数: 26 - 相关文章

Cardiac arrest (CA) remains one of the most unexpected, dramatic, and ... recommend TH for all comatose survivors of CA regardless of initial rhythm, although ... the

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 36,200 条结果 (用时 0.83 秒)

Google 学术: Electrocardiographic changes during induced therapeutic hypothermia in comatose survivors after cardiac arrest

... out-of-hospital cardiac arrest with induced hypothermia - Bernard - 被引用次数: 3913

... in comatose survivors of out-of-hospital cardiac arrest:: ... - Bernard - 被引用次数: 549

Part 9: Post-Cardiac Arrest Care 2010 American Heart ... - Peberdy - 被引用次数: 697

Therapeutic Hypothermia After Cardiac Arrest - Circulation

circ.ahajournals.org/content/127/2/244.full ▾ 翻译此页

作者: BM Scirica - 2013 - 被引用次数: 27 - 相关文章

Cardiac arrest (CA) remains one of the most unexpected, dramatic, and ... recommend TH for all comatose survivors of CA regardless of initial rhythm, although ... the maintenance phase and prevent rapid temperature changes during rewarming. Sun to standard cooling for induction of hypothermia after cardiac arrest.

Part 9: Post-Cardiac Arrest Care - Circulation

circ.ahajournals.org/content/122/18_suppl_3/S768.full

作者: MA Peberdy - 2010 - 被引用次数: 695 - 相关文章

Most deaths occur during the first 24 hours after cardiac arrest. ... Therefore, a 12-lead