



24030-Review

Quotes Excluded
Bibliography Excluded29%
SIMILARName of Journal: *World Journal of Cardiology*

ESPS Manuscript NO: 24030

Manuscript Type: Case Report

Relationship between coronary artery ectasia, cocaine abuse and acute coronary syndromes

Gregory Dendramis, Claudia Paleologo, Davide Piraino, Pasquale Assennato

Abstract

Coronary artery ectasia (CAE) often represents a coronary angiography finding casually detected or following the occurrence of an acute coronary syndrome. The pathogenetic role of cocaine abuse in the genesis of CAE is still little known and very few data are available in literature. We describe a case of a 31-year-old male cocaine user admitted to our department for typical acute chest pain. Coronary angiography showed diffuse coronary ectasia with slow flows and without hemodynamically significant stenosis. An

Match Overview

1	Internet 69 words crawled on 28-Jul-2010 circ.ahajournals.org	4%
2	Internet 50 words crawled on 10-Nov-2014 worldwidescience.org	3%
3	CrossCheck 44 words Petrov, D.. "'Silent' Prinzmetal's ST Elevation Related to At enolol Overdose", <i>Journal of Emergency Medicine</i> , 200708	3%
4	CrossCheck 38 words Suraj Maraj. "Cocaine and the Heart", <i>Clinical Cardiology</i> , 05/2010	2%
5	Internet 37 words crawled on 10-Sep-2009 www.pubmedcentral.nih.gov	2%
6	CrossCheck 34 words M., Karina, Cleverson R., Elaine M., Antonio P., Marcos F... and Simone G.. "Coronary Artery Aneurysms: An Update",	2%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 76,500 条结果 (用时 0.54 秒)

Google 学术: Relationship between coronary artery ectasia, cocaine abuse and acute coronary syndromes

... of coronary artery aneurysms among cocaine users - [Satran](#) - 被引用次数: 80

... of coronary-artery thrombi in acute coronary syndromes - [Mizuno](#) - 被引用次数: 642

Association between coronary artery ectasia and ... - [Balta](#) - 被引用次数: 66

prevalence of coronary artery aneurysms - Circulation

circ.ahajournals.org/content/111/19/2424.full - 翻译此页

作者: A Satran - 2005 - 被引用次数: 80 - 相关文章

2005年5月9日 - Coronary artery aneurysms (CAAs) and ectasia occur in 0.2% to ... An association between CAA and cocaine use has not been ... Indications for angiography among the control group included 47% acute coronary syndromes, ...

Increased Prevalence of Coronary Artery Aneurysms Among ...

circ.ahajournals.org/content/111/19/2424.full.pdf - 翻译此页

作者: A Satran - 2005 - 被引用次数: 80 - 相关文章

2005年5月17日 - (CAAs) and ectasia occur in 0.2% to 5.3% of patients referred for ... the prevalence of CAAs among cocaine users undergoing coronary angiography, ... Conclusions—This is the first description of an association between cocaine use and CAA. control group included 47% acute coronary syndromes, 34%,

Rethinking Cocaine-Associated Chest Pain and Acute ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: JB Finkel - 2011 - 被引用次数: 24 - 相关文章

ACS = acute coronary syndrome; AHA = American Heart Association; CCB = calcium ... Several studies have looked at coronary arteries after cocaine administration and ... The association between MI and cocaine use within 1 to 2 hours of ...

缺少字词: ectasia

Acute Coronary Syndrome and Cocaine Use - Medscape

www.medscape.com/viewarticle/743152 ▾ 翻译此页

Both acute and chronic cocaine use may cause arterial hypertension, aortic dissection,

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 101,000 条结果 (用时 0.72 秒)

Google 学术: Relationship between coronary artery ectasia, cocaine abuse and acute coronary syndromes

... of coronary artery aneurysms among cocaine users - [Satran](#) - 被引用次数: 84

Association between coronary artery ectasia and ... - [Balta](#) - 被引用次数: 65

Reflex increase in coronary vascular resistance in ... - [Mudge Jr](#) - 被引用次数: 493

Increased Prevalence of Coronary Artery Aneurysms Among ...

circ.ahajournals.org/content/111/19/2424.full - 翻译此页

作者: A Satran - 2005 - 被引用次数: 83 - 相关文章

2005年5月9日 - Coronary artery aneurysms (CAAs) and ectasia occur in 0.2% to ... An association between CAA and cocaine use has not been ... Indications for angiography among the control group included 47% acute coronary syndromes, ...

Rethinking Cocaine-Associated Chest Pain and Acute ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: JB Finkel - 2011 - 被引用次数: 22 - 相关文章

ACS = acute coronary syndrome; AHA = American Heart Association; CCB = calcium ...
Several studies have looked at coronary arteries after cocaine administration and ... The association between MI and cocaine use within 1 to 2 hours of ...

缺少字词: ectasia

全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 105,000 条结果 (用时 0.60 秒)

Google 学术: Relationship between coronary artery ectasia, cocaine abuse and acute coronary syndromes

... of coronary artery aneurysms among cocaine users - [Satran](#) - 被引用次数: 85

Association between coronary artery ectasia and ... - [Balta](#) - 被引用次数: 65

Reflex increase in coronary vascular resistance in ... - [Mudge Jr](#) - 被引用次数: 493

Acute Coronary Syndrome and Cocaine Use - Medscape

www.medscape.com/viewarticle/743152 ▾ 翻译此页

Both acute and chronic cocaine use may cause arterial hypertension, aortic dissection, ...

The association between acute coronary syndrome (ACS) and cocaine ...

缺少字词: ectasia

prevalence of coronary artery aneurysms - Circulation

circ.ahajournals.org/content/111/19/2424.full - 翻译此页

作者: A Satran - 2005 - 被引用次数: 85 - 相关文章

2005年5月9日 - Coronary artery aneurysms (CAAs) and ectasia occur in 0.2% to ... An

association between CAA and cocaine use has not been ... Indications for angiography among the control group included 47% acute coronary syndromes, ...

Rethinking Cocaine-Associated Chest Pain and Acute ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: JB Finkel - 2011 - 被引用次数: 22 - 相关文章

ACS = acute coronary syndrome; AHA = American Heart Association; CCB = calcium ...

Several studies have looked at coronary arteries after cocaine administration and ... The

association between MI and cocaine use within 1 to 2 hours of ...