



27306-Review

Quotes Excluded
Bibliography Excluded21%
SIMILARName of Journal: *World Journal of Cardiology*

ESPS Manuscript NO: 27306

Manuscript Type: Diagnostic Advances

Intra-cardiac distribution²⁸ of late gadolinium enhancement in cardiac sarcoidosis and dilated cardiomyopathy

Makoto Sano, Hiroshi Satoh,¹⁷ Kenichiro Suwa, Masao Saitome, Tsuyoshi Urushida, Hideki Katoh, and Hideharu Hayashi

Abstract

Cardiac involvement of sarcoid lesions is diagnosed by myocardial biopsy which is

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|---|-----------|------------|
| 1 | CrossCheck | 130 words | 6% |
| | Satoh, Hiroshi. "Distribution of late gadolinium enhancement in various types of cardiomyopathies: Significance in d... | | |
| 2 | Internet | 24 words | 1% |
| | crawled on 17-Apr-2016
www.wjgnet.com | | |
| 3 | Internet | 23 words | 1% |
| | crawled on 03-May-2015
www.ncbi.nlm.nih.gov | | |
| 4 | Internet | 22 words | 1% |
| | crawled on 04-Jun-2016
forum.scmr.org | | |
| 5 | CrossCheck | 22 words | 1% |
| | Hosch, Waldemar, Waldemar Hosch, Arnt V. Kristen, Waldemar Hosch, Arnt V. Kristen, Martin Libicher, Thomas J. De | | |
| 6 | CrossCheck | 20 words | 1% |
| | Suwa, Kenichiro, Takeji Saitoh, Yasuo Takehara, Makoto Sano, Masao Saitome, Tsuyoshi Urushida, Hideki Katoh, | | |

[全部](#) [图片](#) [新闻](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 14,200 条结果 (用时 0.59 秒)

Distribution of late gadolinium enhancement in various types of ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: H Satoh - 2014 - 被引用次数: 16 - 相关文章

2014年7月26日 - The analyses of LGE distribution have potentials to predict cardiac outcomes and response to treatments. ... NICM include several disorders, such as dilated cardiomyopathy (DCM), The mid-wall LGE in DCM correlates with intra-ventricular LGE in cardiac sarcoidosis may reflect irreversible myocardial ...

Diagnostic and prognostic value of cardiovascular magnetic ...

<https://jcmr-online.biomedcentral.com/articles/10.1186/1532-429X-14-54> ▾ [翻译此页](#)

作者: C Parsai - 2012 - 被引用次数: 46 - 相关文章

Whilst prevalence of dilated cardiomyopathy reaches 36 cases per 100 000 population, these regions such as dark, unenhanced intra-cardiac thrombi, and microvascular ... Distribution pattern and location of LGE contributes to the differential was as sensitive as CMR for detection of earlier stages of sarcoidosis [116].

Infiltrative Cardiovascular Diseases: Cardiomyopathies That Look Alike

www.sciencedirect.com/science/article/pii/S0735109710006959 ▾ [翻译此页](#)

作者: JB Seward - 2010 - 被引用次数: 72 - 相关文章

Some infiltrative cardiac diseases increase ventricular wall thickness, while others ... complete heart block, Increased myocardium attenuation on CT, Intra- and ... Idiopathic dilated cardiomyopathy, Adult, Congestive heart failure, no known ... location and distribution of LGE and enable the evaluation of disease activity and ...

Evaluation of the Accuracy of Gadolinium-Enhanced Cardiovascular ...

content.onlinejacc.org/article.aspx?articleid=1136578 ▾ [翻译此页](#)

作者: JP Smedema - 2005 - 被引用次数: 354 - 相关文章

2005年5月17日 - The diagnosis of cardiac sarcoidosis (CS) is made in the co-existence of ... Abnormal

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 14,200 条结果 (用时 0.59 秒)

Distribution of late gadolinium enhancement in various types of ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: H Satoh - 2014 - 被引用次数: 16 - 相关文章

2014年7月26日 - The analyses of LGE distribution have potentials to predict cardiac outcomes and response to treatments. ... NCM include several disorders, such as dilated cardiomyopathy (DCM), The mid-wall LGE in DCM correlates with intra-ventricular, ... LGE in cardiac sarcoidosis may reflect irreversible myocardial ...

Diagnostic and prognostic value of cardiovascular magnetic ...

<https://jcmr-online.biomedcentral.com/articles/10.1186/1532-429X-14-54> ▾ [翻译此页](#)

作者: C Parsai - 2012 - 被引用次数: 46 - 相关文章

Whilst prevalence of dilated cardiomyopathy reaches 36 cases per 100 000 population, these regions such as dark, unenhanced intra-cardiac thrombi, and microvascular ... Distribution pattern and location of LGE contributes to the differential was as sensitive as CMR for detection of earlier stages of sarcoidosis [116].

Infiltrative Cardiovascular Diseases: Cardiomyopathies That Look Alike

www.sciencedirect.com/science/article/pii/S0735109710006959 ▾ [翻译此页](#)

作者: JB Seward - 2010 - 被引用次数: 72 - 相关文章

Some infiltrative cardiac diseases increase ventricular wall thickness, while others ..., complete heart block, Increased myocardium attenuation on CT, Intra- and ... Idiopathic dilated cardiomyopathy, Adult, Congestive heart failure, no known ... location and distribution of LGE and enable the evaluation of disease activity and ...

Evaluation of the Accuracy of Gadolinium-Enhanced Cardiovascular ...

content.onlinejacc.org/article.aspx?articleid=1136578 ▾ [翻译此页](#)

作者: JP Smedema - 2005 - 被引用次数: 354 - 相关文章

2005年5月17日 - The diagnosis of cardiac sarcoidosis (CS) is made in the co-existence of ... Abnormal

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 15,500 条结果 (用时 0.61 秒)

Distribution of late gadolinium enhancement in various types of ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: H Satoh - 2014 - 被引用次数: 16 - 相关文章

2014年7月26日 - The analyses of **LGE distribution** have potentials to predict **cardiac** outcomes and response to treatments. ... NICM include several disorders, such as **dilated cardiomyopathy** (DCM), The mid-wall **LGE** in DCM correlates with **intra-ventricular** **LGE in cardiac sarcoidosis** may reflect irreversible myocardial ...

Diagnostic and prognostic value of cardiovascular magnetic ...

<https://jcmr-online.biomedcentral.com/articles/10.1186/1532-429X-14-54> ▾ [翻译此页](#)

作者: C Parsai - 2012 - 被引用次数: 48 - 相关文章

Whilst prevalence of **dilated cardiomyopathy** reaches 36 cases per 100 000 population, regions such as dark, unenhanced **intra-cardiac** thrombi, and microvascular obstruction ... **Distribution** pattern and location of **LGE** contributes to the differential arrow) and mid-wall **LGE** (C, arrow) are suggestive of **sarcoidosis**.

Infiltrative Cardiovascular Diseases: Cardiomyopathies That Look Alike

www.sciencedirect.com/science/article/pii/S0735109710006959 ▾ [翻译此页](#)

作者: JB Seward - 2010 - 被引用次数: 73 - 相关文章

Some infiltrative **cardiac** diseases increase ventricular wall thickness, while others ... complete **heart** block, Increased myocardium attenuation on CT, **Intra-** and ... Idiopathic **dilated cardiomyopathy**, Adult, Congestive **heart** failure, no known ... location and **distribution of LGE** and enable the evaluation of disease activity and ...

Evaluation of the Accuracy of Gadolinium-Enhanced Cardiovascular ...

content.onlinejacc.org/article.aspx?articleid=1136578 ▾ [翻译此页](#)

作者: JP Smedema - 2005 - 被引用次数: 360 - 相关文章