

Name of Journal: *World Journal of Cardiology*

ESPS Manuscript NO: 27184

Manuscript Type: ORIGINAL ARTICLE

Observational Study

1 Characterization of optimal resting tension in human pulmonary arteries

Azar Hussain, Robert T Bennett, Mubarak A Chaudhry, Syed S Qadri,
Mike Cowen, Alyn H Morice, Mahmoud Loubani

Abstract

Aim:

To determine the optimum resting tension (ORT) for *in vitro* human

Match Overview

Rank	Source	Words	Similarity
1	Internet	72 words crawled on 20-Apr-2016 www.omicsonline.org	4%
2	Internet	16 words crawled on 15-Mar-2016 www.wjgnet.com	1%
3	CrossCheck	12 words Schmidt D. "The effect of the vasoactive intestinal polypeptid e agonist Ro 25-1553 on induced tone in isolated human a..."	1%
4	Internet	10 words crawled on 24-Mar-2016 hydra.hull.ac.uk	1%
5	CrossCheck	9 words Raschid, L. "A parallel pipelined strategy for evaluating line... r recursive predicates in a multiprocessor environment", Jour	<1%



全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 473,000 条结果 (用时 0.75 秒)

Google 学术: Characterization of Optimal Resting Tension in Human Pulmonary Arteries

... urotensin - II in rat and human pulmonary arteries: ... - MacLean - 被引用次数: 218

... of adenosine receptors in human pulmonary arteries - McCormack - 被引用次数: 73

... PDE isozymes in human pulmonary artery and effect of ... - Rabe - 被引用次数: 213

Characterization of optimal resting tension in human pulmonary artery ...

cardiovascular.conferenceseries.com/.../characterization-of-optimal-resting-t... ▾ 翻译此页

2016年3月23日 - The aim of this study is to provide a baseline optimal resting tension ... In human pulmonary artery rings increasing the basal tension from 1.0 g ...

Increased responsiveness of human pulmonary arteries in patients ...

onlinelibrary.wiley.com/doi/10.1111/j.1476-5381.1996.tb16043.x/pdf - 翻译此页

作者: E Cases - 1996 - 被引用次数: 9 - 相关文章

Keywords: Human pulmonary artery; endothelium; bronchodilator test; acetylcholine; ... The optimal resting tension ... unpaired t test and an analysis of variance.

Tension Measurement in Isolated Rat and Mouse Pulmonary Artery

www.ncbi.nlm.nih.gov › NCBI › Literature › PubMed Central (PMC) ▾ 翻译此页

作者: EA Ko - 2010 - 被引用次数: 7 - 相关文章

2011年5月6日 - In humans, however, pulmonary vascular remodeling, characterized by the To set the optimal resting tension, the pulmonary arterial ring is ...

Characterization of excitatory prostanoid receptors in the human ...

www.ncbi.nlm.nih.gov › NCBI › Literature › PubMed Central (PMC) ▾ 翻译此页

作者: JI Boersma - 1999 - 被引用次数: 24 - 相关文章

Fluprostenol had no effect on the human umbilical artery at concentrations up to 17 ... A resting tension

全部 图片 新闻 视频 地图 更多 ▾ 搜索工具

已启

找到约 615,000 条结果 (用时 0.53 秒)

Google 学术: Characterization of optimal resting tension in human pulmonary arteries

... urotensin - II in rat and human pulmonary arteries: ... - MacLean - 被引用次数: 219

... of adenosine receptors in human pulmonary arteries - McCormack - 被引用次数: 73

... PDE isozymes in human pulmonary artery and effect of ... - Rabe - 被引用次数: 212

Characterization of optimal resting tension in human pulmonary artery ...

[cardiovascular.conferenceseries.com/.../characterization-of-optimal-resting-t...](#) ▾ 翻译此页

Azar Hussain abstract presented on [Characterization of optimal resting tension in human pulmonary artery](#) at Cardiovascular 2016 | OMICS International.

Tension Measurement in Isolated Rat and Mouse Pulmonary Artery

[www.ncbi.nlm.nih.gov](#) > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: EA Ko - 2010 - 被引用次数: 7 - 相关文章

2011年5月6日 - In humans, however, pulmonary vascular remodeling, characterized by the ... To set the optimal resting tension, the pulmonary arterial ring is ...

Characterization of the vasodilatory action of testosterone in the ...

[www.ncbi.nlm.nih.gov](#) > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: AM Smith - 2008 - 被引用次数: 20 - 相关文章

Isolated human pulmonary arteries were studied by wire myography. ... defined as a mean pulmonary artery pressure >25 mmHg at rest or 30 mmHg with ... to a tension equivalent to a transmural pressure of 17.5 mmHg, the normal in vivo ...

Relaxation of human pulmonary arteries by PPAR γ agonists - Springer

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 817,000 条结果（用时 0.77 秒）

Google 学术: Characterization of optimal resting tension in human pulmonary arteries

... urotensin-II in rat and human pulmonary arteries: ... - MacLean - 被引用次数: 219

... of adenosine receptors in human pulmonary arteries - McCormack - 被引用次数: 73

... PDE isozymes in human pulmonary artery and effect of ... - Rabe - 被引用次数: 212

[Characterization of optimal resting tension in human pulmonary artery ...](#) [cardiovascular.conferenceseries.com/.../characterization-of-optimal-resting-t...](#) ▾ 翻译此页

Azar Husşain abstract presented on [Characterization of optimal resting tension in human pulmonary artery](#) at Cardiovascular 2016 | OMICS International.

Tension Measurement in Isolated Rat and Mouse Pulmonary Artery

[www.ncbi.nlm.nih.gov](#) > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: EA Ko - 2010 - 被引用次数: 7 - 相关文章

2011年5月6日 - In humans, however, pulmonary vascular remodeling, characterized by the ... To set the optimal resting tension, the pulmonary arterial ring is ...

Characterization of the vasodilatory action of testosterone in the ...

[www.ncbi.nlm.nih.gov](#) > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: AM Smith - 2008 - 被引用次数: 20 - 相关文章

Isolated human pulmonary arteries were studied by wire myography. ... defined as a mean pulmonary artery pressure >25 mmHg at rest or 30 mmHg with ... to a tension equivalent to a transmural pressure of 17.5 mmHg, the normal in vivo ...

Relaxation of human pulmonary arteries by PPAR γ agonists - Springer

[link.springer.com/article/10.1007/s00210-013-0846-3](#) - 翻译此页