



28995-Review

Quotes Excluded
Bibliography Excluded24%
SIMILAR

Match Overview

1	Crossref 86 words "Abstracts", European Journal of Heart Failure, 2016.	3%
2	Crossref 62 words Gotzmann, M., "One-Year Results of Transcatheter Aortic Valve Implantation in Severe Symptomatic Aortic Valve Ste	2%
3	Crossref 57 words "Abstracts", Abstracts", European Journal of Heart Failure, 2015.	2%
4	Crossref 53 words Kobayashi, J., M. Yoshida, S. Tarui, M. Hirata, K. Takahashi, K. Naruse, S. Kasahara, S. Sano, H. Oh, M. Halbach, G.	2%
5	Crossref 39 words Gotzmann, Michael, Anja Thiessen, Michael Lindstaedt, Andreas Mügge, and Aydan Ewers. "Left Atrial Diameter, Aort	1%
6	Publications 35 words "Reports from Ruhr University Highlight Recent Findings ... Heart Valves (B-Type Natriuretic Peptide I", Heart Disease	1%

Name of Journal: *World Journal of Cardiology*

ESPS Manuscript NO: 28995

Manuscript Type: Original Article

Observational Study

One-year outcome of ⁴percutaneous mitral valve repair in patients with severe symptomatic mitral valve regurgitation

Michael Gotzmann, Isabell Sprenger, Aydan Ewers, Andreas Mügge, Leif Bösche

Abstract

AIM: To investigate one-year outcomes after percutaneous mitral valve repair with MitraClip® in patients with severe mitral regurgitation (MR).**METHODS:** Our study investigated consecutive patients with symptomatic severe MR who underwent MitraClip® implantation at the University Hospital

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 371,000 条结果 (用时 0.77 秒)

Two-year outcomes after percutaneous mitral valve repair with the ...

openheart.bmj.com/content/1/1/e000056.full ▾ 翻译此页

作者: S Toggweiler - 2014 - 被引用次数: 12 - 相关文章

2014年4月8日 - Two-year **outcomes** after **percutaneous mitral valve repair** with the ... to **severe** or **severe** MR during the **first year** and only 1 **patient** did so during the ... Since **patients** with residual moderate (2+) mitral **regurgitation** had ... worse **prognosis** in **patients** undergoing transcatheter aortic valve implantation.18.

Residual mitral valve regurgitation after percutaneous mitral valve ...

www.ncbi.nlm.nih.gov/pubmed/22887450 ▾ 翻译此页

作者: L Paranskaya - 2013 - 被引用次数: 24 - 相关文章

2013年2月12日 - (1)Heart Center Rostock, University Hospital Rostock, Rostock School of ... implantation and the impact of post-repair mitral valve (MV) function and anatomy on ... treatment option for high-risk **patients** with **severe** mitral **regurgitation** (MR). ... **RESULTS**: A total of 85 consecutive **patients** [78 ± 6 years, ...

Percutaneous Mitral Valve Repair for Mitral Regurgitation in High-Risk ...

content.onlinejacc.org/article.aspx?articleid=1887869 ▾ 翻译此页

作者: DD Glower - 2014 - 被引用次数: 86 - 相关文章

跳到**Results** - The EVEREST II (Endovascular **Valve** Edge-to-Edge **Repair** Study) ... In addition to having at least 1 of the protocol-defined risk factors, **patients** also ... **Patients** were elderly, with an average age of 76 ± 11 **years**, and ... Eighty-five percent of **patients** were **symptomatic**, with New York **Heart** Association ...

Percutaneous Mitral Valve Edge-to-Edge Repair: In-Hospital Results ...

content.onlinejacc.org/article.aspx?articleid=1899506 ▾ 翻译此页

作者: G Nickenig - 2014 - 被引用次数: 69 - 相关文章

2014年9月2日 - The prevalent pathogenesis was functional mitral **regurgitation** (FMR) (n = 452 [72.0%]).

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 406,000 条结果 (用时 0.70 秒)

Two-year outcomes after percutaneous mitral valve repair with the ...

openheart.bmj.com/content/1/1/e000056.full ▾ [翻译此页](#)

作者: S Toggweiler - 2014 - 被引用次数: 12 - 相关文章

2014年4月8日 - Two-year **outcomes** after **percutaneous mitral valve repair** with the ... to **severe** or **severe** MR during the **first year** and only 1 **patient** did so during the ... Since **patients** with residual moderate (2+) mitral **regurgitation** had worse **prognosis** in **patients** undergoing transcatheter aortic valve implantation.18.

Residual mitral valve regurgitation after percutaneous mitral valve ...

www.ncbi.nlm.nih.gov/pubmed/22887450 ▾ [翻译此页](#)

作者: L Paranskaya - 2013 - 被引用次数: 24 - 相关文章

2013年2月12日 - (1)Heart Center Rostock, University Hospital Rostock, Rostock ... **mitral valve** (MV) function and anatomy on survival and **outcome** ... option for high-risk **patients** with **severe** mitral **regurgitation** (MR). METHODS: MitraClip® was implanted in **patients** with **symptomatic** MR rejected to conventional **surgery**.

Mortality after percutaneous edge-to-edge mitral valve repair: a ... - NCBI

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: FA Kortlandt - 2016 - 相关文章

2016年2月1日 - Keywords: **Mitral valve** (MV), **percutaneous** edge-to-edge, mortality ... Mortality rate was 6.1% at 1 **year** and 17.4% at 4 years (Figure 1), which was After propensity **matching**, the **outcome** remained comparable with a HR of 0.47 MitraClip for **severe symptomatic** mitral **regurgitation** in **patients** at high ...

Surgical and Transcatheter Mitral Valve Repair for Severe Chronic ...

jaha.ahajournals.org/content/4/12/e002424.full ▾ [翻译此页](#)

作者: MR Vesely - 2015 - 被引用次数: 1 - 相关文章

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 385,000 条结果（用时 1.00 秒）

Two-year outcomes after percutaneous mitral valve repair with the ...

openheart.bmj.com/content/1/1/e000056.full ▾ 翻译此页

作者：S Toggweiler - 2014 - 被引用次数：13 - 相关文章

2014年4月8日 - Two-year **outcomes** after **percutaneous mitral valve repair** with the ... to **severe** or **severe** MR during the **first year** and only 1 **patient** did so during the ... Since **patients** with residual moderate (2+) mitral **regurgitation** had worse **prognosis** in **patients** undergoing transcatheter aortic valve implantation.18.

Residual mitral valve regurgitation after percutaneous mitral valve ...

www.ncbi.nlm.nih.gov/pubmed/22887450 ▾ 翻译此页

作者：L Paranskaya - 2013 - 被引用次数：26 - 相关文章

2013年2月12日 - (1)Heart Center Rostock, University Hospital Rostock, Rostock ... **mitral valve** (MV) function and anatomy on survival and **outcome** ... option for high-risk **patients** with **severe** mitral **regurgitation** (MR). METHODS: MitraClip® was implanted in **patients** with **symptomatic** MR rejected to conventional **surgery**.

The Evolving Role of Percutaneous Mitral Valve Repair - NCBI

<https://www.ncbi.nlm.nih.gov> ▸ NCBI ▸ Literature ▸ PubMed Central (PMC) - 翻译此页

作者：MH Stewart - 2016

The **percutaneous repair** of the **mitral valve** (MitraClip, Abbott, Inc.) has been approved in the ... **Outcomes** for Assessment of the MitraClip **Percutaneous** Therapy for Heart Failure ... **Severe** **symptomatic regurgitation** of both types carries a poor **prognosis**, with an At **1 year**, 78% of the surviving **patients** had mild MR.

Percutaneous Mitral Valve Repair for Mitral Regurgitation in High-Risk ...

content.onlinejacc.org/article.aspx?articleid=1887869 ▾ 翻译此页

作者：DD Glower - 2014 - 被引用次数：95 - 相关文章

跳到 **Results** | **Abstract** | **Methods** | **Results** | **MitraClip** | **Procedures** | **Discussion** | **Conclusions** | **References**