



29252-Review

BY VASILEIOS PANOURIAS

Quotes Excluded

Bibliography Excluded

16%

DETAILS

Name of Journal: World Journal of
ESPS Manuscript NO: 29252

Manuscript Type: Case Report

**Longitudinal deformation of a third generation zotarolimus eluting stent:
"the concertina returns!"**

Vasileios F Panoulas, Ozan M Demir, Neil Ruparelia, Iqbal Malik

Abstract

In the current case series we describe two cases of longitudinal stent deformation in ostial lesions treated with a new generation zotarolimus eluting stent and review current literature on longitudinal stent deformation.

Match Overview

Rank	Source	Words	Crawled On	Percentage
1	Internet	124 words	crawled on 02-Oct-2016	8%
2	Internet	60 words	crawled on 03-Sep-2016	4%
3	Internet	36 words	crawled on 15-Jun-2016	2%
4	Crossref	12 words	Aung, S., A. Demir, and B. Bodur. "Accordion effect in a third-generation zotarolimus-eluting coronary stent". <i>Perfusion</i> . 2012.	1%
5	Internet	10 words	crawled on 05-Sep-2012	1%



[全部](#) [图片](#) [视频](#) [新闻](#) [更多](#) [搜索工具](#)

找到约 60 条结果 (用时 0.65 秒)

Google 学术: Longitudinal deformation of a third generation zotarolimus eluting stent: 'the concertina returns!'

... of zotarolimus-eluting and everolimus-eluting coronary ... - Serruys - 被引用次数: 449

... stent deformation among various drug-eluting stents: ... - Ota - 被引用次数: 5

Third-generation zotarolimus-eluting and everolimus-eluting stents in ...

www.ncbi.nlm.nih.gov/pubmed/24183564 ▾ 翻译此页

作者: C von Birgelen - 2014 - 被引用次数: 67 - 相关文章

2013年10月31日 - Third-generation zotarolimus-eluting and everolimus-eluting stents in all-comer patients ... 906 patients were assigned to receive zotarolimus-eluting stents and 905 to ... Longitudinal stent deformation was seen only in the ...

缺少字词: concertina

Stent fracture and longitudinal compression detected on coronary CT ...

link.springer.com/article/10.1007/s10554-015-0798-4 - 翻译此页

作者: MS Chung - 2016 - 被引用次数: 1 - 相关文章

2015年10月26日 - Drug-eluting stent Multidetector computed tomography Stent Fracture Compression ... The new-generation DES was constructed with thinner strut and less On CAG images, the incidence of mechanical deformation is K (2014) Third-generation zotarolimus-eluting and everolimus-eluting stents in ...

[PDF] Third-generation zotarolimus-eluting and everolimus-eluting stents in ...

<https://www.zgt.nl/.../third-generation-zotarolimus-eluting...eluting-stents/.../> ▾ 翻译此页

作者: C von Birgelen - 2013 - 被引用次数: 67 - 相关文章

2013年10月31日 - zotarolimus-eluting stents (Resolute Integrity, Medtronic, Santa Rosa, CA, USA) or ... stent deformation was seen only in the everolimus-eluting stent group (nine ... trade-off of reducing longitudinal stent stability, 15, 16 which.

缺少字词: concertina



Longitudinal deformation of a third generation zotarolimus eluting stent: "the



全部 图片 视频 新闻 购物 更多 搜索工具

获得 8 条结果 (用时 0.94 秒)

Google 学术: Longitudinal deformation of a third generation zotarolimus eluting stent: the concertina returns!

... of zotarolimus-eluting and everolimus-eluting coronary ... - Serruys - 被引用次数: 461

... stent deformation among various drug-eluting stents: ... - Ota - 被引用次数: 5

未找到符合 Longitudinal deformation of a third generation zotarolimus eluting stent: "the concertina returns!" 的结果。

Longitudinal deformation of a third generation zotarolimus eluting stent: the concertina returns! (不含引号) 的搜索结果:

Third-generation zotarolimus-eluting and everolimus-eluting stents in ...

<https://www.ncbi.nlm.nih.gov/pubmed/24183564> 翻译此页

作者: C von Birgelen - 2014 - 被引用次数: 72 - 相关文章

2013年10月31日 - Third-generation zotarolimus-eluting and everolimus-eluting stents in all-corner patients ... 906 patients were assigned to receive zotarolimus-eluting stents and 905 to ... Longitudinal stent deformation was seen only in the ...

缺少字词: concertina

[PDF] Third-generation zotarolimus-eluting and everolimus-eluting stents in ...

<https://www.zgt.nl/.../third-generation-zotarolimus-eluting...eluting-stents/.../...> 翻译此页

作者: C von Birgelen - 2013 - 被引用次数: 72 - 相关文章

2013年10月31日 - zotarolimus-eluting stents (Resolute Integrity, Medtronic, Santa Rosa, CA, USA) or ...



全部 图片 视频 新闻 更多 ▾ 搜索工具

获得 8 条结果 (用时 1.04 秒)

Google 学术: Longitudinal deformation of a third generation zotarolimus eluting stent: The concertina returns!

... of zotarolimus-eluting and everolimus-eluting coronary ... - Serruys - 被引用次数: 466

... stent deformation among various drug-eluting stents: ... - Ota - 被引用次数: 5

未找到符合 Longitudinal deformation of a third generation zotarolimus eluting stent: "The concertina returns!" 的结果。

Longitudinal deformation of a third generation zotarolimus eluting stent: The concertina returns! (不含引号) 的搜索结果:

Third-generation zotarolimus-eluting and everolimus-eluting stents in ...

<https://www.ncbi.nlm.nih.gov/pubmed/24183564> - 翻译此页

作者: C von Birgelen - 2014 - 被引用次数: 74 - 相关文章

2013年10月31日 - Third-generation zotarolimus-eluting and everolimus-eluting stents in all-comer patients ... 906 patients were assigned to receive zotarolimus-eluting stents and 905 to ... Longitudinal stent deformation was seen only in the ...

缺少字词: concertina

[PDF] Third-generation zotarolimus-eluting and everolimus-eluting stents in ...

<https://www.zgt.nl/.../third-generation-zotarolimus-eluting...eluting-stents/.../> - 翻译此页

作者: C von Birgelen - 2013 - 被引用次数: 74 - 相关文章

2013年10月31日 - zotarolimus-eluting stents (Resolute Integrity, Medtronic, Santa Rosa, CA, USA) or ...