

Name of Journal: *World Journal of Cardiology*

ESPS Manuscript NO: 30422

Manuscript Type: Case Report

Early stent thrombosis secondary to food allergic reaction: Kounis syndrome following rice pudding ingestion

Georgios Tzanis, Maria Bonou, Nikolaos Mikos, Smaragda Biliou, Ioanna Koniari, Nicholas G Kounis, John Barbetseas

Abstract

Kounis syndrome is the concurrence of coronary spasm, acute myocardial

Match Overview

1	Internet 44 words crawled on 18-Jan-2016 onlinelibrary.wiley.com	2%
2	Crossref 40 words Kounis, N.G. "Eosinophilic responses to stent implantati... and the risk of Kounis hypersensitivity associated coronary	2%
3	Internet 32 words crawled on 10-Mar-2010 ang.sagepub.com	2%
4	Internet 31 words crawled on 13-Jul-2016 en.wikipedia.org	2%
5	Crossref 24 words Park, J.M. "Kounis syndrome captured by coronary ang... raphy computed tomography", <i>American Journal of Emerg</i>	1%
6	Internet 23 words crawled on 22-Jan-2016 www.wjnet.com	1%
7	Crossref 21 words Tavil, Y. "Kounis syndrome secondary to amoxicillin/clav... anic acid use", <i>International Journal of Cardiology</i> , 200602	1%
8	Crossref 19 words Kounis, Nicholas G. "Coronary Hypersensitivity Disorder: The Kounis Syndrome", <i>Clinical Therapeutics</i> , 2013	1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

获得 8 条结果（用时 0.39 秒）

Food Allergy | Institute of Food Research

www.ifr.ac.uk/science-society/spotlight/food-allergy/  [翻译此页](#)

Whilst uncommon, **allergic reactions to foods** are real and can take a number of forms. ... in some cases they may be delayed and appear up to four hours **after** eating. ... The exceptions are the gluten **intolerance syndrome**, known as Coeliac's ... involves introducing the **food** to the patient, **first** by touch, then by **ingestion** of ...

缺少字词: `stent thrombosis kounis pudding`

Adverse reactions to food, FOOD ALLERGY AND SENSITIVITY

www.hi-tm.com/Documents/Allergy.html  [翻译此页](#)

作者: OP Snyder - [相关文章](#)

Some **allergic reactions** occur 4 to 6 hours **after ingestion** of a specific **food**, while ... and "Chinese restaurant **syndrome**" **due** to consumption of excessive amounts of ... **allergic reaction** usually report the same "**early** warning signs" and symptoms with The bologna and **Rice Dream dessert** were both found to contain small ...

缺少字词: `stent thrombosis kounis`

Food Allergies - American College of Allergy, Asthma, and Immunology

acaai.org/allergies/types/food-allergy/  [翻译此页](#)

Learn about the types of **food allergies**, symptoms, diagnosis and treatment here. ... **Food allergy** symptoms are most common in babies and children, but they can ... a severe gastrointestinal **reaction** that generally occurs two to six hours **after** ... While **food allergies** may develop at any age, most appear in **early** childhood.

缺少字词: `stent thrombosis kounis rice pudding`

Food Allergy - World Allergy Organization

[翻译此页](#)



全部

图片

新闻

视频

购物

更多

设置

工具

获得 8 条结果 (用时 0.64 秒)

Food Allergy | Institute of Food Research

www.ifr.ac.uk/science-society/spotlight/food-allergy/ ▾ 翻译此页

Whilst uncommon, **allergic reactions** to **foods** are real and can take a number of forms. ... in some cases they may be delayed and appear up to four hours **after** eating. ... The exceptions are the **gluten intolerance syndrome**, known as Coeliac's ... involves introducing the **food** to the patient, **first** by touch, then by **ingestion** of ...

缺少字词: stent thrombosis kounis pudding

Adverse reactions to food, FOOD ALLERGY AND SENSITIVITY

www.hi-tm.com/Documents/Allergy.html ▾ 翻译此页

作者: OP Snyder - 相关文章

Some **allergic reactions** occur 4 to 6 hours **after ingestion** of a specific **food**, while ... and "Chinese restaurant **syndrome**" **due** to consumption of excessive amounts of ... **allergic reaction** usually report the same "**early** warning signs" and symptoms with The bologna and **Rice Dream** **dessert** were both found to contain small ...

缺少字词: stent thrombosis kounis

Food Allergies - American College of Allergy, Asthma, and Immunology

acaai.org/allergies/types/food-allergy/ ▾ 翻译此页

Learn about the types of **food allergies**, symptoms, diagnosis and treatment here. ... **Food allergy** symptoms are most common in babies and children, but they can ... a severe gastrointestinal **reaction** that generally occurs two to six hours **after** ... While **food allergies** may develop at any age, most appear in **early** childhood.

缺少字词: stent thrombosis kounis rice pudding

Food Allergy - World Allergy Organization