

**Name of Journal:** *World Journal of Cardiology*

**ESPS Manuscript NO:** 29862

**Manuscript Type:** Case Report

**Importance of a second spasm provocation test:** Four cases with an initial negative spasm provocation test

**Hiroki Teragawa, Yuichi Fujii, Yuko Uchimura, Tomohiro Ueda**

### **Abstract**

The spasm provocation test (SPT) is an important test in the diagnosis of vasospastic angina (VSA). In many cases, this test is performed as the gold

### Match Overview

1

**Crossref** 64 wordsYuichi Saito, Hideki Kitahara, Toshihiro Shoji, Satoshi Toki  
masa, Takashi Nakayama, Kazumasa Sugimoto, Yoshihide

3%

All

Images

Videos

News

Shopping

More ▾

Search tools

About 135,000 results (0.85 seconds)

## Overview of the Acetylcholine Spasm Provocation Test

[onlinelibrary.wiley.com/doi/10.1002/clc.22403/pdf](https://onlinelibrary.wiley.com/doi/10.1002/clc.22403/pdf) ▾ John Wiley & Sons ▾

by S Sueda - 2015 - Cited by 1 - Related articles

The acetylcholine (ACh) **spasm provocation test** proposed by Yasue, ... dose of 80/200 µg for the induction of coronary **spasm** in some cases with low ... **important** issues concerning the procedure, complications, ... as **negative** but not **negative** for coronary **spasm** when IC ... **spasm** is found; or if isosorbide dinitrate is **initially**.

## Complications of Pharmacological Spasm Provocation Tests | Open ...

[www.sciencecentral.org/.../complications-of-pharmacological-spasm-provocation-tes...](http://www.sciencecentral.org/.../complications-of-pharmacological-spasm-provocation-tes...) ▾

by S Sueda - 2015 - Cited by 2 - Related articles

Complications; **Spasm provocation test**; Acetylcholine; Ergonovine ... three **spasm provocation tests**; first, ACh test, **second**, ER test and finally adding ... or if nitrate was **initially** used to relieve **spasms** in the coronary artery tested. ... Meanwhile, in ACh tests, there were 14 serious major complications including four VF, one ...

## Clinical impact of coronary artery spasm in patients with no significant ...

[www.sciencedirect.com/science/article/pii/S0914508713000191](http://www.sciencedirect.com/science/article/pii/S0914508713000191) ▾ ScienceDirect ▾

by S Satoh - 2013 - Cited by 11 - Related articles

Apr 17, 2013 - **Spasm provocation test** using acetylcholine (ACh) or ergonovine has been established ... Although the clinical **importance** of CAS in coronary artery disease is ... CAG, n = 19); (3) **negative** ACh test (n = 18); and (4) no ACh test due to the ..... The present study showed that 20% of cases have no significant ...

## Coronary abnormal response has increased in Japanese patients ...

[www.sciencedirect.com/science/article/pii/S0914508710000079](http://www.sciencedirect.com/science/article/pii/S0914508710000079) ▾ ScienceDirect ▾

by S Sueda - 2010 - Cited by 23 - Related articles

**Spasm provocation test** was mainly performed in patients with ischemic heart disease. ... [4] also reported the intracoronary administration of ER as a **spasm** ... or if isosorbide dinitrate was **initially** used to relieve **spasms** in the coronary artery ..... artery **spasm** by acetylcholine in patients with variant angina: possible role of ...

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 14,400,000 条结果 (用时 0.33 秒)

## Overview of the Acetylcholine Spasm Provocation Test

[onlinelibrary.wiley.com/doi/10.1002/clc.22403/pdf](https://onlinelibrary.wiley.com/doi/10.1002/clc.22403/pdf) ▼ [翻译此页](#)

作者: S Sueda - 2015 - 被引用次数: 4 - 相关文章

The acetylcholine (ACh) **spasm provocation test** proposed by Yasue, ... dose of 80/200 µg for the induction of coronary **spasm** in some **cases** with low ... **important** issues concerning the procedure, complications, ... as **negative** but not **negative** for coronary **spasm** when IC ... **spasm** is found; or if isosorbide dinitrate is **initially**.

## Intracoronary Acetylcholine Provocation Testing - J-Stage

[https://www.jstage.jst.go.jp/article/circj/advpub/0/advpub\\_CJ-16.../\\_pdf](https://www.jstage.jst.go.jp/article/circj/advpub/0/advpub_CJ-16.../_pdf) - [翻译此页](#)

作者: Y Saito - 被引用次数: 1

setting of patients with VA.8 In elective **cases**, all vasodilators, ... the doses of ACh.4,6,7 Based on the guidelines of the Japanese ... coronary artery vasospasm **provocation test**: 20 and 50 µg for ... acetylcholine (ACh) are prescribed for coronary **spasm** provocation: 20 and 50 µg for the ... **Initial** artery of ACh provocation.

## Complications of Pharmacological Spasm Provocation Tests | Open ...

[www.esciencecentral.org/.../complications-of-pharmacological-spasm-provo...](https://www.esciencecentral.org/.../complications-of-pharmacological-spasm-provo...) ▼ [翻译此页](#)

作者: S Sueda - 2015 - 被引用次数: 3 - 相关文章

Background: We investigated the complications of **spasm provocation tests**, including ... **spasm provocation tests**, acetylcholine (ACh) [1-3] and ergonovine (ER) [4,5] are ... **spasm provocation tests**; first, ACh test, **second**, ER test and finally adding ... or if nitrate was **initially** used to relieve **spasms** in the coronary artery tested.

## Clinical impact of coronary artery spasm in patients with no significant ...

[www.sciencedirect.com/science/article/pii/S0914508713000191](https://www.sciencedirect.com/science/article/pii/S0914508713000191) ▼ [翻译此页](#)

作者: S Satoh - 2013 - 被引用次数: 11 - 相关文章

2013年4月17日 - **Spasm provocation test** using acetylcholine (ACh) or ergonovine has been established ... Although the clinical **importance** of CAS in coronary artery disease is ... CAG, n = 19); (3) **negative**



[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 13,700,000 条结果 (用时 0.74 秒)

## Overview of the Acetylcholine Spasm Provocation Test

[onlinelibrary.wiley.com/doi/10.1002/clc.22403/pdf](https://onlinelibrary.wiley.com/doi/10.1002/clc.22403/pdf) ▼ 翻译此页

作者: S Sueda - 2015 - 被引用次数: 4 - 相关文章

The acetylcholine (ACh) **spasm provocation test** proposed by Yasue, ... dose of 80/200 µg for the induction of coronary **spasm** in some **cases** with low ... **important** issues concerning the procedure, complications, .... as **negative** but not **negative** for coronary **spasm** when IC ... **spasm** is found; or if isosorbide dinitrate is **initially**.

## Complications of Pharmacological Spasm Provocation Tests | Open ...

[www.esciencecentral.org/.../complications-of-pharmacological-spasm-provo...](https://www.esciencecentral.org/.../complications-of-pharmacological-spasm-provo...) ▼ 翻译此页

作者: S Sueda - 2015 - 被引用次数: 3 - 相关文章

Background: We investigated the complications of **spasm provocation tests**, including ... **spasm provocation tests**, acetylcholine (ACh) [1-3] and ergonovine (ER) [4,5] are ... **spasm provocation tests**; first, ACh test, **second**, ER test and finally adding ... or if nitrate was **initially** used to relieve **spasms** in the coronary artery tested.

## Clinical impact of coronary artery spasm in patients with no significant ...

[www.sciencedirect.com/science/article/pii/S0914508713000191](https://www.sciencedirect.com/science/article/pii/S0914508713000191) ▼ 翻译此页

作者: S Satoh - 2013 - 被引用次数: 11 - 相关文章

2013年4月17日 - **Spasm provocation test** using acetylcholine (ACh) or ergonovine has been established ... Although the clinical **importance** of CAS in coronary artery disease is ... CAG, n = 19); (3) **negative** ACh test (n = 18); and (4) no ACh test due to the .... The present study showed that 20% of **cases** have no significant ...

## Coronary abnormal response has increased in Japanese patients ...

[www.sciencedirect.com/science/article/pii/S0914508710000079](https://www.sciencedirect.com/science/article/pii/S0914508710000079) - 翻译此页

作者: S Sueda - 2010 - 被引用次数: 23 - 相关文章