



30219-CrossCheck.docx

Quotes Excluded  
Bibliography Excluded

8%  
SIMILAR

Name of Journal: *World Journal of Cardiology*

ESPS Manuscript NO: 30219

Manuscript Type: Minireviews

Coronary artery disease detection - limitations of stress testing in left ventricular dysfunction

Ritin Bomb, Senthil Kumar, Anand Chockalingam

#### Abstract

Incidental diagnosis of left ventricular systolic dysfunction (LVD) is common in clinical practice. The prevalence of asymptomatic LVD (Ejection Fraction, EF < 50%) is 6.0% in men and 0.8% in women and is twice as common as symptomatic LVD. The timely and definitive exclusion of an ischemic etiology is central to optimizing care and reducing

#### Match Overview

1	Internet 40 words crawled on 24-Apr-2016 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	1%
2	Internet 30 words crawled on 21-Nov-2009 <a href="http://www.medicalpositioning.com">www.medicalpositioning.com</a>	1%
3	Crossref 26 words Meijs, Matthijs F. L., Willem B. Meijboom, Maarten-Jan M. Cramer, Francesca Pugliese, Mathias Prokop, Pieter A.	1%
4	Crossref 25 words CHERIAN SEBASTIAN. "Stress Echocardiography.", <i>Echocardiography</i> , 10/1998	1%
5	Internet 16 words crawled on 27-Feb-2012 <a href="http://pubmed.cn">pubmed.cn</a>	<1%
6	Internet 16 words crawled on 06-Mar-2015 <a href="http://m.heart.bmj.com">m.heart.bmj.com</a>	<1%
7	Internet 16 words	<1%



All

News

Images

Videos

Shopping

More ▼

Search tools

About 380,000 results (0.56 seconds)

## Scholarly articles for **Coronary artery disease detection- limitations of stress testing in patients with left ventricular dysfunction**

... coronary artery disease and left ventricular dysfunction ... - Allman - Cited by 1181

... during exercise in patients with coronary-artery disease - Borer - Cited by 879

... in patients with chronic coronary artery disease and ... - Bax - Cited by 363

### [PDF] Stress echocardiography for the diagnosis and risk stratification of ... [asecho.org/.../38-2005-Heart-Stress-Echocardiography-for-the-Diagnosis-and-Risk-St...](http://asecho.org/.../38-2005-Heart-Stress-Echocardiography-for-the-Diagnosis-and-Risk-St...) ▼

by R Senior - 2005 - Cited by 62 - Related articles

SPECT versus exercise testing with ECG alone, both stress imaging techniques ... phy for the detection of CAD in patients with LV hypertrophy. In this group the .... resting LV function data, when results of dobutamine stress data was added .... The often quoted limitations of stress echocardiography are suboptimal image ...

### Cardiac CT vs. Stress Testing in Patients with Suspected Coronary ...

[www.ncbi.nlm.nih.gov/.../PMC4613789/](http://www.ncbi.nlm.nih.gov/.../PMC4613789/) National Center for Biotechnology Information ▼

by AA Rahsepar - 2015 - Cited by 2 - Related articles

Jun 17, 2015 - Stress Testing for the Diagnosis of Coronary Artery Disease .... performed post-hoc and thus, are inflicted with the associated limitations. .... outcomes in patients with coronary artery disease and left ventricular dysfunction.

### Stress echocardiography - NCBI - National Institutes of Health

[www.ncbi.nlm.nih.gov/.../PMC17675...](http://www.ncbi.nlm.nih.gov/.../PMC17675...) ▼ National Center for Biotechnology Information ▼

by TH Marwick - 2003 - Cited by 148 - Related articles

In seeking an imaging solution to the limitations of standard exercise stress ... in women and patients with left ventricular hypertrophy), and being comparable to that of .... A normal response involves the augmentation of function in all segments ... The accuracy of stress echo tests for the detection of coronary artery disease is ...



[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 3,580,000 条结果 (用时 0.78 秒)

## Google 学术: Coronary artery disease detection - limitations of stress testing in left ventricular dysfunction

... coronary artery disease and left ventricular dysfunction ... - Allman - 被引用次数: 1184

... in patients with chronic coronary artery disease and ... - Bax - 被引用次数: 367

... during exercise in patients with coronary-artery disease - Borer - 被引用次数: 900

## Limitations of radionuclide ventriculography in the non-invasive ... - NCBI

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: S Wieshammer - 1985 - 被引用次数: 13 - 相关文章

Limitations of radionuclide ventriculography in the non-invasive diagnosis of ... exercise stress on left ventricular function in patients with coronary artery disease ... in diagnostic testing: probabilistic analysis of scintigraphic rest and exercise left ...

## Cardiac CT vs. Stress Testing in Patients with Suspected Coronary ...

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: AA Rahsepar - 2015 - 被引用次数: 4 - 相关文章

2015年6月17日 - Stress Testing for the Diagnosis of Coronary Artery Disease .... performed post-hoc and thus, are inflicted with the associated limitations. .... outcomes in patients with coronary artery disease and left ventricular dysfunction.

## Stress testing in valve disease - NCBI - National Institutes of Health

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: LA Piérard - 2007 - 被引用次数: 80 - 相关文章

Stress testing is a cornerstone in the evaluation of patients with coronary artery ... In contrast, valvular heart disease is usually considered static and its ... A symptom - limited exercise test is more physiologic than a dobutamine test and may ... Patients with low gradient aortic stenosis and left ventricular dysfunction may have ...

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 4,840,000 条结果 (用时 0.69 秒)

## Google 学术: Coronary artery disease detection - limitations of stress testing in left ventricular dysfunction

... coronary artery disease and left ventricular dysfunction ... - Allman - 被引用次数: 1190

... in patients with chronic coronary artery disease and ... - Bax - 被引用次数: 369

... during exercise in patients with coronary-artery disease - Borer - 被引用次数: 901

## Limitations of radionuclide ventriculography in the non-invasive ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: S Wieshammer - 1985 - 被引用次数: 13 - 相关文章

Limitations of radionuclide ventriculography in the non-invasive diagnosis of ... exercise stress on left ventricular function in patients with coronary artery disease ... in diagnostic testing: probabilistic analysis of scintigraphic rest and exercise left ...

## Stress echocardiography - NCBI - National Institutes of Health

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: TH Marwick - 2003 - 被引用次数: 171 - 相关文章

跳到**DIAGNOSTIC APPLICATION** - Like other stress imaging tests, the chief indications for stress echo are ... The accuracy of stress echo tests for the detection of coronary artery disease is ... some reflecting the limitations of an angiographic cutoff for ... factors including image quality and left ventricular morphology; the ...

## Stress echocardiography for the diagnosis and risk stratification of ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: R Senior - 2005 - 被引用次数: 67 - 相关文章

2004年10月11日 - Keywords: stress echocardiography, coronary artery disease, ... ECG a test of modest diagnostic accuracy for the detection of CAD Rest and stress images are interpreted for