

14

Name of Journal: *World Journal of Cardiology*

ESPS Manuscript NO: 30728

Manuscript Type: Original Article

Retrospective Cohort Study

Bilateral vs unilateral internal mammary revascularization in patients with left ventricular dysfunction

21

Batic Popovic, Pablo Maureira, Yves Juilliere, Nicolas Danchin, Damien Voilliot, Fabrice Vanhuyse, Jean Pierre Villemot

Abstract

AIM

To investigate the survival benefit of bilateral internal mammary artery (BIMA) grafts in patients with left ventricular dysfunction.

METHODS

Match Overview

1	Crossref 57 words Lee, Sak, Byung-Chul Chang, Kyung-Jong Yoo, You-Sun Hong, and Meyun-Shick Kang. "Clinical Results of Coror...	2%
2	Crossref 55 words Arterial Grafting for Coronary Artery Bypass Surgery, 2006.	1%
3	Crossref 41 words Popovic, B. "Comparison of Two-Year Outcomes in Patients Undergoing Isolated Coronary Artery Bypass Grafting ...	1%
4	Crossref 40 words Robert O. Bonow. "Myocardial Viability and Survival in Ischemic Left Ventricular Dysfunction", <i>New England Journal of</i>	1%
5	Crossref 40 words "Monday, 29 August 2011", <i>European Heart Journal</i> , 08/02/2011	1%
6	Crossref 34 words J. B. Grau. "Propensity matched analysis of bilateral internal mammary artery versus single left internal mammary art...	1%
7	Crossref 31 words "Tuesday, 2 September 2008", <i>European Heart Journal</i> , 0	1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 30,600 条结果 (用时 0.74 秒)

Google 学术: Bilateral versus unilateral internal mammary revascularization in patients with left ventricular dysfunction

... comparing bilateral and single internal mammary ... - Taggart - 被引用次数: 484

... bypass grafting employing bilateral internal mammary ... - Bonacchi - 被引用次数: 105

... versus bilateral internal mammary artery grafts: 10- ... - Pick - 被引用次数: 347

Bilateral Versus Unilateral Internal Mammary Revascularization in ...

circ.ahajournals.org/content/108/11/1343 ▾ 翻译此页

作者: M Endo - 2003 - 被引用次数: 72 - 相关文章

... the diabetic group had a significantly lower median left ventricular EF ($P=0.003$), ... For patients with poor cardiac function with or without diabetes, the strong ... Bilateral internal mammary artery grafts, mortality and morbidity: an analysis of 1 ... Revascularization Is the Preferred Strategy for Patients With Significant Left ...

Bilateral Versus Unilateral Internal Mammary Revascularization in ...

https://www.researchgate.net/.../10597855_Bilateral_Versus_Unilateral_Inter... - 翻译此页

Bilateral Versus Unilateral Internal Mammary Revascularization in Patients ... was no increased risk in these high-risk patients with poor LV function with RA use.

Bilateral versus Single Internal Mammary Coronary Artery Bypass ...

journals.plos.org/plosone/article?id=10.1371/journal.pone.0086929 ▾ 翻译此页

作者: M Dalén - 2014 - 被引用次数: 6 - 相关文章

2014年1月21日 - Patients who underwent primary isolated non-emergent CABG in Sweden ... Left ventricular function was categorized as severely reduced (ejection ... (2012) Bilateral internal mammary artery grafting enhances survival in ... results of bilateral ITA grafting versus unilateral ITA and

[全部](#)[图片](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 32,300 条结果 (用时 0.81 秒)

Google 学术: Bilateral vs unilateral internal mammary revascularization in patients with left ventricular dysfunction

... comparing bilateral and single internal mammary ... - Taggart - 被引用次数: 490

... bypass grafting employing bilateral internal mammary ... - Bonacchi - 被引用次数: 106

... versus bilateral internal mammary artery grafts: 10- ... - Pick - 被引用次数: 348

Bilateral Versus Unilateral Internal Mammary Revascularization in ...

https://www.researchgate.net/.../10597855_Bilateral_Versus_Unilateral_Inter... - 翻译此页

Bilateral Versus Unilateral Internal Mammary Revascularization in Patients ... was no increased risk in these high-risk patients with poor LV function with RA use.

Bilateral Versus Unilateral Internal Mammary Revascularization in ...

circ.ahajournals.org/content/108/11/1343 ▼ 翻译此页

作者: M Endo - 2003 - 被引用次数: 73 - 相关文章

2003年9月16日 - Bilateral Versus Unilateral Internal Mammary Revascularization in Patients With

Diabetes Patient selection for single internal mammary artery (SIMA) or BIMA ... group had a

significantly lower median left ventricular EF ($P=0.003$), For patients with poor cardiac function with or without diabetes, the ...

Unilateral Versus Bilateral Internal Mammary Revascularization ...

circ.ahajournals.org/content/102/9/9 翻译此页

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 34,900 条结果 (用时 0.70 秒)

Google 学术: Bilateral vs unilateral internal mammary revascularization in patients with left ventricular dysfunction

... comparing bilateral and single internal mammary ... - Taggart - 被引用次数: 492

... bypass grafting employing bilateral internal mammary ... - Bonacchi - 被引用次数: 107

... versus bilateral internal mammary artery grafts: 10- ... - Pick - 被引用次数: 348

Bilateral Versus Unilateral Internal Mammary Revascularization in ...

https://www.researchgate.net/.../10597855_Bilateral_Versus_Unilateral_Inter... - 翻译此页

Bilateral Versus Unilateral Internal Mammary Revascularization in Patients ... was no increased risk in these high-risk patients with poor LV function with RA use.

Bilateral Versus Unilateral Internal Mammary Revascularization in ...

circ.ahajournals.org/content/108/11/1343 ▼ 翻译此页

作者: M Endo - 2003 - 被引用次数: 73 - 相关文章

2003年9月16日 - Bilateral Versus Unilateral Internal Mammary Revascularization in Patients With Diabetes Patient selection for single internal mammary artery (SIMA) or BIMA ... group had a significantly lower median left ventricular EF (P=0.003), For patients with poor cardiac function with or without diabetes, the ...

Unilateral Versus Bilateral Internal Mammary Revascularization ...

circ.ahajournals.org/content/92/9/8 - 翻译此页

作者: LRS Dewar - 1995 - 被引用次数: 72 - 相关文章

Unilateral Versus Bilateral Internal Mammary Revascularization ... of disease, concomitant disease, ventricular dysfunction, previous surgery, and status ... Patient survival at 5 years was not different: 94% for UL ≤60 years, 95% for BL ≤60 ... for the past decade to be the in situ left internal mammary coronary artery (IMA).