

Name of Journal: *World Journal of Cardiology*

ESPS Manuscript NO: 29645

Manuscript Type: Original Article

Retrospective Study

Determinants of percutaneous coronary intervention success in repeat chronic total occlusion procedures following an initial failed attempt

Cecilia Cuevas, Nicola Ryan, Alicia Quirós, Juan Gustavo Del Angel, Nieves Gonzalo, Pablo Salinas, Pilar Jiménez-Quevedo, Luis Nombela-Franco Ivan Nuñez-Gil, Antonio Fernandez-Ortiz, Carlos Macaya, Javier Escaned

Abstract

AIM

Match Overview

1	Internet 38 words crawled on 29-Sep-2016 link.springer.com	1%
2	Internet 28 words crawled on 11-Jul-2010 www.cmj.org	1%
3	Crossref 16 words Joyal, D.. "Effectiveness of recanalization of chronic tot... occlusions: A systematic review and meta-analysis", Am	1%
4	Internet 16 words crawled on 05-May-2016 ircrj.com	1%
5	Crossref 16 words MICHAEL, TESFALDET T., OWEN MOGABGAB, ERIC F UH, VISHAL G. PATEL, ABDALLAH EL SABBAGH, MOH	1%
6	Internet 16 words crawled on 30-Apr-2010 carcin.oxfordjournals.org	1%
7	Internet 16 words	1.0%

[All](#)[Images](#)[News](#)[Videos](#)[Shopping](#)[More ▾](#)[Search tools](#)

About 55,400 results (0.68 seconds)

Determinants of PCI success in repeat procedures following a failed ...

www.pcronline.com/.../determinants-of-pci-success-in-repeat-procedures-following-a-... ▾

Determinants of PCI success in repeat procedures following a failed initial attempt in ... (re-PCI) in chronic total occlusions (CTO) after an initial failed attempt at ...

Procedural failure of chronic total occlusion percutaneous coronary ...

onlinelibrary.wiley.com/doi/10.1002/ccd.25807/pdf John Wiley & Sons ▾

Feb 3, 2015 - Background: The hybrid approach to chronic total occlusion (CTO) ... Compared with patients in whom CTO PCI was successful, those in whom ... or poor antegrade flow after PCI (n 5 5). attempted among failed cases and the most commonly procedure, however repeat coronary angiography was.

Initial Success Rate of Percutaneous Coronary Intervention for ...

interventions.onlinejacc.org/article.aspx?articleid=1816746 ▾

by T Teramoto - 2014 - Cited by 19 - Related articles

A total of 13,448 PCI procedures performed between May 1999 and November ... CTO = chronic total occlusion; NCA = native coronary artery; pCABG ... defined as repeat PCI of the target vessel within 24 h or urgent CABG after the procedure. The second attempt was successful in 5 of the 9 patients, with the antegrade ...

[PDF] Initial Success Rate of Percutaneous Coronary Intervention for ...

interventions.onlinejacc.org/pdfaccess.ashx?ResourceID=6386075&PDFSource=13 ▾

by T Teramoto - 2014 - Cited by 19 - Related articles

intervention (PCI) for chronic total occlusion (CTO) in a native coronary artery (NCA) in patients with and without previous coronary artery bypass grafting (CABG) and to assess predictive factors. ... Conclusions The initial success rate of CTO-PCI of an NCA in the pCABG group the pCABG group after a failed first attempt.

Which parameters are important before attempting chronic total ... - NCBI

www.ncbi.nlm.nih.gov/.../PMC4882380/ National Center for Biotechnology Information ▾

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 150,000 条结果 (用时 0.78 秒)

Determinants of PCI success in repeat procedures following a failed ...

<https://www.pcronline.com/eurointervention/.../determinants-of-pci-success-i...> - 翻译此页

2016年5月6日 - Determinants of PCI success in repeat procedures following a failed initial ... in chronic total occlusions (CTO) after an initial failed attempt at ...

Initial Success Rate of Percutaneous Coronary Intervention for ...

www.interventions.onlinejacc.org/article.aspx?articleid=1816746 - 翻译此页

作者: T Teramoto - 2014 - 被引用次数: 24 - 相关文章

A total of 13,448 PCI procedures performed between May 1999 and ... CTO = chronic total occlusion; NCA = native coronary artery; pCABG ... Urgent revascularization was defined as repeat PCI of the target vessel within 24 h or urgent CABG after attempt (2006), the success rate of CTO-PCI is significantly higher after the ...

PDF Article - JACC: Cardiovascular Interventions

www.interventions.onlinejacc.org/content/jint/7/1/39.full.pdf?download... - 翻译此页

intervention (PCI) for chronic total occlusion (CTO) in a native coronary artery ... coronary artery bypass grafting (CABG) and to assess predictive factors. ... Conclusions The initial success rate of CTO-PCI of an NCA in the pCABG the pCABG group after a failed first attempt. CTO-PCI in an NCA before repeat CABG.

Initial Success Rate of Percutaneous Coronary Intervention for ...

www.sciencedirect.com/science/article/pii/S1936879813015367 - 翻译此页

作者: T Teramoto - 2014 - 被引用次数: 24 - 相关文章

2014年1月20日 - The initial success rate of CTO-PCI of an NCA in the pCABG group was ... chronic total occlusion;; coronary artery bypass grafting;; retrograde approach ... (pCABG) patients presenting with angina after bypass graft failure. ... as repeat PCI of the target vessel within 24 h or urgent CABG after the procedure.

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 176,000 条结果 (用时 0.68 秒)

Google 学术: Determinants of percutaneous coronary intervention success in repeat chronic total occlusion procedures following an initial failed attempt

... percutaneous coronary intervention of a chronic total ... - Suero - 被引用次数: 656

... after percutaneous coronary interventions in chronic ... - Olivari - 被引用次数: 496

... after percutaneous coronary intervention for chronic ... - Prasad - 被引用次数: 301

Determinants of PCI success in repeat procedures following a failed ...

<https://www.pconline.com/eurointervention/.../determinants-of-pci-success-i...> ▾ 翻译此页

2016年5月6日 - Determinants of PCI success in repeat procedures following a failed initial ... in chronic total occlusions (CTO) after an initial failed attempt at ...

Initial Success Rate of Percutaneous Coronary Intervention for ...

www.interventions.onlinejacc.org/pdfaccess.ashx?ResourceID=6386075... - 翻译此页

intervention (PCI) for chronic total occlusion (CTO) in a native coronary artery ... coronary artery bypass grafting (CABG) and to assess predictive factors. ... Conclusions The initial success rate of CTO-PCI of an NCA in the pCABG the pCABG group after a failed first attempt. CTO-PCI in an NCA before repeat CABG.

Initial Success Rate of Percutaneous Coronary Intervention for ...

www.sciencedirect.com/science/article/pii/S1936879813015367 ▾ 翻译此页

作者: T Teramoto - 2014 - 被引用次数: 25 - 相关文章

2014年1月20日 - The initial success rate of CTO-PCI of an NCA in the pCABG group was ... chronic total occlusion;; coronary artery bypass grafting;; retrograde approach ... (pCABG) patients presenting with angina after bypass graft failure. ... as repeat PCI of the target vessel within 24 h or urgent CABG