

Name of Journal: *World Journal of Cardiology*

ESPS Manuscript NO: 31115

Manuscript Type: Minireviews

**Heart failure after myocardial infarction in the era of primary PCI:
mechanisms, incidence and identification of patients at risk**

Thomas J Cahill, Rajesh K Kharbanda

Abstract

Myocardial infarction (MI) remains the most common cause of heart failure (HF) worldwide. For almost 50 years HF has been recognised as a determinant of adverse prognosis after MI, but efforts to promote myocardial

Match Overview

There are no matching sources for this report

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 1,420,000 条结果 (用时 1.13 秒)

Sudden Death after Myocardial Infarction

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: AS Adabag - 2008 - 被引用次数: 167 - 相关文章

Sudden cardiac death (SCD) after myocardial infarction (MI) has not recently been ... However, most patients receiving an ICD for primary prevention of SCD do not use ... and heart failure (HF) occurring after the index MI increase the risk of SCD. percutaneous coronary intervention, 282 (9%) undergoing coronary artery ...

Atherosclerotic Burden and Heart Failure After Myocardial Infarction ...

jamanetwork.com/journals/jamacardiology/fullarticle/2506674 - 翻译此页

作者: Y Gerber - 2016 - 被引用次数: 2 - 相关文章

2016年3月30日 - Cumulative Incidence Rates of Heart Failure According to Coronary Artery Disease ... disease undergoing primary percutaneous coronary intervention. ... 30-Year trends in heart failure in patients hospitalized with acute myocardial infarction. burden could also be evoked as a mechanism of post-MI HF.

Summary

www.rug.nl/research/portal/files/3056887/c7.pdf - 翻译此页

or primary percutaneous coronary intervention (PCI). This thesis aims ... after myocardial infarction, eventually leading to heart failure and death 1,2. An integral ...

Stroke After Primary Percutaneous Coronary Intervention in Patients ...

circinterventions.ahajournals.org/content/6/2/176 - 翻译此页

作者: JT Guptill - 2013 - 被引用次数: 29 - 相关文章

2013年4月16日 - We analyzed stroke incidence, type, timing, and association with the prespecified ... Stroke occurred in 69 primary patients with PCI (1.3%). ... we investigated the risk of stroke in patients

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 1,740,000 条结果 (用时 0.88 秒)

Sudden Death after Myocardial Infarction

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: AS Adabag - 2008 - 被引用次数: 167 - 相关文章

Sudden cardiac death (SCD) after myocardial infarction (MI) has not recently been ... However, most patients receiving an ICD for primary prevention of SCD do not use ... and heart failure (HF) occurring after the index MI increase the risk of SCD. percutaneous coronary intervention, 282 (9%) undergoing coronary artery ...

Heart Failure After Myocardial Infarction Is Associated With ... - JACC

www.onlinejacc.org/content/68/3/265.full-text.pdf - 翻译此页

BACKGROUND Heart failure (HF) is associated with excess morbidity and ... CONCLUSIONS Patients who develop HF after MI have an increased risk of cancer. ... MI were identified and the incidence of cancer, ... and system primary involvement (13); nonmelanoma ... grafting, percutaneous coronary intervention, or.

Sudden Cardiac Death Early After Myocardial Infarction | Circulation

circ.ahajournals.org/content/129/23/2426 - 翻译此页

作者: S Zaman - 2014 - 被引用次数: 24 - 相关文章

2014年6月9日 - Primary prevention is defined as prevention of sudden cardiac death ... The vast majority of SCDs occur in patients with underlying coronary artery disease, with the risk ... medical therapy, primary percutaneous coronary intervention (PCI) ... Patients in the early post-MI period were largely excluded from the ...

Stroke After Primary Percutaneous Coronary Intervention in Patients ...

circinterventions.ahajournals.org/content/6/2/176 - 翻译此页

作者: JT Guptill - 2013 - 被引用次数: 29 - 相关文章