

Name of Journal: *World Journal of Cardiology*

ESPS Manuscript Number: 30206

Manuscript Type: Minireviews

Empirical anticoagulation for patients in sinus rhythm at high risk of ischaemic stroke: A review of current literature

Irma Battipaglia, James O'Neill, Andrew J Hogarth, Muzahir H Tayebjee

Abstract

Ischaemic stroke is one of the commonest causes of morbidity and mortality worldwide and around a fifth of events can be attributed to a cardioembolic source. This is typically due to atrial fibrillation (AF), the most common sustained cardiac arrhythmia. However, AF can, at times, be difficult to detect due to a relative lack of symptoms and the fact that it can be paroxysmal in nature. Studies have shown that diagnosis of AF improves as the length of cardiac monitoring increases. However,

Match Overview

1	Internet 40 words crawled on 03-May-2012 www.nejm.org	1%
2	Internet 32 words crawled on 17-Jun-2013 www.ncbi.nlm.nih.gov	1%
3	Internet 29 words crawled on 25-Aug-2016 f1000.com	1%
4	Internet 26 words crawled on 16-May-2016 jama.jamanetwork.com	1%
5	Internet 24 words crawled on 06-Apr-2016 www.jafib.com	1%
6	Crossref 21 words Hsu, Po-Chao, Tsung-Hsien Lin, Wen-Hsien Lee, Chun-Yua	1%

[All](#)[News](#)[Images](#)[Videos](#)[Shopping](#)[More ▾](#)[Search tools](#)

About 16,000 results (1.00 seconds)

Did you mean: *Empiric* Anticoagulation for Patients in Sinus Rhythm at High Risk of Ischaemic Stroke – a Review of Current Literature

:: Journal of Stroke

j-stroke.org/m/journal/view.php?doi=10.5853/jos.2016.00150 ▾

May 31, 2016 - We also discuss the role of **empirical anticoagulation**, and atrial fibrillation burden as a means of tailoring **anticoagulation** in **patients at high risk** of bleeding. ... **Ischemic strokes** occurring in the absence of AF (or other major cardiac ... The majority of the **current literature** refers to CS, however, this term is ...

How and When to Screen for Atrial Fibrillation after Stroke: Insights ...

www.ncbi.nlm.nih.gov/.../PMC4901953/ National Center for Biotechnology Information ▾
by F Bridge - 2016 - Related articles

May 31, 2016 - We also discuss the role of **empirical anticoagulation**, and atrial fibrillation burden ... The majority of the **current literature** refers to CS, however, this term is highly predictive of incident AF in **patients in sinus rhythm** and after CS [1]. **Risk of ischaemic stroke** according to pattern of atrial fibrillation: analysis ...

Anticoagulation in patients with acute ischemic stroke and atrial ... - NCBI

www.ncbi.nlm.nih.gov/.../18642133 ▾ National Center for Biotechnology Information ▾
by A Beri - 2008 - Cited by 11 - Related articles

Jul 21, 2008 - **Anticoagulation** in **patients** with acute **ischemic stroke** and atrial fibrillation—a balance of **risks** and **benefits**. ... **OBJECTIVES:** We reviewed the **current literature** regarding **anticoagulation** in **patients** presenting with ... The relative risk of hemorrhagic transformation of the **ischemic stroke** is **higher** than the ...

Anticoagulant therapy for ischemic stroke: A review of literature - NCBI

www.ncbi.nlm.nih.gov/.../PMC35261... ▾ National Center for Biotechnology Information ▾
by MM Shahpouri - 2012 - Cited by 16 - Related articles

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 26,700 条结果 (用时 1.06 秒)

您是不是要找: **Empiric** anticoagulation for patients in sinus rhythm at high risk of ischaemic stroke: A review of current literature

How and When to Screen for Atrial Fibrillation after Stroke: Insights ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: F Bridge - 2016 - [相关文章](#)

2016年5月31日 - We also discuss the role of **empirical anticoagulation**, and atrial fibrillation burden as a means of tailoring **anticoagulation** in **patients at high risk** of bleeding. ... The detection of AF after **ischemic stroke** or transient ischemic attack (TIA) ... The majority of the **current literature** refers to CS, however, this term is ...

A review of the role of anticoagulation for patients with infective ...

onlinelibrary.wiley.com/doi/10.1002/ccr3.556/full - [翻译此页](#)

作者: AH Preston - 2016 - [相关文章](#)

2016年4月13日 - A **review** of the role of **anticoagulation for patients** with infective ... Infective endocarditis has a **high** mortality, yet there is often a ... Embolic complications can affect many organs, but **ischaemic stroke** is ... Electrocardiogram showed **sinus rhythm**. ... **Empirical** antibiotic treatment was started for native valve ...

Electrocardiographic Monitoring for Detecting Atrial Fibrillation After ...

circep.ahajournals.org/content/8/2/263 - [翻译此页](#)

作者: C Dussault - 2015 - [被引用次数: 26](#) - [相关文章](#)

Longer duration of electrocardiographic monitoring after **ischemic stroke** or transient ... AF is likely enough to consider **anticoagulation** in these **high-risk patients**. ... is similar to the proportional difference found in the **current** body of **literature** ... 24 hours in **patients** with thromboembolic stroke and **sinus**

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 30,300 条结果 (用时 0.80 秒)

您是不是要找: ***Empiric* anticoagulation for patients in sinus rhythm at high risk of ischaemic stroke: A review of current literature**

How and When to Screen for Atrial Fibrillation after Stroke: Insights ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: F Bridge - 2016 - 相关文章

2016年5月31日 - We also discuss the role of **empirical anticoagulation**, and atrial fibrillation burden as a means of tailoring **anticoagulation in patients at high risk** of bleeding. ... The detection of AF after **ischemic stroke** or transient ischemic attack (TIA) ... The majority of the **current literature** refers to CS, however, this term is ...

A review of the role of anticoagulation for patients with infective ...

onlinelibrary.wiley.com/doi/10.1002/ccr3.556/full - 翻译此页

作者: AH Preston - 2016 - 相关文章

2016年4月13日 - A **review** of the role of **anticoagulation for patients with infective** ... Infective endocarditis has a **high** mortality, yet there is often a ... Embolic complications can affect many organs, but **ischaemic stroke** is ... Electrocardiogram showed **sinus rhythm**. ... **Empirical** antibiotic treatment was started for native valve ...

Electrocardiographic Monitoring for Detecting Atrial Fibrillation After ...

circep.ahajournals.org/content/8/2/263 - 翻译此页

作者: C Dussault - 2015 - 被引用次数: 26 - 相关文章

Longer duration of electrocardiographic monitoring after **ischemic stroke** or transient AF is likely enough to consider **anticoagulation** in these **high-risk patients**. ... is similar to the proportional difference found in the **current** body of **literature** 24 hours in **patients** with thromboembolic stroke and **sinus rhythm** diagnosed in ...