

Name of Journal: *World Journal of Cardiology*

Manuscript: 33294

Manuscript Type: Minireviews

Peripheral interventions and antiplatelet therapy: Role in current practice

Pahul Singh, Yenai Harper, Carrie S Oliphant, Mohamed Morsy, Michelle Skelton,
Raza Askari, Rami N Khouzam

Abstract

Peripheral arterial disease (PAD) is a common disorder associated with a high risk of cardiovascular mortality and continues to be under-recognized. The major risk factors for PAD are similar to those for coronary and cerebrovascular disease. Management includes exercise program, pharmacologic therapy and revascularization including endovascular and surgical approach. The optimal revascularization strategy, endovascular or surgical intervention, is often debated due to the paucity of head to head randomized controlled studies. Despite significant advances in endovascular

Match Overview

1	Internet 100 words crawled on 27-Apr-2015 wordpress.com	2%
2	Internet 70 words crawled on 18-Oct-2009 www.ncbi.nlm.nih.gov	1%
3	Internet 60 words crawled on 21-Apr-2015 www.endovascularworld.org	1%
4	Internet 54 words crawled on 14-Apr-2016 acsearch.acr.org	1%
5	Internet 53 words crawled on 11-Jul-2014 www.canonpharma.ru	1%
6	Internet 35 words crawled on 13-May-2009 content.nejm.org	1%
7	Internet 33 words crawled on 03-Apr-2016	1%



Peripheral Interventions and Antiplatelet therapy: Where Do We Stand in a



全部

新闻

图片

视频

购物

更多

设置

工具

找到约 157,000 条结果（用时 0.75 秒）

Google 学术: Peripheral Interventions and Antiplatelet therapy: Where Do We Stand in an Era of Guideline Based Therapy?

... update of the ESC Guidelines for the management of ... - Camm - 被引用次数: 3668

Guidelines for the management of atrial fibrillation - Camm - 被引用次数: 5189

... balloon angioplasty in the treatment of coronary artery ... - Fischman - 被引用次数: 4562

Perioperative management of antiplatelet therapy

bj.a.oxfordjournals.org/content/111/suppl_1/i3.full ▾ 翻译此页

作者: AD Oprea - 2013 - 被引用次数: 27 - 相关文章

Both continuation and discontinuation of antiplatelet therapy can be ... A team-based approach to risk stratification is critical to optimizing the intervention (PCI) or thrombolysis and continued indefinitely (class I). Peripheral arterial disease ... The most recent guidelines recommend clopidogrel for a period of 3–6 months ...

Antithrombotic treatment before and after peripheral artery ...

<https://www.ncbi.nlm.nih.gov> ▸ NCBI ▸ Literature ▸ PubMed Central (PMC) - 翻译此页

作者: A Visonà - 2009 - 被引用次数: 26 - 相关文章

Based on the severity of the symptoms, the disease can be classified into such drug interventions are: (i) the most effective and safest antithrombotic therapy; ... but addition of clopidogrel to the standard antithrombotic therapy with aspirin had Guidelines for the management of patients with peripheral arterial disease ...



Peripheral interventions and antiplatelet therapy: Role in current practice



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 916,000 条结果 (用时 0.84 秒)

Google 学术: Peripheral interventions and antiplatelet therapy: Role in current practice

... for Cardiovascular Angiography and Interventions, ... - [Rooke](#) - 被引用次数: 702

... for Cardiovascular Angiography and Interventions, and - [Anderson](#) - 被引用次数: 3458

Peripheral arterial disease detection, awareness, and ... - [Hirsch](#) - 被引用次数: 2403

Antithrombotic treatment before and after peripheral artery ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: A Visonà - 2009 - 被引用次数: 26 - [相关文章](#)

Antithrombotic treatment before and after peripheral artery percutaneous angioplasty ... Thus, as a result of platelet aggregation, activated blood clotting in the ... It is, therefore, of pivotal importance to define the lesion suitable for PTA in both the with fewer side effects, it has replaced ticlopidine in clinical practice. A recent ...

Endovascular Today - Update on Antiplatelet Therapy for Peripheral ...

evtoday.com/.../update-on-antiplatelet-therapy-for-peripheral-arterial-diseas... - [翻译此页](#)

For decades, the mainstay of antiplatelet therapy has been aspirin therapy of ... Thus, it may be common for patients to present for peripheral intervention while ... but there are very few high-quality, randomized data to justify this practice.

Endovascular Today - Peripheral Interventions and Anticoagulation

[全部](#)[图片](#)[新闻](#)[视频](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 888,000 条结果 (用时 0.64 秒)

Google 学术: Peripheral interventions and antiplatelet therapy: Role in current practice

... for Cardiovascular Angiography and Interventions, ... - Rooke - 被引用次数: 714

... for Cardiovascular Angiography and Interventions, and - Anderson - 被引用次数: 3485

Peripheral arterial disease detection, awareness, and ... - Hirsch - 被引用次数: 2414

Use of Antiplatelet Inhibitors in Peripheral Vascular Interventions - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: SW Stavropoulos - 2005 - 相关文章

Over the past decade, our understanding of the role of the platelet in acute ... Pharmacologic therapy during peripheral vascular interventions (PVLs) is often ... use into the current practice of noncoronary percutaneous vascular interventions.

Antithrombotic treatment before and after peripheral artery ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Visonà - 2009 - 被引用次数: 27 - 相关文章

Antithrombotic treatment before and after peripheral artery percutaneous ... Thus, as a result of platelet aggregation, activated blood clotting in the ... It is, therefore, of pivotal importance to define the lesion suitable for PTA in both ACC/AHA 2005 Practice Guidelines for the management of patients with peripheral arterial ...

Endovascular Today - Peripheral Interventions and Anticoagulation ...

evtoday.com/2005/04/et0405_F1_Mureebe.html/ > 翻译此页

Platelet inhibition prior to intervention in the periphery may result in improved ... In addition, many patients who require endovascular therapies may have a ... Most current understanding and practices are derived by extrapolating data from PCI