



Name of Journal: *World Journal of Biological Chemistry*

ESPS Manuscript NO: 28617

Manuscript Type: Editorial

Role of α -amino-3-hydroxy-5-methyl-4-isoxazole-propionic acid receptor regulation in stress-induced pain chronification

Sufang Liu^{1,2} and Feng Tao^{1,3*}

Match Overview



1

Internet 138 words
crawled on 04-Jul-2016
austinpublishinggroup.com

14%

2

Internet 49 words
crawled on 22-Mar-2016
www.jneurosci.org

5%

学术搜索

获得 29 条结果 (用时0.10秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Neuroinflammation and comorbidity of pain and depression

AK Walker, A Kavelaars, CJ Heijnen, R Dantzer - Pharmacological reviews, 2014 - ASPET

被引用次数: 65 相关文章 所有 7 个版本 引用 保存

Neuroplasticity underlying the comorbidity of pain and depression

L Doan, T Manders, J Wang - Neural plasticity, 2015 - hindawi.com

... the NE system has been shown to affect a wide range of cognitive and affective functions. ... raising the possibility that central epigenetic mechanisms can play a role in the ... A recent study shows that AMPAkinases, drugs that potentiate AMPA receptor function, can relieve depressive ...

被引用次数: 15 相关文章 所有 6 个版本 引用 保存 更多

Context-dependent deactivation of the amygdala during pain

P Petrovic, K Carlsson, KM Petersson... - Journal of cognitive ..., 2004 - MIT Press

... may indicate a suppressed amygdala interaction and mirror the brainstem autonomic regulation in response ... habituates (expressed as a relative diminution of activity increase as a function of time ... An elucidation of the role of the orbito-frontal cortex depends on the development ...

被引用次数: 95 相关文章 所有 12 个版本 引用 保存

Stress and tinnitus—from bedside to bench and back

B Mazurek, H Haupt, H Olze... - Frontiers in systems ..., 2012 - books.google.com

... by a variety of pathological conditions via modification of the middle or inner ear functions (eg, otosclerosis ... Basic metabolic rate in emotional talization stress: its potential influence on cochlear function. ... Stress hormone regulation: bio- logical role and translation into therapy. ...

被引用次数: 16 相关文章 所有 14 个版本 引用 保存

microRNAs in nociceptive circuits as predictors of future clinical applications

M Kress, A Hüttenhofer, M Landry... - ... roles of non-coding ..., 2014 - books.google.com

学术搜索

获得 9 条结果 (用时0.06秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Stress and tinnitus—from bedside to bench and back

B Mazurek, H Haupt, H Olze... - Frontiers in systems ..., 2012 - books.google.com

... AMPAR, α -amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid receptor, GR, glucocorticoid receptor, MR, mineralcorticoid receptor. ... Quarcoo et al., 2009), thus, stressing the role of allostatic HPA corticosterone release may affect mineralcorticoid receptor function in cochlea ...

被引用次数: 18 相关文章 所有 14 个版本 引用 保存

Neuroinflammation and comorbidity of pain and depression

AK Walker, A Kavelaars, CJ Heijnen, R Dantzer - Pharmacological reviews, 2014 - ASPET

被引用次数: 74 相关文章 所有 7 个版本 引用 保存

Neuroplasticity underlying the comorbidity of pain and depression

L Doan, T Manders, J Wang - Neural plasticity, 2015 - hindawi.com

... raising the possibility that central epigenetic mechanisms can play a role in the ... A recent study shows that AMPAkinases, drugs that potentiate AMPA receptor function, can relieve ... and R. Craik, "Determinants of recovery 12 months after hip fracture: the importance of psychosocial ...

被引用次数: 22 相关文章 所有 6 个版本 引用 保存 更多

Molecular aspects of tinnitus

M Knipper, U Zimmermann, M Müller - Hearing research, 2010 - Elsevier

Molecular changes caused by sensory trauma and subsequent structural alterations of the central nervous system are only beginning to be identified. In most case.

被引用次数: 31 相关文章 所有 6 个版本 引用 保存

The dark side of opioids in pain management: basic science explains clinical observation

[全部](#)[图片](#)[购物](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 157 条结果 (用时 0.86 秒)

显示的是以下查询字词的结果: **Role of α -amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid receptor regulation in stress-induced pain chronification**

仍然搜索: **Role of α -amino-3-hydroxy-5-methyl-4-isoxazole-propionic acid receptor regulation in stress-induced pain chronification**

Dorsal horn α -amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: YX Tao - 2010 - 被引用次数: 30 - 相关文章

2010年5月1日 - Dorsal horn α -amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid receptor trafficking in inflammatory pain ... Inflammation and tissue/nerve injury cause persistent, or chronic, pain, which is characterized by an enhanced ... The role of synaptic AMPAR trafficking in relation to other important mechanisms of ...

New role for spinal Stargazin in alpha-amino-3-hydroxy-5-methyl-4 ...

<https://www.ncbi.nlm.nih.gov/pubmed/16791853> - [翻译此页](#)

作者: F Tao - 2006 - 被引用次数: 23 - 相关文章

2006 Sep;84(4):867-73. New role for spinal Stargazin in ... acid receptor-mediated pain sensitization after inflammation. ... alpha-amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid (AMPA) receptor ... Stargazin (STG) is the first transmembrane protein known to associate with AMPA receptors and regulate their synaptic ...

AMPA receptor - Wikipedia

https://en.wikipedia.org/wiki/AMPA_receptor ▾ [翻译此页](#)

The α -amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid receptor is a non-NMDA-type ...

Phosphorylation of AMPARs can regulate channel localization, conductance, and Both GluR1 and