

ALL

IMAGES

VIDEOS

43,900 Results

Any time ▾

**(PDF) Markers of systemic inflammation predict survival in ...**<https://www.researchgate.net/publication/239947423...>

Jun 18, 2013 · Jun 18, 2013 · Markers of **systemic inflammation** predict survival in patients with advanced renal cell cancer.pdf Available via license: CC BY-NC-SA ...

**Systemic pro-inflammatory response identifies patients ...**<https://jitc.bmj.com/content/9/3/e002277> ▾

Mar 01, 2021 · Eligible patients (n=1071) were stratified on the basis of a selected panel of five biomarkers of systemic inflammation (NLR, PLR, OIS, mGPS, and PI) at three timepoints: at the last...

**Cited by:** 1**Author:** Gino M Dettorre, Saoirse Dolly, Angela Loizi...**Publish Year:** 2021**Systemic Inflammation Response Index Predicts Survival ...**<https://www.hindawi.com/journals/jir/2020/8628540> ▾

We endeavored to retrospectively assess the prognostic merit of pretreatment **systemic** immune response index (SIRI) in glioblastoma multiforme (GBM) **patients** who underwent postoperative partial...

**Molecular imaging of cardiovascular inflammation and ...**<https://link.springer.com/article/10.1007/s40336-020-00370-4> ▾

**Molecular** imaging using radionuclide techniques has been shown to have excellent clinical utility in the **evaluation** of **inflammation** and infection. Results The strengths of **molecular** imaging techniques lie in...

Microsoft Bing

国内版

国际版

SELECT MOLECULAR PANEL FOR EVALUATING SYSTEMIC INFLAMMATION

📅

📌

🔍

Sign in

☰

ALLIMAGESVIDEOS

14,300 ResultsAny time ▾

Natural bioactive molecules: An alternative approach to ...  
https://www.sciencedirect.com/science/article/pii/S0753332221007101  
The median survival after diagnosis of GBM is 12.5–18 months and the five-year survival is reported to be approximately 4–7%, despite the launch of new advanced targeted therapy and immunotherapy. The standard treatment for GBM is multimodality surgical intervention requiring surgery followed by adjuvant chemoradiation therapy (CRT) with ...

Combined targeting of PI3K and MEK effector pathways via ...  
https://academic.oup.com/noa/article/1/1/vdz004/5499220 ▸  

<AbstractMaterials and MethodsResultsDiscussionFunding>

**Pediatric midline gliomas**, of which diffuse intrinsic **pontine glioma (DIPG)** is the most common variant, are universally lethal malignancies with a median survival of less than 1 year. 1 External beam radiation is the standard of care. However, treatment only prolongs survival by a median of 3 months. 2 This stagnating prognosis is due, in part, to the failure of most chemotherapeutics to cross the blood–brain barrier (BBB) and achieve high concentrations in the tumor. 2,3 Local delivery strategies, such as conve...

See more on [academic.oup.com](https://academic.oup.com)

Cited by: 3      Author: Raymond Chang, Umberto Tosi, Julia Vor...  
Publish Year: 2019      Estimated Reading Time: 12 mins


(PDF) Markers of systemic inflammation predict survival in ...  
https://www.researchgate.net/publication/239947423...

Search Tools  
[Turn off Hover Translation \(关闭取词\)](#)

05-Aug-2021 08:11 PM

3863 iThenticate matches • 3 sources

FAQ

 iThenticate®

67745\_Auto\_Edited.docx

Quoties Excluded  
Bibliography Excluded

2%  
similarity

**Name of Journal:** *World Journal of Clinical Oncology*

**Manuscript NO:** 67745

**Manuscript Type:** ORIGINAL ARTICLE

**Observational Study**

**SELECT MOLECULAR PANEL FOR EVALUATING SYSTEMIC INFLAMMATION AND SURVIVAL IN THERAPY NAIVE GLIOMA PATIENTS**

Systemic-inflammation linked to survival in glioma

Puneet Gandhi, Richa Shrivastava, Nitin Garg, Sandeep K Sorte

Match Overview

1

Crossref 32 words  
Puneet Gandhi, Richa Khare, Nitin Garg, "Evaluating the potential of calculating HERT levels in glioma: can plasma levels..."

1%

2

Internet 19 words  
crawled on 16-Mar-2020  
capthra.unet.es

<1%

3

Internet 12 words  
crawled on 21-Jul-2020  
www.internationalneurooncology.com

<1%

1

2

PAGE 1 OF 15

🔍

🔍

📊

🔍

🔄

Text Only Report

国内版

国际版

Novel molecular panel for evaluating systemic inflammation and s



ALL

IMAGES

VIDEOS

27,900 Results

Any time ▾

### [Immunosuppression after Sepsis: Systemic Inflammation and ...](#)

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0115094> ▾

Dec 26, 2014 · Sepsis describes the life-threatening **systemic inflammatory** response (SIRS) of an organism to an infection and is the leading cause of mortality on intensive care units (ICU) worldwide. An acute episode of sepsis is characterized by the extensive release of cytokines and other mediators resulting in a dysregulated immune response leading to organ damage and/or death.

Cited by: 63

Author: Robby Markwart, Stephanie A. Condotta, ...

Publish Year: 2014

Estimated Reading Time: 10 mins

### [Novel Molecular Targets for the Therapy of Castration ...](#)

<https://www.sciencedirect.com/science/article/pii/S0302283811014126>

May 01, 2012 · Over the past year, multiple new **systemic therapy** agents have become available to treat men with metastatic castration-resistant prostate cancer (mCRPC) that provide modest but much needed benefits (). Docetaxel and cabazitaxel chemotherapy provide modest 2.5- to 3-mo extensions of median **survival** as first- and second-line chemotherapy, respectively , .

Cited by: 98

Author: Neeraj Agarwal, Guru Sonpavde, Guru So...

Publish Year: 2012

### [Inflammatory and Anti-glioma Effects ... - Molecular Therapy](#)

<https://www.cell.com/molecular-therapy-family/...> ▾

Dec 01, 2004 · In this model, hsFlt3-L-mediated gene **therapy** elicited a 70% ( $P < 0.0005$ ) **survival** of tumor-bearing animals, and this increased **survival** was monitored for up to 6 months. This is the first demonstration that hsFlt3L, a cytokine used to stimulate anti-tumor responses in tumors in other organs, may have an important role for treating intracranial brain tumors.

Cited by: 117

Author: Sumia Ali, Sumia Ali, James F. Curtin, Je...

Publish Year: 2004

### [Tackling molecular targets beyond PD-1/PD-L1: Novel ...](#)

<https://www.sciencedirect.com/science/article/pii/S1040842819300137>

Mar 01, 2019 · Combined treatment with OX40 agonistic mAb and subcutaneous vaccination of irradiated GM-CSF-expressing **glioma** tumor cells exhibited synergistic antitumor activity and significantly boosted the **survival** of GL261 **glioma**-bearing mice (Jahan et al., 2018). The underlying mechanisms for such effect included an enhanced activity of Th1 CD4 + T-cells while reducing Th2 fraction in the brain.