



20574-Review

Quotes Excluded
Bibliography Excluded14%
SIMILAR

13

Name of journal: World Journal of Clinical Oncology

ESPS Manuscript NO: 20574

Manuscript Type: MINIREVIEW

12

Neoadjuvant chemotherapy followed by surgery in gastric cancer patients
with extensive lymph node metastasis

Seiji Ito, Yuichi Ito, Kazunari Misawa, Yasuhiro Shimizu, Taira Kinoshita

Abstract

11

Gastric cancer with extensive lymph node metastasis (ELM) is usually
considered unresectable and is associated with poor outcomes. Cases with

Match Overview



1

CrossCheck 55 words

Katayama, H., S. Ito, T. Sano, D. Takahari, J. Mizusawa, N. Boku, A. Tsuburaya, M. Terashima, and M. Sasako. "A Ph

2%

2

Internet 45 words

crawled on 04-Apr-2014
www.e-medication.org

1%

3

CrossCheck 28 words

Tsuburaya, A., J. Mizusawa, Y. Tanaka, N. Fukushima, A. Nashimoto, and M. Sasako. "Neoadjuvant chemotherapy wi

1%

4

CrossCheck 25 words

Inoue, K. "Phase II trial of preoperative S-1 plus cisplatin f
ollowed by surgery for initially unresectable locally advan...

1%

5

Internet 19 words

crawled on 16-Jan-2013
www.ncbi.nlm.nih.gov

1%

6

CrossCheck 14 words

Aizawa, Masaki, Akiko K. Nagatsuma, Koji Kitada, Takeshi Kuwata, Satoshi Fujii, Taira Kinoshita, and Atsushi Ochiai

<1%

网页

图片

学术

高级搜索

Neoadjuvant chemotherapy with S-1 and cisplatin followed by D2 ...

www.ncbi.nlm.nih.gov/pubmed/24668391

25 Mar 2014 ... Neoadjuvant chemotherapy with S-1 and cisplatin followed by D2 ... lymph node dissection for gastric cancer with extensive lymph node metastasis. ... followed by extended surgery with PAN dissection for gastric cancer ... METHODS: Patients with gastric cancer with bulky lymph node metastasis along the....

PubMed Result

www.ncbi.nlm.nih.gov/pubmed?linkname=pubmed_pubmed&from_uid=24889718

Neoadjuvant chemotherapy with S-1 and cisplatin followed by D2 gastrectomy with ... [Three cases of gastric cancer with para-aortic lymph node metastases ... by surgery in gastric cancer patients with extensive lymph node metastasis: Japan....

A phase II trial of Xeloda and oxaliplatin (XELOX) neo-adjuvant ...

www.ncbi.nlm.nih.gov/pmc/articles/PMC4032640/

21 Apr 2014 ... In unresectable cases, neoadjuvant chemotherapy could prolong survival if ... Keywords: Gastric cancer, Para-aortic lymph node, Chemotherapy ... prognosis even after an R0 resection and extensive lymph node dissection. ... XELOX followed by surgery in gastric cancer patients with PAN involvement.

Phase II study of neoadjuvant chemotherapy and extended surgery ...

www.ncbi.nlm.nih.gov/pubmed/19644974

BACKGROUND: Locally advanced gastric cancer with extensive lymph node ... safety and efficacy of preoperative chemotherapy followed by extended surgery in the ... metastasis received two or three 28-day cycles of induction chemotherapy; ... deaths when 55

网页

图片

学术

高级搜索

Neoadjuvant chemotherapy with S-1 and cisplatin followed by D2 ...

www.ncbi.nlm.nih.gov/pubmed/24668391

25 Mar 2014 ... Neoadjuvant chemotherapy with S-1 and cisplatin followed by D2 ... lymph node dissection for gastric cancer with extensive lymph node metastasis. ... followed by extended surgery with PAN dissection for gastric cancer ... METHODS: Patients with gastric cancer with bulky lymph node metastasis along the....

PubMed Result

www.ncbi.nlm.nih.gov/pubmed?linkname=pubmed_pubmed&from_uid=24889718

Neoadjuvant chemotherapy with S-1 and cisplatin followed by D2 gastrectomy with ... [Three cases of gastric cancer with para-aortic lymph node metastases ... by surgery in gastric cancer patients with extensive lymph node metastasis: Japan....

A phase II trial of Xeloda and oxaliplatin (XELOX) neo-adjuvant ...

www.ncbi.nlm.nih.gov/pmc/articles/PMC4032640/

21 Apr 2014 ... In unresectable cases, neoadjuvant chemotherapy could prolong survival if ... Keywords: Gastric cancer, Para-aortic lymph node, Chemotherapy ... prognosis even after an R0 resection and extensive lymph node dissection. ... XELOX followed by surgery in gastric cancer patients with PAN involvement.

Phase II study of neoadjuvant chemotherapy and extended surgery ...

www.ncbi.nlm.nih.gov/pubmed/19644974

BACKGROUND: Locally advanced gastric cancer with extensive lymph node ... safety and efficacy of preoperative chemotherapy followed by extended surgery in the ... metastasis



Neoadjuvant chemotherapy followed by surgery in gastric cancer patie



网页

图片

视频

新闻

地图

更多 ▾

搜索工具

找到约 146,000 条结果 (用时 0.69 秒)

Google 学术: Neoadjuvant chemotherapy followed by surgery in gastric cancer patients with extensive lymph node metastasis

Neoadjuvant chemotherapy compared with surgery ... - Schuhmacher - 被引用次数: 257

... of neoadjuvant chemotherapy and extended surgery ... - Yoshikawa - 被引用次数: 109

... carcinoma treated with neoadjuvant chemotherapy - Becker - 被引用次数: 285

Neoadjuvant chemotherapy with S-1 and cisplatin followed ...

www.ncbi.nlm.nih.gov/pubmed/24668391 ▾ 翻译此页

作者: A Tsuburaya - 2014 - 被引用次数: 27 - 相关文章

2014年3月25日 - Neoadjuvant chemotherapy with S-1 and cisplatin followed by D2 ...

lymph node dissection for gastric cancer with extensive lymph node metastasis. ...

followed by extended surgery with PAN dissection for gastric cancer ... METHODS:

Patients with gastric cancer with bulky lymph node metastasis along the ...

PubMed Result

www.ncbi.nlm.nih.gov/pubmed/?linkname=pubmed...from... - 翻译此页

Neoadjuvant chemotherapy with S-1 and cisplatin followed by D2 gastrectomy with ...

[Three cases of gastric cancer with para-aortic lymph node metastases ... by surgery in gastric cancer patients with extensive lymph node metastasis: Japan ...

A Case of Gastric Cancer with Residual Tumor Only in the ...

<https://www.karger.com/Article/FullText/438698> - 翻译此页

作者: M Tsutsuyama - 2015

2015年7月31日 - Gastric cancer Conversion surgery Para-aortic lymph node ... PAN

involvement in gastric cancer patients is classified as stage IV ... hand, neoadjuvant chemotherapy with S-1 and cisplatin followed by surgery including PAN dissection for