

Name of Journal: *World Journal of Clinical Oncology*

ESPS Manuscript NO: 21031

Manuscript Type: EDITORIAL

Neoadjuvant Treatment for Resectable Pancreatic Adenocarcinoma

John Wong, Naveen Solomon, Chung-Tsen Hsueh

Abstract

Pancreatic adenocarcinoma ⁵ is the fourth leading cause of cancer mortality in the United States in both men and women, with a 5-year survival rate of less than 5%. Surgical resection remains the only curative treatment, but most patients develop systemic recurrence within 2 years of surgery. Adjuvant treatment with chemotherapy or

Match Overview

7	Tachezy, Michael, Florian Gebauer, Cordula Petersen, Dirk Arnold, Martin Trepel, Karl Wegscheider, Phillippe Sch	<1%
8	Internet 16 words crawled on 05-Oct-2013 www.pancreaticcancer.net.au	<1%
9	Publications 14 words "10-Q: BRISTOL MYERS SQUIBB CO.", EDGAR Online-Glimpse, Oct 27 2015 Issue	<1%
10	Internet 13 words crawled on 03-Apr-2015 www.paidclinicaltrials.org	<1%
11	Internet 13 words crawled on 23-Apr-2015 www.agitg.org.au	<1%
12	CrossCheck 12 words Campos, Susana M. "Anti-Epidermal Growth Factor Receptor Strategies for Advanced Breast Cancer", Cancer In	<1%
13	CrossCheck 12 words Romano, Fabrizio, Luca Degrate, Mattia Garancini, Fabio Uggeri, Gianmaria Mauri, and Franco Uggeri. "An Ov ...	<1%

网页

图片

学术

高级搜索

Neoadjuvant Therapy for Resectable Pancreatic Cancer | ASCO ...

connection.asco.org/magazine/current-controversies-oncology/neoadjuvant-therapy-

25 Feb 2014 ... By Sabha Ganai, MD, PhD. Southern Illinois University School of Medicine. **Pancreatic adenocarcinoma** is currently the fourth leading cause....

Neoadjuvant Therapy for Resectable Pancreatic Cancer: A Potential ...

gicasymp.org/neoadjuvant-therapy-resectable-pancreatic-cancer-potential-resource-

16 Jan 2014 ... **Pancreatic ductal adenocarcinoma** is the fourth leading cause of **cancer**-related mortality in the United States. As Drs. Safi Shahda and Bert....

Neoadjuvant FOLFIRINOX for borderline resectable pancreas ...

www.ncbi.nlm.nih.gov/pubmed/24569947

25 Feb 2014 ... **Neoadjuvant FOLFIRINOX for borderline resectable pancreas cancer: a new treatment paradigm?** Christians KK(1), Tsai S, Mahmoud A, Ritch....

Neoadjuvant treatment of borderline resectable and non-resectable ...

annonc.oxfordjournals.org/content/early/2013/07/11/annonc.mdt239

12 Jul 2013 ... Abstract. **Neoadjuvant therapy** is increasingly becoming a valid treatment option for patients with locally advanced **pancreatic cancer** (LAPC).

Resectable or Borderline Resectable Pancreatic Adenocarcinoma

www2.mdanderson.org/depts/oncolog/articles/13/10-oct/10-13-Compass.html

Resectable or Borderline **Resectable Pancreatic Adenocarcinoma**: Initial Treatment Options **Neoadjuvant**

学术搜索

找到约 17,600 条结果 (用时0.03秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Neoadjuvant therapy for unresectable pancreatic adenocarcinoma

JM Jessup, G Steele, RJ Mayer... - Archives of ..., 1993 - archsurg.jamanetwork.com

John M. Jessup, MD; Glenn Steele, Jr, MD; Robert J. Mayer, MD; Marshall Posner, MD; Paul Busse, MD; Blake Cady, MD; Michael Stone, MD; Roger Jenkins, MD; Robert Osteen, MD
s= b\ The purposes of this study were to determine whether continuous infusion of ...

被引用次数: 177 相关文章 所有 7 个版本 引用 保存

[引用] Neoadjuvant therapy for resectable pancreatic cancer

CP Raut, DB Evans, CH Crane, PWT Pisters... - Surgical oncology clinics ..., 2004 - Elsevier

被引用次数: 53 相关文章 所有 5 个版本 引用 保存

[HTML] Neoadjuvant Therapy for Resectable Pancreatic Cancer

S Ganai - connection.asco.org

Pancreatic adenocarcinoma is currently the fourth leading cause of cancer death in the United States, with five-year survival rates for patients with localized disease remaining under 25%. 1 Despite improvements in morbidity and mortality from pancreas surgery, as ...

相关文章 引用 保存 更多

Neoadjuvant chemoradiotherapy for adenocarcinoma of the pancreas: treatment variables and survival duration

TM Breslin, KR Hess, DB Harbison, ME Jean... - Annals of surgical ..., 2001 - Springer

... Resection margins in carcinoma of the head of the pancreas. Implications for radiation therapy.

Ann Surg 1993; 217: 144-8. About this Article. Title Neoadjuvant Chemoradiotherapy for

Adenocarcinoma of the Pancreas: Treatment Variables and Survival Duration ...

被引用次数: 321 相关文章 所有 9 个版本 引用 保存



[网页](#) [图片](#) [新闻](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 128,000 条结果 (用时 0.44 秒)

Google 学术: Neoadjuvant treatment for resectable pancreatic adenocarcinoma

... therapy for unresectable pancreatic adenocarcinoma - Jessup - 被引用次数: 177

[Neoadjuvant therapy for resectable pancreatic cancer](#) - Raut - 被引用次数: 53

... for adenocarcinoma of the pancreas: treatment ... - Breslin - 被引用次数: 321

Neoadjuvant FOLFIRINOX for borderline resectable ...

www.ncbi.nlm.nih.gov/pubmed/24569947 ▾ [翻译此页](#)

作者: KK Christians - 2014 - 被引用次数: 38 - [相关文章](#)

2014年2月25日 - Neoadjuvant FOLFIRINOX for borderline resectable pancreas cancer: a new treatment paradigm? Christians KK(1), Tsai S, Mahmoud A, Ritch ...

Neoadjuvant therapy in resectable pancreatic cancer: a ...

www.ncbi.nlm.nih.gov/pubmed/23122322 ▾ [翻译此页](#)

作者: C Belli - 2013 - 被引用次数: 20 - [相关文章](#)

Cancer Treat Rev. 2013 Aug;39(5):518-24. doi: 10.1016/j.ctrv.2012.09.008. Epub 2012 Oct 31. Neoadjuvant therapy in resectable pancreatic cancer: a critical ...

Neoadjuvant Therapy for Resectable Pancreatic Cancer ...

<https://connection.asco.org/.../neoadjuvant-therapy-resectable-p...> ▾ [翻译此页](#)

作者: S Ganai - [相关文章](#)

2014年2月25日 - The concept that pancreatic cancer isa systemic disease at presentation isa ... neoadjuvant therapy for resectableand borderline-resectable ...