



20645-Review

Quotes Excluded  
Bibliography Excluded10%  
SIMILAR

5

Name of Journal: *World Journal of Clinical Oncology*

ESPS Manuscript NO: 20645

Manuscript Type: Editorial

Sequential treatment in disseminated well- and intermediate-differentiated pancreatic neuroendocrine tumors: Common sense or low rationale?

Enrique Grande

**Abstract**

Fortunately, the landscape of the systemic treatment for grade 1 and 2 pancreatic neuroendocrine tumors has changed in the last decade with at least four different alternatives approved in the field. Chemotherapy, somatostatin analogues, sunitinib and everolimus remind valid options according to the most referenced international guidelines. However, and although this is something done in the routine practice, there is a lack of evidence for the use of

**Match Overview**

1	<b>CrossCheck</b> 95 words Lombard-Bohas, Catherine, James C. Yao, Timothy Hobday, Eric Van Cutsem, Edward M. Wolin, Ashok Panneerselv	4%
2	<b>Publications</b> 19 words "Reports Outline Neuroendocrine Cancer Findings from Egeon Health and Science University (Impact of ", Biotech W	1%
3	<b>CrossCheck</b> 14 words Thorvardur R. Halfdanarson, "Carcinoid Syndrome", Clinical Endocrine Oncology, 04/15/2008	1%
4	<b>CrossCheck</b> 12 words &NA; "Abstracts :", Journal of Thoracic Oncology, 06/2011	<1%
5	<b>Internet</b> 11 words crawled on 19-May-2014 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	<1%
6	<b>Internet</b> 10 words crawled on 16-Oct-2010 <a href="http://www.nature.com">www.nature.com</a>	<1%

[网页](#)[图片](#)[学术](#)[高级搜索](#)

## Neuroblastoma - Wikipedia, the free encyclopedia

[en.wikipedia.org/wiki/Neuroblastoma](https://en.wikipedia.org/wiki/Neuroblastoma)

It is a **neuroendocrine tumor**, arising from any neural crest element of the ... **Low**-risk disease is most **common** in infants and **good** outcomes are **common** .... have similar origins and show a wide pattern of **differentiation** ranging from benign .... With current **treatments**, patients with **low** and **intermediate** risk disease have an....

## pancreatic neuroendocrine tumors: Topics by WorldWideScience.org

[worldwidescience.org/topicpages/p/pancreatic+neuroendocrine+tumors.html](https://worldwidescience.org/topicpages/p/pancreatic+neuroendocrine+tumors.html)

Pancreatic neuroendocrine tumors (pNETs) are **rare well-differentiated** neoplasms which ... Current systemic **treatment** options for advanced, unresectable disease include ..... Tumors of the **disseminated/diffuse** neuroendocrine system (NET) are ..... With Advanced **Low to Intermediate** Grade **Neuroendocrine Carcinoma**.

## [PDF] Download PDF file - Czasopisma

[czasopisma.viamedica.pl/ep/article/download/34307/25118](https://czasopisma.viamedica.pl/ep/article/download/34307/25118)

Poorly **differentiated** neuroendocrine carcinomas (PDNEC) are **rare** tumours that can ... best method of evaluating disease spread and guiding further **treatment**. ... **Sequential** or concurrent chemoradiation is recommended for patients with ..... **Pancreas**. **Low** grade. Carcinoid tumour. **Neuroendocrine tumour**, grade 1.

## Cancer Concepts and Principles: Primer for the Interventional ...

[www.ncbi.nlm.nih.gov/pmc/articles/PMC3800031/](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3800031/)

28 Jun 2013 ... **Common** tumor markers, source and clinical applications ... While most



[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 36,400 条结果 (用时 0.65 秒)

### well-differentiated neuroendocrine tumor - WorldWideScience

[worldwidescience.org/.../w/well-differentiated+neuroendocrine+tumor.html](http://worldwidescience.org/.../w/well-differentiated+neuroendocrine+tumor.html)

Well-differentiated pancreatic neuroendocrine carcinoma in tuberous ..... Furthermore, palliative therapy can be used in disseminated disease. .... a spectrum of lung tumors, including low-grade typical and intermediate-grade atypical carcinoid, ..... giving a compelling reason for switching from SPECT/CT to PET/CT imaging.

### <sup>[PDF]</sup> Download PDF file

[https://journals.viamedica.pl/endokrynologia\\_polska/.../25118](https://journals.viamedica.pl/endokrynologia_polska/.../25118) ▾ [翻译此页](#)

作者: A Koumariou - 2013 - 被引用次数: 6 - [相关文章](#)

Poorly differentiated neuroendocrine carcinomas (PDNEC) are rare tumours that can ... best method of evaluating disease spread and guiding further treatment. ... Sequential or concurrent chemoradiation is recommended for patients with ..... Pancreas. Low grade. Carcinoid tumour. Neuroendocrine tumour, grade 1.

缺少字词: sense

### Intra-Arterial Liver-Directed Therapies for Neuroendocrine ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: S Gupta - 2013 - 被引用次数: 4 - [相关文章](#)

Neuroendocrine tumors (NETs) include a variety of tumors that have the capacity to ... Treatment options for patients with liver metastases are limited. ... the portal vein,

全部

图片

新闻

视频

更多 ▾

搜索工具

找到约 32,400 条结果 (用时 0.93 秒)

## Application and dosimetric requirements for 68Ga-labeled ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: D Taieb - 2015

2015年7月8日 - Neuroendocrine tumors (NETs) are associated with variable prognosis, with .... a compelling **reason** for switching from SPECT/CT to PET/CT imaging. ... the **treatment** of **low** to **intermediate** grade **pancreatic neuroendocrine tumours**..... versus Sunitinib in pre-**treated** progressive **well differentiated** pancreatic ...

## Intra-Arterial Liver-Directed Therapies for Neuroendocrine ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者: S Gupta - 2013 - 被引用次数: 4 - 相关文章

**Neuroendocrine tumors** (NETs) include a variety of **tumors** that have the capacity to ... **Treatment** options for patients with liver metastases are limited. ... the portal vein, provides a **good rationale** for using either hepatic arterial embolization or .... in patients with carcinoid **tumors**, patients with **islet cell carcinoma treated** with ...

缺少字词: sense

## Cancer of the appendix and pseudomyxoma peritonei

[www.uptodate.com/.../cancer-of-the-appendix-and-pseudomyx...](http://www.uptodate.com/.../cancer-of-the-appendix-and-pseudomyx...) ▾ 翻译此页

作者: R Swanson - 相关文章

2013年11月19日 - Carcinoid tumors are the **most common**, comprising over 50 percent of ... **Treatment** — Optimal surgical management for appendiceal .... and "Metastatic **well-differentiated pancreatic neuroendocrine tumors**: ... But "benign" cystadenomas that perforate can recur as **disseminated** peritoneal mucinous tumors.

## metastatic well-differentiated neuroendocrine: Topics by ...

[worldwidescience.org/](http://worldwidescience.org/) ... /metastatic+well-differentiated+neuroendocrine... ▾