



Name of Journal: *World Journal of Clinical Oncology*

ESPS Manuscript NO: 25039

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Factors associated with cervical cancer screening in a safety net population

¹Meredith A. Heberer, MD

^{1,2}Ian K. Komenaka, MD

³Jesse N. Nodora, DrPH

^{2,4}Chiu-Hsieh Hsu, PhD

⁵Sonal G. Gandhi, MD

¹Lauren E. Welch, MD

¹Marcia E. Banton, BA, C

Match Overview

1

Internet 62 words
crawled on 03-Aug-2012
www.aafcs.org

2%

2

Internet 51 words
crawled on 03-Jul-2015
www.bcpartnerships.net

1%

学术搜索

找到约 26,200 条结果 (用时0.11秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

Correlates of cervical cancer screening among underserved Hispanic and African-American women

[M Bazargan](#), SH Bazargan, M Farooq, RS Baker - Preventive medicine, 2004 - Elsevier

... The identification of specific factors associated with adherence to cancer screening guidelines may help inform ... is often used in data reduction to identify a small number of factors that explain ... Factor analysis can also be used to screen variables for subsequent analysis such as ...

被引用次数: 152 相关文章 所有 6 个版本 引用

Race and ethnic disparities in cervical cancer screening in a safety-net system

GA Owusu, SB Eve, CM Cready, K Koelln... - Maternal and child ..., 2005 - Springer

... Factors like these that hinder access to and utilization of needed healthcare may prevent ... In the 2000 Behavioral Risk Factor Surveillance System (BRFSS), 7.1% of Hispanic women 18 ... suggest that time costs associated with cervical cancer screening represent an important op ...

被引用次数: 54 相关文章 所有 8 个版本 引用

The safety net: a cost-effective approach to improving breast and cervical cancer screening

TM Vogt, A Glass, RE Glasgow... - Journal of Women's ..., 2003 - online.liebertpub.com

... 2,27 Compared with current screening patterns in The Netherlands, regular cervical screening at 5 ... do not seek regular screening have a disproportionate share of cervical cancer.30-33 ... other risk behaviors and, consequently, are more likely to have multiple risk factors.21,34 ...

被引用次数: 41 相关文章 所有 5 个版本 引用

[HTML] Improving follow - up to abnormal breast cancer screening in an urban population

[TA Battaglia](#), K Roloff, [MA Posner](#), KM Freund - Cancer, 2007 - Wiley Online Library

... several observational studies have not found this to be a significant explanatory factor.3-5 ... In this model, once again, the trend over time being associated with timely follow-up ... Although transportation or convenience factors could have been operant, our system of care provides ...

被引用次数: 181 相关文章 所有 6 个版本 引用

wiley.com 中

google scholar - - Yahoo S...Factors associated with cer...+https://scholar.google.com/scholar?hl=en&q=Factors+associated+with+cervical+cancer+screening+in+a+safety+net+population&btnG=&as_sdtSearch

WebImagesMore...Sign in

Google

Factors associated with cervical cancer screening in a safety net population

Scholar

About 27,400 results (0.04 sec)

My Citations

Articles

Case law

My library

Any time

Since 2016

Since 2015

Since 2012

Custom range...

Sort by relevance

Sort by date

☒ include patents

☒ include citations

☐ Create alert

Correlates of cervical cancer screening among underserved Hispanic and African-American women

M Bazargan, SH Bazargan, M Farooq, RS Baker - Preventive medicine, 2004 - Elsevier

... The identification of specific factors associated with adherence to cancer screening guidelines may help inform ... is often used in data reduction to identify a small number of factors that explain ... Factor analysis can also be used to screen variables for subsequent analysis such as ...

Cited by 160Related articlesAll 6 versionsCiteSave

Race and ethnic disparities in cervical cancer screening in a safety-net system

GA Owusu, SB Eve, CM Cready, K Koelln... - Maternal and child ..., 2005 - Springer

... Factors like these that hinder access to and utilization of needed healthcare may prevent ... In the 2000 Behavioral Risk Factor Surveillance System (BRFSS), 7.1% of Hispanic women 18 ... suggest that time costs associated with cervical cancer screening represent an important op ...

Cited by 56Related articlesAll 8 versionsCiteSave

The safety net: a cost-effective approach to improving breast and cervical cancer screening

TM Vogt, A Glass, RE Glasgow... - Journal of Women's ..., 2003 - online.liebertpub.com

... 2,27 Compared with current screening pat- terns in The Netherlands, regular cervical screen- ing at 5 ... do not seek regular screening have a disproportionate share of cervi- cal cancer.30-33 ... other risk behaviors and, consequently, are more likely to have multiple risk factors.21,34 ...

Cited by 42Related articlesAll 5 versionsCiteSave

[HTML] Improving follow-up to abnormal breast cancer screening in an urban population

TA Battaglia, K Roloff, MA Posner, KM Freund - Cancer, 2007 - Wiley Online Library

... several observational studies have not found this to be a significant explanatory factor.3-5 ... In this model, once again, the trend over time being associated with timely follow-up ... Although transportation or convenience factors could have been operant, our system of care provides ...

Cited by 185Related articlesAll 6 versionsCiteSave

[HTML] from wiley.com

The disparity of cervical cancer in diverse populations

LS Downs, JS Smith, I Scarinci, L Flowers... - Gynecologic ..., 2008 - Elsevier

... published by Akers et al.[23] Many of these barriers are also factors in nonadherence to ... Data from 2000 generated by the Behavioral Risk Factor Surveillance Survey linked to state-specific ... Recommendation by a physician is strongly associated with having had a Pap smear [18 ...

Cited by 134Related articlesAll 10 versionsCiteSave

[PDF] from psu.edu

[HTML] Association of insurance with cancer care utilization and outcomes

E Ward, M Halpern, N Schrag... - CA: a cancer journal..., 2008 - Wiley Online Library

[HTML] from wiley.com

8:33 AM 6/17/2016

全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 241,000 条结果 (用时 0.55 秒)

Google 学术: Factors associated with cervical cancer screening in a safety net population

... disparities in cervical cancer screening in a safety-net ... - Owusu - 被引用次数: 56

Correlates of cervical cancer screening among ... - Bazargan - 被引用次数: 161

... to improving breast and cervical cancer screening - Vogt - 被引用次数: 45

Patient and Provider Factors Associated with Colorectal Cancer ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: M Lopez-Class - 2012 - 被引用次数: 6 - 相关文章

Patient and Provider Factors Associated with Colorectal Cancer Screening in Safety Net ... Cancer is the second leading cause of death in this population and ... old and older (in other analyses we examined cervical cancer screening and ...

Barriers to Cervical Cancer Screening Among Lesbians - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: JK Tracy - 2010 - 被引用次数: 51 - 相关文章

Risk factors associated with cervical cancer include persistent infection with ... population because of their lower Pap screen rates, comparable risk of HPV Race and ethnic disparities in cervical cancer screening in a safety-net system.

In a Safety Net Population HPV4 Vaccine Adherence Worsens as BMI ...

journals.plos.org/plosone/article?id=10.1371/journal.pone.0103172 ▾ 翻译此页

作者: DM Harper - 2014 - 被引用次数: 2 - 相关文章

2014年7月30日 - Obesity, as well as gravidity and Hispanic race, are risk factors for lack of ... (2014) In a Safety Net Population HPV4 Vaccine Adherence Worsens as BMI Increases. ... The higher death rate