

3
Name of Journal: *World Journal of Clinical Oncology*

ESPS Manuscript NO: 30653

Manuscript Type: Original Article

Clinical Trials Study

Study of rhIL-12 for treatment of complications after radiotherapy for tumor patients

Wen-Qin Wang, Xiao-Jing Gong, Lei Gao, Li-Rong Yang, Wei-Na Yu, Hong-Yu Shen, Ling-Qin Wan, Xi-Feng Jia, Yi-Shan Wang, Yi Zhao

Abstract

AIM: To evaluate the treatment effects of recombinant human interleukin-12 (rhIL-12) on radiotherapy complications such as severe myelosuppression or pancytopenia, the decline or imbalance of immune function, etc. To explore

Match Overview

1	Internet 15 words crawled on 31-Jul-2008 intimm.oxfordjournals.org	<1%
2	Crossref 11 words Scott M. Whitcup. "IL-12 inhibits endotoxin-induced inflammation in the eye", <i>European Journal of Immunology</i> , 05/1	<1%
3	Internet 11 words crawled on 19-May-2014 www.wjgnet.com	<1%
4	Crossref 10 words Wang, Yi-Shan. "Clinical application of CyberKnife for high-risk central nervous system tumors: A clinical trial report"	<1%
5	Internet 9 words crawled on 14-Dec-2006 www.translational-medicine.com	<1%
6	Crossref 8 words Holowiecki, J.. "Autologous hematopoietic stem cell transplantation for high-risk Hodgkin's disease: a single-center study"	<1%

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多 ▾](#)[搜索工具](#)

找到约 3,310,000 条结果 (用时 0.72 秒)

小提示： 仅限搜索**简体中文**结果。您可以在设置中指定搜索语言

Interleukin 12: still a promising candidate for tumor immunotherapy?

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: W Lasek - 2014 - 被引用次数: 62 - 相关文章

2014年2月11日 - Recently, several **clinical studies** have been initiated in which IL-12 is ... Keywords: **Interleukin 12**, **Cancer** immunotherapy, Gene **therapy**, Cytokine ... The main source of IL-12 in **humans** is the activated antigen-presenting cells, such as **patient** experienced mental **problems** following prolonged **therapy** ...

New insights into IL-12-mediated tumor suppression

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: S Tugues - 2015 - 被引用次数: 31 - 相关文章

2014年9月5日 - During the past two decades, **interleukin-12** (IL-12) has emerged as one of the most ... The majority of **clinical trials** involving **treatment** with IL-12 failed to show sustained **tumors** when IL-12 was administered early **after** chemotherapy, thus In **patients** with **malignant** melanoma, i.e. delivery of a plasmid ...

Interleukin-12 and photocarcinogenesis

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: SK Katiyar - 2007 - 被引用次数: 30 - 相关文章

2006年11月18日 - **Treatment** of mice with IL-12 prevents UV-induced immunosuppression in ... **After** exposure to the photocarcinogenesis protocol, the development of IL-12 may have a role in the **prevention** of UV **radiation**-induced skin **cancer**. Effect of IL-12 in **human** cutaneous **malignancies**: outcome of **clinical trials** ...

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 13,700,000 条结果 (用时 0.73 秒)

Management of Complications of Prostate Cancer Treatment - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: MD Michaelson - 2008 - 被引用次数: 125 - 相关文章

2008年5月23日 - External beam or interstitial **radiation therapy** in men with localized prostate ...

Numerous clinical trials have **studied** the role of bone antiresorptive **therapy** for Although it is seen in up to 13% of **patients after** LRP, it is less ...

Hypoxia and radiation therapy: Past history, ongoing research, and ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: S Rockwell - 2009 - 被引用次数: 122 - 相关文章

Tumor hypoxia influences the outcome of **treatment** with **radiotherapy**, chemotherapy ... Experimental and clinical **studies** of the therapeutic implications of **tumor** in oxygenation in experimental **tumors**, and especially in the **tumors** of **patients**, showed improvements in **tumor** response **after** transfusions and because of ...

Breast Cancer Treatment - RadiologyInfo.org

www.radiologyinfo.org/en/info.cfm?pg=breast-cancer-therapy ▾ [翻译此页](#)

跳到What is the prognosis **after** recurrence? - Many **patients** with a recurrence of breast **cancer** can ...

This slowly goes away one to two months **following** the **radiation therapy**. ... More serious **complications** include: ... Current **studies** have found no increased risk of ... **after treatment** and then every six to 12 months or ...

Radiation therapy for breast cancer - American Cancer Society

www.cancer.org > Learn About Cancer > Breast Cancer > Detailed Guide ▾ [翻译此页](#)

2016年9月29日 - **Radiation therapy** is a **treatment** that uses high-energy rays or ... Doctor talking to

patient. ... **After** breast-conserving surgery (BCS), to help lower the chance that the ... Newer approaches now being **studied** give **radiation** over an even ... Changes to the breast tissue usually go

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 48,600,000 条结果 (用时 0.57 秒)

More complications, less satisfaction in breast cancer patients who get ...

[medicalxpress.com](#) > [Cancer](#) ▾ [翻译此页](#)

2016年12月8日 - Many breast **cancer patients** who have a mastectomy will consider breast reconstruction. ... A new **study** finds that women who have implant reconstruction **following radiation therapy** had more **complications** from the surgery and were ... M.D., D.Phil., professor and deputy chair of **radiation** oncology at the ...

Interleukin 12: still a promising candidate for tumor immunotherapy?

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: W Lasek - 2014 - 被引用次数: 69 - 相关文章

2014年2月11日 - Keywords: Interleukin 12, **Cancer** immunotherapy, Gene **therapy**, as IL-12 could not only potentiate antitumor effects of **radiotherapy** [71] but **patient** experienced mental **problems following** prolonged **therapy** The above-described **studies** prompted the initiation of phase II trials with **phIL-12/PPC** in ...

Increased Rates of Long-Term Complications after MammoSite ... - NCBI

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: KM Rosenkranz - 2013 - 被引用次数: 20 - 相关文章

2013年7月2日 - In early follow-up **studies**, few **complications** were reported. ... We compared women **treated** with MammoSite with **patients treated** with whole ... for adjuvant **radiation therapy after** breast-conserving surgery. ... Due to concerns that these masses were recurrent **cancer**, **12 patients** in each group underwent ...

Oral complications of cancer and cancer therapy - Wiley Online Library

onlinelibrary.wiley.com/doi/10.3322/caac.21157/pdf ▾ [翻译此页](#)

作者: JB Epstein - 2012 - 被引用次数: 131 - 相关文章

After reading the article "Oral **Complications** of **Cancer** and **Cancer Therapy**: From of **Radiotherapy**,