

Name of Journal: *World Journal of Clinical Oncology*

ESPS Manuscript NO: 32546

Manuscript Type: Review

Histone Deacetylases, microRNA and Leptin crosstalk in Pancreatic Cancer

Cynthia I. Tchio Mantho, Adriana Harbuzariu, Ruben R. Gonzalez-Perez

ABSTRACT

Because pancreatic cancer (PC) historically has had poor prognosis and five year survival rates, it has been intensely investigated. Analysis of PC incidence and biology has shown a link between different risk factors such as smoking, alcoholism, and obesity and disease

Match Overview

1	Internet 77 words crawled on 20-Jun-2016 jco.ascopubs.org	1%
2	Internet 62 words crawled on 05-Jul-2016 www.ncbi.nlm.nih.gov	1%
3	Crossref 46 words Newman, Gale, and Ruben Rene Gonzalez-Perez. "Lepti... cytokine crosstalk in breast cancer", <i>Molecular and Cellular</i>	1%
4	Internet 35 words crawled on 15-Aug-2016 mdpi.com	1%
5	Internet 30 words crawled on 30-Mar-2016 www.lafayettegeneral.com	1%
6	Internet 27 words crawled on 20-Sep-2014	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 60,200 条结果 (用时 1.16 秒)

Google 学术: Histone Deacetylases, microRNA and Leptin crosstalk in Pancreatic Cancer

... and its oncogenic signaling crosstalk in breast cancer - Guo - 被引用次数: 152

Deacetylation by SIRT1 reprograms inflammation and ... - Liu - 被引用次数: 30

... targeted therapies for breast cancer: a focus on tumor ... - Kamdje - 被引用次数: 13

Role of Notch and its oncogenic signaling crosstalk in breast cancer

<https://www.ncbi.nlm.nih.gov> , NCBI , Literature , PubMed Central (PMC) - 翻译此页

作者: S Guo - 2011 - 被引用次数: 150 - 相关文章

2010年12月28日 - Keywords: Notch, Breast cancer, Leptin, Tumor angiogenesis, ... colon, head and neck, lung, renal carcinoma, pancreatic cancer, acute ... proteins and histone deacetylases (HDACs) to repress transcription of some target genes [37–38]. There are several reports on the crosstalk between miRNA and ...

Identification of miRNA-mRNA crosstalk in pancreatic cancer by ...

<https://www.ncbi.nlm.nih.gov/pubmed/25807437> - 翻译此页

作者: J Yang - 2015 - 被引用次数: 11 - 相关文章

Eur Rev Med Pharmacol Sci. 2015;19(5):825-34. Identification of miRNA-mRNA crosstalk in pancreatic cancer by integrating transcriptome analysis. Yang J(1) ...

缺少字词: histone deacetylases leptin

New targeted therapies for breast cancer: A focus on tumor ... - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4266825/> - 翻译此页

作者: AHN Kamdje - 2014 - 被引用次数: 13 - 相关文章

2014年12月16日 - Anticancer epigenetic drugs, mainly histone deacetylase inhibitors and ... safe and promising in breast, tracheal, and pancreas cancer patients. Notch, IL-1 and leptin crosstalk outcome (NILCO) is critical for ... MicroRNA profiling implies new markers of chemoresistance of triple-negative breast cancer.

Scholar

About 632 results (0.06 sec)

Articles

Role of Notch and its oncogenic signaling crosstalk in breast cancerS Guo, M Liu, RR Gonzalez-Perez - ... *Acta (BBA)-Reviews on Cancer*, 2011 - Elsevier

Case law

The Notch signaling plays a key role in cell differentiation, survival, and proliferation through diverse mechanisms. Notch signaling is also involved in vascul.

My library

Cited by 159 Related articles All 8 versions Cite Save

Any time

Deacetylation by SIRT1 reprograms inflammation and cancerTF Liu, CE McCall - *Genes & cancer*, 2013 - journals.sagepub.com

Since 2017

Cited by 30 Related articles All 7 versions Cite Save

Since 2016

Since 2013

Custom range...

[HTML] New targeted therapies for breast cancer: a focus on tumor microenvironmental signals and chemoresistant breast cancersAHN Kamdje, PFS Etef, L Vecchio... - *World Journal of ...*, 2014 - pubmedcentralcanada.ca... Anticancer epigenetic drugs, mainly **histone deacetylase** inhibitors and DNA methyltransferase inhibitors, also entered ... by epigenetic silencing (eg., erβ1 silencing)[199]; and some **histone deacetylases** (HDACs) such ... Both the HDAC inhibitor (HDACI) trichostatin A and the DNA ...

Cited by 13 Related articles All 9 versions Cite Save

Sort by relevance

Sort by date

☒ include patents☐ include citations**[HTML] Angiogenic gene signature in human pancreatic cancer correlates with TGF-beta and inflammatory transcriptomes**KE Craven, J Gore, JL Wilson, M Korc - *Oncotarget*, 2016 - ncbi.nlm.nih.gov... whether one or both of these kinases are involved in the mitogenic **cross-talk** between human ... HDAC9 is a class IIa **histone deacetylase** that mediates pro-inflammatory cytokine release from macrophages ... Gastrointestinal Neuroendocrine Tumors: **Pancreatic** Endocrine Tumors. ...

Cited by 11 Related articles All 9 versions Cite Save

☒ Create alert**Roles of EGFR and KRAS and their downstream signaling pathways in pancreatic cancer and pancreatic cancer stem cells**TL Fitzgerald, K Lertpiriyapong, L Cocco... - *Advances in biological ...*, 2015 - Elsevier... The PI3-kinase/Akt pathway: from signaling to diseases. Edited By Bernard Payraastre and Lucio Cocco. Cover image Cover image. Roles of EGFR and KRAS and their downstream signaling pathways in **pancreatic cancer** and **pancreatic cancer** stem cells. ...

Cited by 17 Related articles All 4 versions Cite Save

Klotho acts as a tumor suppressor in cancers

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 101,000 条结果 (用时 0.61 秒)

Google 学术: Histone deacetylases, microRNA and leptin crosstalk in pancreatic cancer

... and its oncogenic signaling crosstalk in breast cancer - Guo - 被引用次数: 162

Deacetylation by SIRT1 reprograms inflammation and ... - Liu - 被引用次数: 30

... targeted therapies for breast cancer: a focus on tumor ... - Kamdje - 被引用次数: 14

Role of Notch and its oncogenic signaling crosstalk in breast cancer

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: S Guo - 2011 - 被引用次数: 161 - 相关文章

2010年12月28日 - Keywords: Notch, Breast cancer, **Leptin**, Tumor angiogenesis, ... colon, head and neck, lung, renal carcinoma, **pancreatic cancer**, acute ... proteins and **histone deacetylases** (HDACs) to repress transcription of some target genes [37–38]. There are several reports on the **crosstalk** between **miRNA** and ...

MicroRNA-375 and MicroRNA-221 - NCBI - National Institutes of Health

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Basu - 2011 - 被引用次数: 44 - 相关文章

Interestingly, ectopic expression of miR-375 or the enforced silencing of miR-221 in cultured **pancreatic cancer** cells attenuates cell viability and sensitizes ...

缺少字词: **leptin**

Full Article(HTML) - World Journal of Clinical Oncology - Baishideng ...

www.wjnet.com/2218-4333/full/v8/i2/106.htm ▼ 翻译此页

作者: PV Candelaria - 2017 - 相关文章

In breast and **pancreatic cancer** cells **leptin** upregulates Notch receptors, ... Notch, **IL-1** and **leptin** crosstalk outcome (NHL GO) seems to play essential roles. ... Accumulated evidence suggested that