

Name of Journal: *World Journal of Clinical Oncology*

Manuscript NO: 37263

Manuscript Type: Minireviews

²⁰ Cell-free DNA integrity for the monitoring of breast cancer: Future perspectives?

Overtaking mutations by ⁵ cell-free DNA Integrity in Breast Cancer Monitoring

Navid Sobhani, Daniele Generali, Fabrizio Zanconati, Marina Bortul, Bruna Scaggiante

Abstract

⁴ Breast Cancer is the most common cancer and the second cause of death in women worldwide. Therapeutic options are increasing, but the response to treatments is not always efficient and the risk of recurrence covers decades. In this perspective, the need for the follow-up of therapeutic responses and for anticipating recurrence is an urgent task for

符合内容总览

- | Rank | Source | Similarity |
|------|---|------------|
| 1 | 互联网 31 个字
于 2017年09月22日 缓慢进行
www.impactjournals.com | 1% |
| 2 | 互联网 25 个字
于 2017年09月26日 缓慢进行
preview-ijponline.biomedcentral.com | 1% |
| 3 | 互联网 18 个字
于 2017年12月13日 缓慢进行
www.nejm.org | 1% |
| 4 | 出版物 16 个字
"Studies from Research Institute Have Provide...
New Data on Breast Cancer (Germline DNA var | 1% |
| 5 | Crossref 13 个字
Jie Cheng, Katarina Cuk, Jörg Heil, Michael Gol
atta et al. "Cell-free circulating DNA integrity is | 1% |
| 6 | Crossref 12 个字
Kamel, Azza M., Salwa Teama, Amal Fawzy, an
d Mervat El Deftar. "Plasma DNA integrity inde | <1% |
| 7 | Crossref 12 个字
Stötzer, Oliver J., Julia Lehner, Debora Ferschin
n-Gierlich, Dorothea Nabel, and Stefan Holdenri | <1% |
| 8 | Crossref 12 个字
Advances in Predictive Preventive and Personal
ised Medicine. 2015 | <1% |
| 9 | Crossref 11 个字
Illidge, Tim, and Shaun Tolan. "Current treatme
t approaches for diffuse large B-cell lymphoma" | <1% |
| 10 | Crossref 10 个字
Applications of Biotechnology in Oncology, 201
4 | <1% |



About 101,000 results (0.79 seconds)

Scholarly articles for **Cell-Free DNA Integrity for the Monitoring of Breast Cancer: future perspectives?**

... of **cell-free** Epstein-Barr virus **DNA** in plasma of ... - **Lo** - Cited by 676

... **tumor DNA** to **monitor** metastatic **breast cancer** - **Dawson** - Cited by 952

Cell-free nucleic acids as biomarkers in **cancer** patients - **Schwarzenbach** - Cited by 1236

Cell-free DNA as a diagnostic marker for cancer: current insights

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5087772/> ▼

by S Salvi - 2016 - Cited by 10 - Related articles

Oct 25, 2016 - **Cell-free DNA** (cfDNA) can be found in serum, plasma, urine, and other body fluids,4 representing a “liquid biopsy”, which is a circulating picture of a specific disease.5. The existence of cfDNA The authors matched tissue and plasma samples from 11 patients with stage II **breast cancer** for CNV detection.

Testing for oncogenic molecular aberrations in cell-free DNA-based ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5016094/> ▼

by J Polivka Jr - 2015 - Cited by 15 - Related articles

Nov 11, 2015 - Molecular analysis of this **cell-free DNA** offers multiple clinically useful applications, such as identification of molecular targets for **cancer** therapy, **monitoring** of tumor molecular profile in real time, detection of emerging molecular aberrations associated with resistance to particular therapy, determination of ...

Circulating Tumor DNA as Biomarkers for Cancer Detection ...

<https://www.sciencedirect.com/science/article/pii/S1672022917300487>

by X Han - 2017 - Cited by 10 - Related articles

Researchers have been exploring methods for the detection and cure of cancers via **cancer** screening

找到约 4,040 条结果 (用时0.09秒)

seek68文献馆--各种中外期刊数据库!

不限IP | 包月下载 | 可开发票 | 九年金牌服务

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Analysis of circulating tumor DNA to monitor metastatic breast cancer

SJ Dawson, DWY Tsui, M Murtaza... - ... England Journal of ..., 2013 - Mass Medical Soc
... Circulating DNA fragments carrying tumor-specific sequence alterations (circulating tumor DNA)
are found in the cell-free fraction of blood, representing a variable and generally small fraction
of the total ... The monitoring of circulating tumor DNA levels requires the ...

☆ 99 被引用次数: 976 相关文章 所有 17 个版本

[HTML] nejm.org

Monitoring tumor-derived cell-free DNA in patients with solid tumors: clinical perspectives and research opportunities

A Esposito, A Bardelli, C Criscitiello... - Cancer ..., 2014 - cancer treatment reviews.com
... 1][1]. Cf-DNA offer a unique opportunity for serially monitoring tumor genomes in ... on cf-DNA in
breast, lung, colorectal, ovarian and prostate cancers and discuss ... Jump to Section Introduction
Biology of circulating cell free DNA Breast cancer Quantitative alterations of circulating ...

☆ 99 被引用次数: 75 相关文章 所有 10 个版本

Cell-free nucleic acids as biomarkers in cancer patients

H Schwarzenbach, DSB Hoon, K Pantel - Nature Reviews Cancer, 2011 - nature.com
... Diverging results have been reported regarding whether cell-free mtDNA levels are increased
and ... DNA integrity cfDNA assays have also been used in testicular, prostate, nasopharyngeal
and ... Associations between circulating viral DNA and disease have been reported for EBV ...

☆ 99 被引用次数: 1274 相关文章 所有 27 个版本

[PDF] researchgate.net

Determination of circulating DNA levels in patients with benign or malignant gastrointestinal disease

B Shapiro, M Chakrabarty, EM Cohn, SA Leon - Cancer, 1983 - Wiley Online Library
... Liquid biopsies for solid tumors: Understanding tumor heterogeneity and real time monitoring
mal Fawzy, Mervat El Deftar, Plasma DNA integrity index as ...

时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☐ 包括专利☐ 包含引用

创建快讯



Cell-free DNA integrity for the monitoring of breast cancer: Future perspe



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 889,000 条结果 (用时 0.62 秒)

Cell-free DNA as a diagnostic marker for cancer: current insights

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5087772/> - 翻译此页

作者: S Salvi - 2016 - 被引用次数: 13 - 相关文章

2016年10月25日 - Specific genetic and epigenetic alterations could be found in plasma, serum, and urine **cell-free DNA** (cfDNA) and could potentially be used as ... ctDNA analysis could replace tissue biopsies as it can be easily repeated over time, allowing **tumor** burden and treatment response **monitoring**, and early ...

Cell-free circulating DNA integrity is an independent predictor of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5589601/> - 翻译此页

作者: J Cheng - 2017 - 被引用次数: 3 - 相关文章

2017年4月24日 - Box and whisker plots of **cell-free DNA integrity** (cfDI) in non-recurrent **breast cancer** patients and recurrent BC patients estimated from (A) ALU, (B) Minchella I, Orsi F, Goldhirsch A, Curigliano G. Biopsy confirmation of metastatic sites in **breast cancer** patients: clinical impact and **future perspectives**.

Circulating Tumor DNA as Biomarkers for Cancer Detection - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5414889/> - 翻译此页

作者: X Han - 2017 - 被引用次数: 15 - 相关文章

2017年4月7日 - Keywords: Precision medicine, Liquid biopsy, **Circulating tumor DNA**, Biomarker, Clinical diagnosis, **Cell-free** nucleic acids. Go to: ... Researchers have been exploring methods for the detection and cure of cancers via **cancer** screening, prognostic determination, and **monitoring**. However, up till now, there ...

Cell-free circulating tumor DNA in cancer - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4823888/> - 翻译此页

作者: Z Qin - 2016 - 被引用次数: 40 - 相关文章

2016年4月7日 - Recent progress in the analysis of blood samples for **circulating tumor cells** (CTC) or **cell-**