



国内版

国际版

Functional physiotherapy method results for the treatment of idiopathic clubfoot



All

Images

Videos

翻译成中文

关闭取词

73,500 Results

Any time ▾

## Idiopathic congenital clubfoot: Initial treatment ...

<https://www.sciencedirect.com/science/article/pii/S1877056812002733>

Clubfoot (talipes equinovarus) is a three-dimensional deformity of unknown etiology. Treatment aims at correction to obtain a functional, plantigrade pain-free foot. The "French" functional method involves specialized physiotherapists. Daily manipulation is associated to ...

Cited by: 14

Author: F. Bergerault, J. Fournier, C. Bonnard

Publish Year: 2013

## Clubfoot Treatment: Ponseti and French Functional Methods ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) › ... › v.467(5); 2009 May

Feb 26, 2009 · Introduction. The French **functional method for the nonoperative treatment of clubfoot** originated in the 1970s with Masse, with further refinement and development of the **technique** throughout various French **treatment centers** during the next several decades [ 1, 2, 5, 12 ]. The **treatment method** was brought to the United States (to TSRH)...

Published in: Clinical Orthopaedics and Related Research · 2009

Authors: Shawne Faulks · B Stephens Richards

Affiliation: Texas Scottish Rite Hospital For Children

About: Gait · Achilles tendon · Prospective cohort study · Musculoskeletal Manipulations · Co...

## Long-term Results of Treatment of Congenital Idiopathic ...

[https://www.researchgate.net/publication/233900888\\_Long-term...](https://www.researchgate.net/publication/233900888_Long-term...)

: Two main options for **treatment of congenital idiopathic clubfoot** are the "French" **functional method** and the Ponseti **method**. The goal of this article was to evaluate the **results of the functional** ...

## Management of Clubfoot - Physiopedia

[https://www.physio-pedia.com/Management\\_of\\_Clubfoot](https://www.physio-pedia.com/Management_of_Clubfoot)

**Name of Journal:** *World Journal of Orthopedics*

**Manuscript NO.:** 47448

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Study*

**Functional physiotherapy method results for the treatment of idiopathic clubfoot**

Noriela C García-González, Jorge Hodgson-Ravina, Armando Aguirre-Jaime

**Abstract**

BACKGROUND

Idiopathic clubfoot is a congenital deformity of multifactorial etiology. The initial treatment is eminently conservative; one of the methods applied is the Functional physiotherapy method (FPM), which includes different approaches: Robert Debré

### Match Overview

1 **Crossref** 16 words  
Cosimo Gigante, Luisella Pedrotti, Davide Guido. "Proposal of an innovative casting technique for correction of clubfo ... <1%

2 **Internet** 16 words  
crawled on 25-Apr-2019  
[www.calgarycmmc.com](http://www.calgarycmmc.com) <1%



国内版

国际版

Functional physiotherapy method results for the treatment of idiopathic clubfoot



All

Images

Videos

翻译成中文

关闭取词

67,000 Results

Any time ▾

## Management of Clubfoot - Physiopedia

[https://www.physio-pedia.com/Management\\_of\\_Clubfoot](https://www.physio-pedia.com/Management_of_Clubfoot) ▾



INTRODUCTION

CONSERVATIVE METHODS

SURGICAL INTERVEN



The treatment of clubfoot has evolved over time and can generally be divided into two main approaches: Conservative and Surgical Approaches. The goal of treating clubfoot remains the same whatever the approach: to provide long-term correction of the deformity resulting in a foot that is fully functional and pain-free. Other authors add the additional goals of achieving a foot that is in a plantigrade position and ability to wear normal shoes. Conservative techniques primarily achieve corre...

See more on [physio-pedia.com](https://www.physio-pedia.com)

## Idiopathic congenital clubfoot: Initial treatment ...

<https://www.sciencedirect.com/science/article/pii/S1877056812002733>

Clubfoot (talipes equinovarus) is a three-dimensional deformity of unknown etiology. Treatment aims at correction to obtain a functional, plantigrade pain-free foot. The "French" functional method involves specialized physiotherapists. Daily manipulation is associated to ...

**Cited by:** 14

**Author:** F. Bergerault, J. Fournier, C. Bonnard

**Publish Year:** 2013

## Treatment of Idiopathic Clubfoot - PubMed Central (PMC)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1888755>

**Idiopathic** clubfoot, one of the most common problems in pediatric orthopaedics, is characterized by a complex three-dimensional deformity of the foot. The **treatment** of clubfoot is controversial and continues to be one of the biggest challenges in pediatric orthopaedics. This controversy is due in ...

**Cited by:** 132

**Author:** Dobbs Mb, Morcuende Ja, Gurnett Ca, Pon...

**Publish Year:** 2000

## Results of Physical Therapy for Idiopathic Clubfoot: A ...