

4
Name of Journal: *World Journal of Orthopedics*

Manuscript NO: 57627

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Does proximal femoral nail antirotation achieve better outcome than previous-generation proximal femoral nail?

Seung-Hoon Baek, Seung-Gil Baek, Heejae Won, Jee-Wook Yoon, Chul-Hee Jung, Shin-Yoon Kim

Abstract

BACKGROUND

There are few studies in literature comparing the clinical outcomes and radiographic results between proximal femoral nail (PFN) and proximal femoral nail antirotation (PFNA) for pertrochanteric femoral fracture (PFF) in elderly patients.

Match Overview

1	Crossref 30 words Woo-Kie Min. "Proximal Femoral Nail for the Treatment of Reverse Obliquity Intertrochanteric Fractures Compared With (...)	1%
2	Internet 25 words crawled on 01-Nov-2016 issuu.com	1%
3	Crossref 24 words Tjibbe J. Gardenbroek. "The Proximal Femur Nail Antirotation: An Identifiable Improvement in the Treatment of Unstable ...	1%
4	Internet 14 words crawled on 18-Nov-2019 f6publishing.blob.core.windows.net	1%

Does proximal femoral nail antirotation achieve better outcome th



ALL

IMAGES

VIDEOS

5,010 Results

Any time ▾

INTERTAN nail versus proximal femoral nail antirotation ...

<https://journals.sagepub.com/doi/full/10.1177/0300060517710584>

Jun 06, 2017 · Short-term follow-up results from previous studies 1 –3 have shown that the INTERTAN nail (IT) (Smith–Nephew, Memphis, TN) is superior to the **proximal femoral nail antirotation**-Asia (PFNA-II) (Synthes, Solothurn, Switzerland) for treatment of intertrochanteric **femoral** fractures (IFFs) in patients with osteoporosis. Both nails have a tendency to provide ...

Cited by: 6

Author: Hui Zhang, Xianshang Zeng, Nan Zhan...

Publish Year: 2017

Clinical Outcome of Mid-Length Proximal Femoral Nail for ...

<https://journals.sagepub.com/doi/full/10.1177/2151459320936444>

The TFN-ADVANCED **Proximal Femoral** Nailing System (TFNA) 235 mm (DePuySynthes) and **Proximal Femoral Nail Antirotation** (PFNA)-II 240 mm (DePuySynthes) were developed to **achieve better** stability for patients with trochanteric hip fractures ...

Author: Tomohiro Matsumura, Tsuneari Taka... **Publish Year:** 2020

Results of proximal femur nail antirotation for low ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3491790>

The **proximal femur nail antirotation** (PFNA) is the recent addition to the growing list of intramedullary implants for trochanteric fracture fixation. The initial results in biomechanical and clinical studies have shown promise. We report our results of low velocity trochanteric fractures internally fixed by **proximal femur nail antirotation**.

Cited by: 6

Author: Ashok Sunil Gavaskar, Muthukumar Sub...

Publish Year: 2012

(PDF) Proximal Femoral Nail Unlocked versus Locked ...

https://www.researchgate.net/publication/339171890_Proximal_Femoral_Nail_Unlocked...

Does proximal femoral nail antirotation achieve better outcome than



ALL

IMAGES

VIDEOS

12,000 Results

Any time ▾

[Proximal femoral nail antirotation versus dynamic hip ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5536426>

Apr 18, 2017 · Introduction. Dynamic hip screw (DHS) fixation and **proximal femoral nail antirotation** (PFNA) fixation are both frequently used to treat intertrochanteric **femoral** fractures (IFFs). 1 –3 In China, the percentage of IFFs treated with these two implant techniques increased from 9% in 2010 to 35% in 2015. 4,5 According to the literature, the complication rate after open reduction and internal ...

Cited by: 6

Author: Xianshang Zeng, Nan Zhang, Dan Zeng, Lili ...

Publish Year: 2017

[Clinical Outcome of Mid-Length Proximal Femoral Nail for ...](#)

<https://journals.sagepub.com/doi/full/10.1177/2151459320936444>

The TFN-ADVANCED **Proximal Femoral Nailing System** (TFNA) 235 mm (DePuySynthes) and **Proximal Femoral Nail Antirotation** (PFNA)-II 240 mm (DePuySynthes) were developed to **achieve better** stability for patients with trochanteric hip fractures without increasing surgical time and blood loss.

Author: Tomohiro Matsumura, Tsuneari Takaha...

Publish Year: 2020

[Results of proximal femur nail antirotation for low ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3491790>

The **proximal femur nail antirotation** (PFNA) is the recent addition to the growing list of intramedullary implants for trochanteric fracture fixation. The initial results in biomechanical and clinical studies have shown promise. We report our results of low velocity trochanteric fractures internally fixed by **proximal femur nail antirotation**.

Cited by: 6

Author: Ashok Sunil Gavaskar, Muthukumar Subra...

Publish Year: 2012

[INTERTAN nail versus proximal femoral nail antirotation ...](#)

<https://www.researchgate.net/publication/317405702...>

Jun 06, 2017 · Objectives To compare the long-term functional and radiographic **outcomes** of the **proximal femoral nail antirotation-Asia** (PFNA-II) and **INTERTAN nail** (IT) in the management of intertrochanteric ...

[\(PDF\) Proximal Femoral Nail Unlocked versus Locked ...](#)

<https://www.researchgate.net/publication/339171890...>

Proximal Femoral Nail Unlocked versus Locked (ProFNUL): a protocol for a multicentre, parallel-armed randomised controlled trial for the effect of **femoral nail** mode of lag screw locking and screw ...



Does proximal femoral nail antirotation achieve better outcome tha



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

12,200 Results Any time ▾

[INTERTAN nail versus proximal femoral nail antirotation ...](#)

<https://journals.sagepub.com/doi/10.1177/0300060517710584>

Jun 06, 2017 · Short-term follow-up results from previous studies 1 –3 have shown that the INTERTAN nail (IT) (Smith–Nephew, Memphis, TN) is superior to the **proximal femoral nail antirotation**-Asia (PFNA-II) (Synthes, Solothurn, Switzerland) for treatment of intertrochanteric **femoral** fractures (IFFs) in patients with osteoporosis. Both nails have a tendency to provide rotational and angular stability ...

Cited by: 6 **Author:** Hui Zhang, Xianshang Zeng, Nan Zhang,...

Publish Year: 2017

[Results of proximal femur nail antirotation for low ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3491790>

The **proximal femur nail antirotation** (PFNA) is the recent addition to the growing list of intramedullary implants for trochanteric fracture fixation. The initial results in biomechanical and clinical studies have shown promise. We report our results of low velocity trochanteric fractures internally fixed by **proximal femur nail antirotation**.

Cited by: 6 **Author:** Ashok Sunil Gavaskar, Muthukumar Subr...

Publish Year: 2012

[Clinical Outcome of Mid-Length Proximal Femoral Nail for ...](#)

<https://journals.sagepub.com/doi/full/10.1177/2151459320936444>

The TFN-ADVANCED **Proximal Femoral** Nailing System (TFNA) 235 mm (DePuySynthes) and **Proximal Femoral Nail Antirotation** (PFNA)-II 240 mm (DePuySynthes) were developed to **achieve better** stability for patients with trochanteric hip fractures without increasing surgical time and blood loss.

Author: Tomohiro Matsumura, Tsuneari Takah... **Publish Year:** 2020

[\(PDF\) Comparison of Intertan Nail Vs Proximal Femoral Nail ...](#)

<https://www.researchgate.net/publication/318215777...>

Proximal Femoral Nail in Proximal Femoral Fractures – A Prospective Comparative Study, J Res Med Dent Sci, 2017, 5 (2):1-9 , DOI: 10.5455/jrmds.2017 521 Corresponding author : Shoaib Shaikh

[INTERTAN nail versus proximal femoral nail antirotation ...](#)

<https://www.researchgate.net/publication/317405702...>