

**Name of Journal:** *World Journal of Orthopedics*

**Manuscript NO:** 60456

**Manuscript Type:** MINIREVIEWS

**Acute syndesmotic injuries in ankle fractures: From diagnosis to treatment, current concepts**

Pogliacomi F *et al.* Ankle fractures and DTS injuries

Francesco Pogliacomi, Massimo De Filippo, Daniele Casalini, Alberto Longhi, Fabrizio Tacci, Rocco Perotta, Francesco Pagnini, Silvio Tocco, Francesco Ceccarelli

#### Abstract

A stable and precise articulation of the distal tibiofibular syndesmosis maintains the

#### Match Overview

1	Internet 408 words crawled on 14-Mar-2020 <a href="http://link.springer.com">link.springer.com</a>	5%
2	Internet 394 words crawled on 09-Feb-2021 <a href="http://openorthopaedicsjournal.com">openorthopaedicsjournal.com</a>	5%
3	Crossref 109 words Andrew L. Chang, Jacob C. Mandell. "Syndesmotic Ligaments of the Ankle: Anatomy, Multimodality Imaging, and ..."	1%
4	Crossref 106 words Yves Tourné, François Molinier, Michael Andrieu, Julieta Porta, Geoffroy Barbier. "Diagnosis and treatment of tibial ..."	1%
5	Crossref 79 words Kaifeng Gan, Dingli Xu, Keqi Hu, Wei Wu, Yandong Shen. "Dynamic fixation is superior in terms of clinical outcome ..."	1%
6	Internet 76 words crawled on 20-Jun-2020 <a href="http://www.wjnet.com">www.wjnet.com</a>	1%
7	Crossref 63 words May Fong Mak, Louise Gartner, Christopher J. Pearce. "Management of Syndesmosis Injuries in the Elite Athlete ..."	1%

Acute syndesmotomic injuries in ankle fractures: from diagnosis to trea



ALL IMAGES VIDEOS

67,400 Results Any time ▾

## Acute syndesmotomic instability in ankle fractures: A review ...

<https://www.sciencedirect.com/science/article/pii/S1268773116300133>

Sep 01, 2017 · Approximately 10% of ankle fractures lead to syndesmotomic injury, and this percentage is twice as high in patients with ankle fractures requiring internal fixation , , . A purely ligamentous... +

Cited by: 14 Author: W.J. van Zuuren, T. Schepers, A. Beumer...  
Publish Year: 2017

## Management of syndesmotomic injuries: What is the evidence?

<https://pubmed.ncbi.nlm.nih.gov/27900268>

Ankle fractures are accompanied by a syndesmotomic injury in about 10% of operatively treated ankle fractures. Usually, the total rupture of the syndesmotomic ligaments with an external rotation force is... +

Cited by: 13 Author: Marc Schnetzke, Sven Y Vetter, Nils Beis...  
Publish Year: 2016

### PEOPLE ALSO ASK

How does syndesmotomic injury affect the ankle joint? ▾

Can a high fibula fracture cause ankle syndesmosis? ▾

Is it common to have a syndesmotomic injury? ▾

How to tell if you have a syndesmotomic injury? ▾

Feedback

## [Syndesmosis injuries at the ankle]

<https://pubmed.ncbi.nlm.nih.gov/29845371>

Syndesmotomic disruptions are commonly associated with bony avulsions or malleolar fractures. Treatment consists of anatomic reduction of the distal fibula into the corresponding incisura of the dista... +

Cited by: 8 Author: S Rammelt, E Manke  
Publish Year: 2018

(PDF) Management of syndesmotomic injuries of the ankle

Acute syndesmotomic injuries in ankle fractures: From diagnosis to tre



ALL

IMAGES

VIDEOS

81,400 Results

Any time ▾

## Acute syndesmotomic instability in ankle fractures: A review

<https://pubmed.ncbi.nlm.nih.gov/28865579>

Cited by: 15

Author: W.J. van Zuuren, T. Schepers, A. Beumer, I. ...

Publish Year: 2017

**Ankle fractures** are among the most common **fracture** types, and 10% of all **ankle fractures** lead to accessory **syndesmotomic injury**. An **injury** that is challenging in every respect is **syndesmotomic** instability. Since the range of diagnostic techniques and the therapeutic options is extensive, it still is a c ...

## Acute syndesmotomic instability in ankle fractures: A review ...

<https://www.sciencedirect.com/science/article/pii/S1268773116300133>

Cited by: 15

Author: W.J. van Zuuren, T. Schepers, A. Beumer, I. ...

Publish Year: 2017

Sep 01, 2017 · 1. Introduction. **Ankle fractures** are common and occur in up to 187 per 100,000 persons annually , .Approximately 10% of **ankle fractures** lead to **syndesmotomic injury**, and this percentage is twice as high in patients with **ankle fractures** requiring internal fixation , , .A purely ligamentous **syndesmotomic injury** can also occur, in which case it is mostly combined with damage to the lateral **ankle** ...

## Search Tools

Turn on Hover Translation (开启取词)

### PEOPLE ALSO ASK

What are the goals of treatment for syndesmotomic injuries?





ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

285,000 Results

Any time ▾

Open links in new tab



## Acute syndesmotom instability in ankle fractures: A review

<https://pubmed.ncbi.nlm.nih.gov/28865579>

**Ankle fractures** are among the most common **fracture** types, and 10% of all **ankle fractures** lead to accessory **syndesmotom injury**. An **injury** that is challenging in every respect is **syndesmotom** instability. Since the range of diagnostic techniques and the therapeutic options is extensive, it still is a c ...

Cited by: 15

Author: W.J. van Zuuren, T. Schepers, A. Beumer, I. ...

Publish Year: 2017

## Acute syndesmotom instability in ankle fractures: A review ...

<https://www.sciencedirect.com/science/article/pii/S1268773116300133>

Sep 01, 2017 · 1. Introduction. **Ankle fractures** are common and occur in up to 187 per 100,000 persons annually , .Approximately 10% of **ankle fractures** lead to **syndesmotom injury**, and this percentage is twice as high in patients with **ankle fractures** requiring internal fixation , , .A purely ligamentous **syndesmotom injury** can also occur, in which case it is mostly combined with damage to the lateral **ankle** ...

Cited by: 15

Author: W.J. van Zuuren, T. Schepers, A. Beumer, I. ...

Publish Year: 2017

### PEOPLE ALSO ASK

Can ankle syndesmotom injury lead to ankle instability? ▾

Is it common to have a syndesmotom injury? ▾

Can a high fibula fracture cause ankle syndesmosis? ▾

What are the different types of ankle fractures? ▾

[Feedback](#)

## Management of syndesmotom injuries: What is the evidence?

<https://pubmed.ncbi.nlm.nih.gov/27900268>

Ankle fractures are accompanied by a syndesmotom injury in about 10% of operatively treated ankle fractures. Usually, the total rupture of the **syndesmotom** ligaments with an external rotation force is associated with a Weber type B or C fracture or a Maisonneuve **fracture**. The clinical assessment shou ...