

Name of journal: World Journal of Orthopedics

ESPS Manuscript NO: 17407

Columns: Minireviews

Persistent post-surgical pain and neuropathic pain after total knee replacement

Georgios I Drosos, Triantafilia Triantafilidou, Athanasios Ververidis, Cristina Agelopoulou, Theodosia Vogiatzaki, Konstantinos Kazakos

Abstract

Persistent post-surgical pain (PPSP) of unspecified origin is considered a major and underestimated problem after total knee replacement, not only for patients but also for clinicians. It is also recognizable, that some of these patients, seem to have pain of neuropathic origin (NP). The aim of the present review was to analyze the existing literature and to record the existence and the prevalence of PPSP and NP. Additionally, risk factors that might affect PPSP and NP were reviewed. The number of studies that used pain-specific

Match Overview

1	Internet 74 words crawled on 27-Oct-2014 archopht.jamanetwork.com	2%
2	CrossCheck 61 words Harden, R. "Prospective examination of pain-related and... psychological predictors of CRPS-like phenomena following	1%
3	Internet 46 words crawled on 06-Dec-2014 onlinelibrary.wiley.com	1%
4	CrossCheck 38 words A. D. Beswick. "What proportion of patients report long-ter m pain after total hip or knee replacement for osteoarthr...	1%
5	CrossCheck 30 words Attal, N., A. Masselin-Dubois, V. Martinez, C. Jayr, A. Albi, J . Fermanian, D. Bouhassira, and S. Baudic. "Does cognil...	1%
6	CrossCheck 28 words McAllister, Stacy L., Natalia Dmitrieva, and Karen J. Berkle y. "Sprouted Innervation into Uterine Transplants Contrib...	1%
7	Internet 25 words crawled on 15-Jan-2011	1%



Chronic and neuropathic pain after total knee replacement



网页 新闻 图片 视频 更多 搜索工具

找到约 1,400,000 条结果 (用时 0.33 秒)

Google 学术: Chronic and neuropathic pain after total knee replacement

... reduces chronic pain after total knee arthroplasty: a ... - Buvanendran - 被引用次数: 214

... blocks improve analgesia after total knee replacement ... - Allen - 被引用次数: 256

... femoral nerve block after total knee arthroplasty on ... - Salinas - 被引用次数: 165

[PDF] Spinal Cord Stimulation for the Treatment of Chronic Kne...

www.painphysicianjournal.com/2010/may/2010;13;251-256... 翻译此页

作者: I Deaconess - 2010 - 被引用次数: 12 - 相关文章

Background: Chronic pain after total knee replacement is common but remains ... nerve blocks, a trial of spinal cord stimulation and subsequent permanent ...

Perioperative oral pregabalin reduces chronic pain after ...

www.ncbi.nlm.nih.gov/pubmed/19910619 翻译此页

作者: A Buvanendran - 2010 - 被引用次数: 211 - 相关文章

2009年11月12日 - BACKGROUND: Despite the enormous success of total knee arthroplasty (TKA), chronic neuropathic pain can develop postoperatively and is ...

Subacute pain after total knee arthroplasty - Paineurope

www.paineurope.com/.../subacute-pain-after-total-knee-arthrop... 翻译此页

作者: E Pogatzki-Zahn - 相关文章

2013年11月1日 - Dr Axel Sauter and Professor Harald Breivik present a case of severe neuropathic pain six weeks after a total knee replacement in a ...

Pregabalin Reduces Chronic Neuropathic Pain After Total ...

www.rsds.org/OLD/web/content/2/library/.../Brauser.html 翻译此页

Research and Clinical Articles. Pregabalin Reduces Chronic Neuropathic Pain After Total Knee Replacement Surgery; Presented at ASA. "Pregabalin Reduces ...

[PDF] Pregabalin in preven&ng chronic pain post total knee ...

fhs.mcmaster.ca/.../Perioperativeoralpregabalininthepreventio... 翻译此页



Persistent post-surgical pain and neuropathic pain after total knee replac 



网页

新闻

图片

视频

更多 ▾

搜索工具

找到约 250,000 条结果 (用时 0.81 秒)

Persistent pain after total knee or hip arthroplasty ...

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: PR Pinto - 2013 - 被引用次数: 8 - 相关文章

2013年9月11日 - Persistent pain after total knee or hip arthroplasty: differential study of prevalence, ... Persistent post-surgical pain (PPSP) is a major clinical problem with ... The Neuropathic Pain Questionnaire (DN4) instrument assesses pain ...

Persistent pain after joint replacement: prevalence, sensory ...

www.ncbi.nlm.nih.gov/pubmed/21239114 ▾ [翻译此页](#)

作者: V Wylde - 2011 - 被引用次数: 130 - 相关文章

2011年1月15日 - Persistent postsurgical pain is a prevalent but underacknowledged condition. ... of persistent pain at 3 to 4years after total knee replacement (TKR) and ... and 1% of THR patients reported pain that was neuropathic in nature.

[PDF] Persistent pain after joint replacement: Prevalence, sensor...

<https://ctsi-price.sites.medinfo.ufl.edu/.../Wylde-2011-Persistent...> ▾ [翻译此页](#)

作者: V Wylde - 2011 - 被引用次数: 130 - 相关文章

after total knee replacement (TKR) and total hip replacement (THR). ... persistent postsurgical pain of any severity, with 15% of TKR patients and 6% of THR ... 6% of TKR patients and 1% of THR patients reported pain that was neuropathic in.

The natural history of pain and neuropathic pain after knee ...

boneandjoint.org.uk/.../natural-history-pain-and-neuropathic-pa ▾ [翻译此页](#)

网页 新闻 图片 视频 更多 ▾ 搜索工具

找到约 254,000 条结果 (用时 0.48 秒)

Google 学术: Persistent post-surgical pain and neuropathic pain after total knee replacement

Acute pain after thoracic surgery predicts long-term ... - Katz - 被引用次数: 524

A review of chronic pain after inguinal herniorrhaphy - Poobalan - 被引用次数: 377

... survey suggest postoperative pain continues to be ... - Apfelbaum - 被引用次数: 1173

[PDF] Persistent pain after joint replacement: Prevalence, sensor...

<https://ctsi-price.sites.medinfo.ufl.edu/.../Wylde-2011-Persistent...> ▾ 翻译此页

作者: V Wylde - 2011 - 被引用次数: 137 - 相关文章

after total knee replacement (TKR) and total hip replacement (THR). ... persistent postsurgical pain of any severity, with 15% of TKR patients and 6% of THR ... 6% of TKR patients and 1% of THR patients reported pain that was neuropathic in.

Persistent pain after total knee or hip arthroplasty ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: PR Pinto - 2013 - 被引用次数: 8 - 相关文章

2013年9月11日 - Persistent pain after total knee or hip arthroplasty: differential study of prevalence, ... Persistent post-surgical pain (PPSP) is a major clinical problem with ... The Neuropathic Pain Questionnaire (DN4) instrument assesses pain ...