



17317-Review

Quotes Excluded
Bibliography Excluded10%
SIMILAR

Name of journal: World Journal of Orthopaedics

ESPS Manuscript NO: 17317

Columns: CASE REPORT

6 Florid reactive periostitis ossificans of the humerus: Case report and differential diagnosis of periosteal lesions of long bones

Abha Soni, Alec Weil, Shi Wei, Kenneth A Jaffe, Gene P Siegal

Abstract

6 A case of florid reactive periostitis ossificans (RPO) arising in a long bone is presented. This is a rare bone proliferation with pronounced periosteal reaction. Less than 100 cases have been described in the literature with far fewer outside the bones of the hand, feet, fingers, and toes. 24 Although the etiology is unknown, a relationship to preceding trauma is suggested. The imaging and histologic features show an overlap with other bone lesions including bizarre parosteal osteochondromatous proliferation (BPOP), subungual exostosis, and malignant surface tumors of bone and cartilage which include, periosteal and parosteal osteosarcoma. 17 It is important to recognize the clinical presentation and diagnostic features of RPO as a benign entity so that it is not mistaken for a more aggressive neoplasm. We present a case of a right distal humeral lesion that on histopathological review revealed florid RPO. This diagnosis was not suspected on imaging studies, but was made on open biopsy of the mass. The patient remains disease

Match Overview

1	Internet 32 words crawled on 01-Nov-2014 en.wikipedia.org	1%
2	CrossCheck 26 words K. V. Nance. "Massive florid reactive periostitis", <i>Pediatric Radiology</i> , 01/1990	1%
3	Internet 20 words crawled on 09-Apr-2010 podiatrytoday.com	1%
4	CrossCheck 19 words Vlychou, M., "Bizarre parosteal osteochondromatous proliferation of the clavicle", <i>Journal of Shoulder and Elbow Sur</i>	1%
5	CrossCheck 18 words Daniel Azorín. "Long bone florid reactive periostitis ossificans: a case in the distal femur mimicking osteosarcoma", <i>J</i>	1%
6	Internet 17 words crawled on 30-Nov-2009 www.orthosupersite.com	1%



Florid reactive periostitis ossificans of the humerus: Case report and c



网页 图片 新闻 视频 更多 搜索工具

找到约 4,700 条结果 (用时 0.55 秒)

(Nora's Lesion) of the Mandible. A Rare Bony Lesion

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) 翻译此页

作者: HM Dashti - 2012 - 被引用次数: 6 - 相关文章

2011年11月18日 - These lesions arise in the periosteum and histologically resemble ...
The microscopic differential diagnosis includes both benign and malignant ...
osteosarcoma, myositis ossificans, and florid reactive periostitis. Bizarre parosteal
osteochondromatous proliferation of the proximal humerus: case report.

Florid Reactive Periostitis Ossificans of the Distal Ulna - Healio

www.healio.com/.../florid-reactive-periostitis-ossificans-of-the-... 翻译此页

作者: AC de Orellana - 2008 - 相关文章

2008年3月1日 - Orthopedics | Florid reactive periostitis ossificans was first described by
Spjut ... reactive periostitis ossificans in the long bones is anecdotal; only one case of ...
Computed tomography showed a periosteal lesion in the medial aspect of ... and the
radiologic appearance are clues for the differential diagnosis.

Bizarre Parosteal Osteochondromatous Proliferation: Nora's ...

iranjradiol.com/?page=article&article_id=3396 翻译此页

作者: S Chaabane - 2011 - 被引用次数: 4 - 相关文章

He reported 35 lesions, all involving the small bones of the hands and feet. ... Case 1: A
52-year-old man presented with a five-year history of a mass on the palmar ...
proliferation made of chondrocytes with irregular morphology (bizarre cells).
differential diagnoses of BPOP are florid periostitis and myositis ossificans.

Bizarre Parosteal Osteochondromatous Proliferation of Long ...

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 1,250 条结果 (用时 0.74 秒)

[Florid Reactive Periostitis Ossificans of the Distal Ulna - Healio](#)

[www.healio.com/.../florid-reactive-periostitis-ossificans-of-the-...](#) ▾ [翻译此页](#)

作者: AC de Orellana - 2008 - [相关文章](#)

2008年3月1日 - Orthopedics | **Florid reactive periostitis ossificans** was first described by Spjut ... reactive periostitis **ossificans** in the **long bones** is anecdotal; only one **case** of ... Computed tomography showed a **periosteal lesion** in the medial aspect of and the radiologic appearance are clues for the **differential diagnosis**.

[\(Nora's Lesion\) of the Mandible. A Rare Bony Lesion](#)

[www.ncbi.nlm.nih.gov > ... > PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: HM Dashti - 2012 - 被引用次数: 7 - [相关文章](#)

2011年11月18日 - These **lesions** arise in the **periosteum** and histologically resemble osteochondroma or osteosarcoma. ... The microscopic **differential diagnosis** includes both benign and ... osteosarcoma, myositis **ossificans**, and **florid reactive periostitis**. **lesion**): a retrospective **study** of 12 **cases**, 2 arising in **long bones**.

[Bizarre Parosteal Osteochondromatous Proliferation of Long ...](#)

[www.journalmc.org > Home > Vol. 5, No. 6, Jun 2014](#) ▾ [翻译此页](#)

作者: A Kapukaya - 2014 - [相关文章](#)

In this **study**, Nora's **lesions** localized in the **long bones** were investigated in terms of their ... Plain radiographs of 20 **cases** were available, but only a small number of **cases** to

网页 图片 新闻 视频 更多 ▾ 搜索工具

找到约 1,920 条结果 (用时 0.78 秒)

Florid Reactive Periostitis Ossificans of the Distal Ulna - Healio

www.healio.com/.../florid-reactive-periostitis-ossificans-of-the-... ▾ 翻译此页

作者: AC de Orellana - 2008 - 相关文章

2008年3月1日 - Orthopedics | **Florid reactive periostitis ossificans** was first described by Spjut ... reactive periostitis **ossificans** in the **long bones** is anecdotal; only one **case** of ... Computed tomography showed a **periosteal lesion** in the medial aspect of and the radiologic appearance are clues for the **differential diagnosis**.

(Nora's Lesion) of the Mandible. A Rare Bony Lesion

[www.ncbi.nlm.nih.gov/.../PubMed Central \(PMC\)](http://www.ncbi.nlm.nih.gov/.../PubMed Central (PMC)) ▾ 翻译此页

作者: HM Dashti - 2012 - 被引用次数: 7 - 相关文章

2011年11月18日 - These **lesions** arise in the **periosteum** and histologically resemble osteochondroma or osteosarcoma. The microscopic **differential diagnosis** includes both benign and ... osteosarcoma, myositis **ossificans**, and **florid reactive periostitis**. **lesion**): a retrospective **study** of 12 **cases**, 2 arising in **long bones**.

Bizarre Parosteal Osteochondromatous Proliferation: Nora's ...

[www.ncbi.nlm.nih.gov/.../PubMed Central \(PMC\)](http://www.ncbi.nlm.nih.gov/.../PubMed Central (PMC)) ▾ 翻译此页

作者: S Chaabane - 2011 - 被引用次数: 5 - 相关文章

2011年9月25日 - **Case 1**: A 52-year-old man presented with a five-year **history** of a [6] [8][25] The latter is more likely to be found in the metaphysis of **long bones**. and