

Name of journal: World Journal of Orthopedics

ESPS Manuscript NO: 18583

Columns: Original Article

*Retrospective Study*

**Total hip replacement for arthritis following tuberculosis of hip**

Vijay Kumar, Bhavuk Garg, Rajesh Malhotra

#### Abstract

AIM: To present the results of total hip arthroplasty for post tubercular arthritis of the hip joint.

METHODS: 65 patients (45 male, 20 female) with previously treated tuberculosis of the hip joint underwent cementless total hip arthroplasty for post tubercular arthritis. The average age at the time of Total Hip

#### Match Overview

1	<b>Internet</b> 34 words crawled on 08-Apr-2011 <a href="http://www.orthosupersite.com">www.orthosupersite.com</a>	1%
2	<b>Internet</b> 29 words crawled on 11-Sep-2014 <a href="http://www.ondedurtoverona.it">www.ondedurtoverona.it</a>	1%
3	<b>CrossCheck</b> 27 words Kenneth C. Rankin. "Skeletal Tuberculosis", Children s Orthopaedics and Fractures, 2009	1%
4	<b>CrossCheck</b> 19 words Garcia-Cimbrelo, E.. "Porous-coated cementless acetabular cups in revision surgery", The Journal of Arthroplasty, 1	1%
5	<b>Internet</b> 17 words crawled on 20-Mar-2015 <a href="http://www.researchgate.net">www.researchgate.net</a>	<1%
6	<b>CrossCheck</b> 14 words Jae Chul Lee. "Safety and Efficacy of Pedicle Screws and Titanium Mesh Cage in the Treatments of Tuberculous S...	<1%
7	<b>Internet</b> 14 words crawled on 19-Dec-2013	<1%



Total Hip Replacement for Arthritis following Tuberculosis of Hip



网页

图片

新闻

视频

更多

搜索工具

找到约 2,920,000 条结果 (用时 0.71 秒)

## Google 学术: Total Hip Replacement for Arthritis following Tuberculosis of Hip

Total hip and total knee replacement - Harris - 被引用次数: 535

Deep wound sepsis following total hip arthroplasty - Fitzgerald - 被引用次数: 450

... on component loosening in total hip replacement. An ... - Mulroy - 被引用次数: 487

### Total hip replacement in active advanced tuberculous arthritis.

[www.ncbi.nlm.nih.gov/pubmed/19794163](http://www.ncbi.nlm.nih.gov/pubmed/19794163) 翻译此页

作者: AS Sidhu - 2009 - 被引用次数: 20 - 相关文章

We describe the results of cemented total hip replacement in 23 patients (23 hips) with active tuberculous arthritis of the hip with a mean follow-up of 4.7 years (4 to 7). In two ... Hip Joint/surgery\*; Humans; Male; Middle Aged; Tuberculosis, ...

### Total Hip Arthroplasty in Patients with Active Tuberculosis of ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) 翻译此页

作者: DS Neogi - 2010 - 被引用次数: 24 - 相关文章

2009年6月30日 - Total Hip Arthroplasty in Patients with Active Tuberculosis of the Hip ... success after implant use in patients with spinal TB with hip arthritis, ...

### Total hip arthroplasty for active tuberculosis of the hip

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) 翻译此页

作者: Y Wang - 2010 - 被引用次数: 20 - 相关文章

2009年8月15日 - Total hip arthroplasty (THA) has been used as a successful form of ... The duration of postoperative follow-up was an average of 49 months. ... [9] reported 38 total hip arthroplasties in patients who had tuberculous hip arthritis.

### [PDF] REACTIVATION OF TUBERCULOSIS AFTER TOTAL HI...

[www.boneandjoint.org.uk/highwire/.../12586/.../148.full.pdf](http://www.boneandjoint.org.uk/highwire/.../12586/.../148.full.pdf) 翻译此页

作者: R JOHNSON - 被引用次数: 71 - 相关文章

months after hip replacement. The implications are discussed and preventative ... replacement are those with a history of septic and tuberculous arthritis. The two.



[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 137,000 条结果 (用时 0.33 秒)

## Google 学术: Total hip replacement for arthritis following tuberculosis of hip

Total hip and total knee replacement - Harris - 被引用次数: 551

Deep wound sepsis following total hip arthroplasty - Fitzgerald - 被引用次数: 448

... on component loosening in total hip replacement. An ... - Mulroy - 被引用次数: 493

### [PDF] REACTIVATION OF TUBERCULOSIS AFTER TOTAL ...

[www.boneandjoint.org.uk/highwire/.../12586/.../148.full.pdf](http://www.boneandjoint.org.uk/highwire/.../12586/.../148.full.pdf) ▾ 翻译此页

作者: R JOHNSON - 被引用次数: 72 - 相关文章

months after hip replacement. The implications are discussed and preventative ...  
replacement are those with a history of septic and tuberculous arthritis. The two.

### Total Hip Arthroplasty in Patients with Active Tuberculosis of ...

[www.ncbi.nlm.nih.gov/.../PubMed Central \(PMC\)](http://www.ncbi.nlm.nih.gov/.../PubMed Central (PMC)) ▾ 翻译此页

作者: DS Neogi - 2010 - 被引用次数: 25 - 相关文章

2009年6月30日 - Total Hip Arthroplasty in Patients with Active Tuberculosis of the Hip .....  
success after implant use in patients with spinal TB with hip arthritis, ...

### Total hip replacement in active advanced tuberculous arthritis.

[www.ncbi.nlm.nih.gov/pubmed/19794163](http://www.ncbi.nlm.nih.gov/pubmed/19794163) ▾ 翻译此页

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 135,000 条结果（用时 0.33 秒）

## Google 学术: Total hip replacement for arthritis following tuberculosis of hip

Total hip and total knee replacement - Harris - 被引用次数: 551

Deep wound sepsis following total hip arthroplasty - Fitzgerald - 被引用次数: 449

... on component loosening in total hip replacement. An ... - Mulroy - 被引用次数: 493

### [PDF] REACTIVATION OF TUBERCULOSIS AFTER TOTAL ...

[www.boneandjoint.org.uk/highwire/.../12586/.../148.full.pdf](http://www.boneandjoint.org.uk/highwire/.../12586/.../148.full.pdf) ▾ 翻译此页

作者: R JOHNSON - 被引用次数: 72 - 相关文章

months after hip replacement. The implications are discussed and preventative ...

replacement are those with a history of septic and tuberculous arthritis. The two.

### Total Hip Arthroplasty in Patients with Active Tuberculosis of ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者: DS Neogi - 2010 - 被引用次数: 25 - 相关文章

2009年6月30日 - Total Hip Arthroplasty in Patients with Active Tuberculosis of the Hip ..... success after implant use in patients with spinal TB with hip arthritis, ...

Total hip replacement in active advanced tuberculous arthritis.