

Name of Journal: *World Journal of Orthopedics*

ESPS Manuscript NO: 24932

Manuscript Type: Retrospective Cohort Study

²
Effect of body mass index on functional outcome in primary total knee arthroplasty - a single institution analysis of 2180 primary total knee replacements

Shane C O'Neill, Joseph S Butler, Adam Daly, Darren F Lui, Patrick Kenny

Match Overview

1	Internet 32 words crawled on 16-Feb-2008 www.thesurgeon.net	1%
2	Internet 23 words crawled on 20-May-2016 www.bjj.boneandjoint.org.uk	1%
3	CrossCheck 15 words Lizaur-Utrilla, Alejandro, Francisco A. Miralles-Muñoz, Javier Sanz-Reig, and Isabel Collados-Maestre. "Cemen ...	1%
4	CrossCheck 14 words Jehle, Dietrich, Chirag Doshi, Jenna Karagianis, Joseph Consiglio, and Gabrielle Jehle. "Obesity and seatbelt L ...	1%
5	Internet 11 words crawled on 30-May-2016 www.gesundheit.bfm.ch	<1%
6	Internet 10 words crawled on 23-Mar-2016 www.healio.com	<1%

学术搜索

找到约 185 条结果 (用时0.25秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

Revision surgery following total shoulder arthroplasty Analysis of 2588 shoulders over three decades (1976 to 2008)

boneandjoint.org

JA Singh, JW Sperling... - Journal of Bone & Joint ... , 2011 - bjj.boneandjoint.org.uk

... studies was that they did not examine modifiable factors such as as body mass index (BMI) and ...

tumour leading to poor bone quality, the presence of osteoporosis, the effect of chemotherapy ...

Adapting a clinical comorbidity index for use with ICD-9-CM administrative databases. ...

被引用次数: 38 相关文章 所有 12 个版本 引用

[HTML] Factors affecting outcome after total knee arthroplasty in patients with diabetes mellitus

koreamed.org 中

HK Moon, CD Han, IH Yang... - Yonsei medical journal, 2008 - synapse.koreamed.org

... process may be delayed by this condition.11-14 Theoretically, these effects could contribute ... related

factors (duration of diabetes, number of complications of diabetes, body mass index, HbA 1c ... The

effect of streptozotocin-induced chronic diabetes mellitus on bone and mineral ...

被引用次数: 29 相关文章 所有 38 个版本 引用

Analysis of factors affecting operating time, postoperative complications, and length of stay for total knee arthroplasty: nationwide web-based survey

H Yasunaga, K Tsuchiya, Y Matsuyama... - Journal of Orthopaedic ... , 2009 - Springer

... This study aimed to clarify the impact of various factors on the operating time, postoperative

complications, and ... No significant effects on LOS were identified for MIS (P = 0.67) or computer

navigation use (P ... SA, McQuay LJ, Heck DA, Wright JG, Dittus R, et.al The effect of hospital ...

被引用次数: 35 相关文章 所有 10 个版本 引用

[HTML] Total hip or knee replacement for osteoarthritis: Mid - and long - term quality of life

wiley.com 中的 p

AC Rat, F Guillemin, G Osnowycz... - Arthritis care & ... , 2010 - Wiley Online Library

... Addressing environmental factors and treating comorbidities and pain in locations other than

the arthroplasty location could have mid- and long-term effects on the QOL of patients with THA

or TKA. INTRODUCTION. ... High body mass index had a negative impact on functional ...

被引用次数: 64 相关文章 所有 3 个版本 引用

Articles

Case law

My library

Any time

Since 2016

Since 2015

Since 2012

Custom range...

Sort by relevance

Sort by date

☐ include patents☒ include citations Create alert**Revision surgery following total shoulder arthroplasty**JA Singh, JW Sperling, RH Cofield - J Bone Joint Surg Br, 2011 - bjj.boneandjoint.org.uk... of these studies was that they did not examine modifiable factors such as as **body mass index** (BMI) and ... The **outcome** of interest was -revision surgery for any reason. ... The Deyo-Charlson comorbidity **index** is a summative weighted scale of 17 comorbidities (including cardiac ...

Cited by 42 Related articles All 12 versions Import into EndNote Save More

[\[HTML\] from nih.gov](#)[\[HTML\] Factors affecting outcome after total knee arthroplasty in patients with diabetes mellitus](#)HK Moon, CD Han, IH Yang... - Yonsei medical journal, 2008 - synapse.koreamed.org... process may be delayed by this condition.11-14 Theoretically, these **effects** could contribute ... related factors (duration of diabetes, number of complications of diabetes, **body mass index**, HbA 1c ... The **effect** of streptozotocin-induced chronic diabetes mellitus on bone and mineral ...

Cited by 34 Related articles All 36 versions Import into EndNote Save More

[\[HTML\] from koreamed.org](#)[\[HTML\] Total hip or knee replacement for osteoarthritis: Mid-and long-term quality of life](#)

AC Rat, F Guillemin, G Osnowycz... - Arthritis care & ..., 2010 - Wiley Online Library

... Addressing environmental factors and treating comorbidities and pain in locations other than the **arthroplasty** location could have mid- and long-term **effects** on the QOL of patients with THA or TKA. INTRODUCTION. ... High **body mass index** had a negative **impact** on **functional** ...

Cited by 68 Related articles All 6 versions Import into EndNote Save More

[\[HTML\] from wiley.com](#)**Analysis of factors affecting operating time, postoperative complications, and length of stay for total knee arthroplasty: nationwide web-based survey**

H Yasunaga, K Tsuchiya, Y Matsuyama... - Journal of Orthopaedic ..., 2009 - Springer

... This study aimed to clarify the **impact** of various factors on the operating time, postoperative complications, and ... No significant **effects** on LOS were identified for MIS (P = 0.67) or computer navigation use (P ... SA, McQuay LJ, Heck DA, Wright JG, Dittus R, et.al The **effect** of hospital ...

Cited by 36 Related articles All 10 versions Import into EndNote Save More

Prevention of deep-vein thrombosis after total knee replacementJ Blanchard, JY Meuwly, PF Leyvraz... - Bone & Joint ..., 1999 - bjj.boneandjoint.org.uk... Mean **body mass index** (range) 43.6 (32.2 to 57.7) 44.7 (32.7 to 58.8) ... had LMWH and in seven who had mechanical prophylaxis + haematoma and/or haemarthrosis **index** (see text). **Effects**[\[PDF\] from unige.ch](#)

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 222 条结果 (用时 0.61 秒)

[Effect of body mass index on functional outcomes following](#)

[www.ncbi.nlm.nih.gov > ... > PubMed Central \(PMC\) ▾](#) [翻译此页](#)

作者: G Polat - 2015 - [相关文章](#)

2015年12月18日 - AIM: To evaluate the **body mass index** (BMI) change in **arthroplasty** patients ... patients and **impact** of BMI changes on **functional results** in **total knee** ... cases of **primary knee prosthesis**, 15 cases of hip revision prosthesis and 11 ... Also a subgroup **analysis** was done; **one** group was the patients who had a ...

[Long-term results of primary total knee replacement in patient...](#)

[www.ncbi.nlm.nih.gov/pubmed/15634817 ▾](#) [翻译此页](#)

作者: M Silva - 2005 - 被引用次数: 109 - [相关文章](#)

Long-term **results** of **primary total knee replacement** in patients with hemophilia. ... of hemophilic patients at a **single institution** by the same **primary** surgeon. ... Knee Society clinical and **functional** scores were determined for twenty-nine ... Prosthetic survival was calculated with use of Kaplan-Meier survivorship **analysis**.

[Adverse effects of increased body mass index and weight on ...](#)

[www.ncbi.nlm.nih.gov/pubmed/17665781 ▾](#) [翻译此页](#)

作者: KJ Mulhall - 2007 - 被引用次数: 28 - [相关文章](#)

... **body mass index** and weight on survivorship of **total knee arthroplasty** and ... (BMI) on **total knee arthroplasty** (TKA) survivorship and on **functional outcomes** and quality ... of survivorship of **primary** TKA (regression coefficient BMI = -1.852, P = .004; ... In regression **analysis**, BMI was a significant predictor of Short Form-36, ...

[CG-SURG-54 Elective Total Knee Arthroplasty - Anthem](#)

https://www.anthem.com/ca/.../guidelines/gl_pw_c187157.htm ▾ [翻译此页](#)

2016年5月5日 - This procedure is also referred to as **total knee replacement** (TKR). ... and individual has limited knee **function** secondary to disease that ... **Primary** or