



21415-Review

Quotes Excluded
Bibliography Excluded26%
SIMILARName of Journal: *World Journal of Orthopedics*

ESPS Manuscript NO: 21415

Manuscript Type: REVIEW

Major osteoporotic fragility fractures: Risk factor updates and societal impact

4
Paola Pisani, Maria Daniela Renna, Francesco Conversano, Ernesto Casciaro, Marco Di Paola, Eugenio Quarta, Maurizio Muratore, Sergio Casciaro

Abstract

Osteoporosis is a silent disease without any evidence of disease until a fracture occurs. Approximately 200 million people in the world are affected by osteoporosis and 8.9 million fractures occur each year worldwide. Fractures of the hip are a major public health burden, by means of both social cost and health condition of the elderly because these fractures are one of the main causes of morbidity, impairment, decreased quality of life and mortality in women and men. The aim of this review is to analyze the most important

Match Overview

1	Internet 175 words crawled on 14-Apr-2010 www.jjeiger.ch	3%
2	Internet 169 words crawled on 01-Jan-2015 www.esceo.org	3%
3	Internet 154 words crawled on 19-Apr-2015 www.iofbonehealth.org	3%
4	Internet 143 words crawled on 06-Feb-2015 www.ncbi.nlm.nih.gov	3%
5	CrossCheck 135 words Guglielmi, G., S. Muscarella, and A. Bazzocchi. "Integrate... Imaging Approach to Osteoporosis: State-of-the-Art Review"	3%
6	Internet 95 words crawled on 15-Jan-2014 www.fesemi.org	2%



Major osteoporotic fragility fractures: Risk factor updates and societal impact



网页

新闻

图片

视频

购物

更多 ▾

搜索工具

找到约 305,000 条结果 (用时 0.79 秒)

Google 学术: Major osteoporotic fragility fractures: Risk factor updates and societal impact

Case finding for the management of osteoporosis with ... - Kanis - 被引用次数: 458

... for the diagnosis and management of osteoporosis in ... - Compston - 被引用次数: 222

... on the diagnosis and assessment of osteoporosis with ... - Kanis - 被引用次数: 789

[PDF] Clinician's Guide - National Osteoporosis Foundation

nof.org/files/nof/public/content/file/344/upload/159.pdf ▾ 翻译此页

Sanford Baim, MD, International Society for Clinical Densitometry ..., and a 10-year hip fracture probability $\geq 3\%$ or a 10-year major osteoporosis-related fracture ... fractures and is a risk factor for fracture just as hypertension is for stroke. The majority ... bone resorption or formation) increases bone fragility and fracture risk.

[PDF] Osteoporosis : clinical guideline for prevention and treatment

https://www.shcf.ac.uk/NOGG/NOGG_Executive_Summary.pdf ▾ 翻译此页

of Rheumatology, National Osteoporosis Society, Osteoporosis 2000, ... with a consequent increase in bone fragility and susceptibility to fracture'. 8. ... Fall-related risk factors add significantly to the risk of fracture and often overlap with risk A major osteoporotic fracture is a clinical entity, hip, forearm or humerus fracture.



Major osteoporotic fragility fractures: Risk factor updates and societal impac



网页

新闻

图片

视频

购物

更多 ▾

搜索工具

找到约 305,000 条结果 (用时 0.79 秒)

Google 学术: Major osteoporotic fragility fractures: Risk factor updates and societal impact

Case finding for the management of osteoporosis with ... - Kanis - 被引用次数: 458

... for the diagnosis and management of osteoporosis in ... - Compston - 被引用次数: 222

... on the diagnosis and assessment of osteoporosis with ... - Kanis - 被引用次数: 789

[PDF] Clinician's Guide - National Osteoporosis Foundation

nof.org/files/nof/public/content/file/344/upload/159.pdf ▾ 翻译此页

Sanford Baim, MD, International Society for Clinical Densitometry and a 10-year hip fracture probability $\geq 3\%$ or a 10-year major osteoporosis-related fracture ... fractures and is a risk factor for fracture just as hypertension is for stroke. The majority ... bone resorption or formation) increases bone fragility and fracture risk.

[PDF] Osteoporosis : clinical guideline for prevention and treatment

https://www.shcf.ac.uk/NOGG/NOGG_Executive_Summary.pdf ▾ 翻译此页

of Rheumatology, National Osteoporosis Society, Osteoporosis 2000, ... with a consequent increase in bone fragility and susceptibility to fracture'. 8. ... Fall-related risk factors add significantly to the risk of fracture and often overlap with risk A major

[网页](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 296,000 条结果 (用时 0.54 秒)

Google 学术: Major osteoporotic fragility fractures: Risk factor updates and societal impact

Case finding for the management of osteoporosis with ... - Kanis - 被引用次数: 461

... for the diagnosis and management of osteoporosis in ... - Compston - 被引用次数: 226

... on the diagnosis and assessment of osteoporosis with ... - Kanis - 被引用次数: 790

[PDF] Clinician's Guide - National Osteoporosis Foundation

nof.org/files/nof/public/content/file/344/upload/159.pdf ▾ 翻译此页

Sanford Bairn, MD, International Society for Clinical Densitometry and a 10-year hip fracture probability $\geq 3\%$ or a 10-year major osteoporosis-related fracture ... fractures and is a risk factor for fracture just as hypertension is for stroke. The majority ... bone resorption or formation) increases bone fragility and fracture risk.

Fragility fracture: recent developments in risk assessment

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: TJ Aspray - 2015 - 被引用次数: 1 - 相关文章

All tools estimate standard 10-year risk of major osteoporotic and 10-year risk of ... Both skeletal factors (particularly BMD) and nonskeletal clinical risk factors (CRFs) predict fracture risk [Kanis et al. ... national assessment tool development have also had a considerable impact. ... An update of the SIGN guidance is awaited.

The Assessment of Fracture Risk

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: A Unnanuntana - 2010 - 被引用次数: 108 - 相关文章

The majority of fragility fractures occur in patients with bone mineral density in the ... As